

CONTRACT DATA REQUIREMENTS LIST (1 Data Item)						Form Approved OMB No. 0704-0188		
Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.								
A. CONTRACT LINE ITEM NO.			B. EXHIBIT		C. CATEGORY			
D. SYSTEM/ITEM 24-1-06 3-Axis Double Column Machine(s)			E. CONTRACT/PR NO.		F. CONTRACTOR			
1. DATA ITEM NO. 001		2. TITLE OF DATA ITEM Installation and Preparation Documentation			3. SUBTITLE Installation Drawing			
4. AUTHORITY (Data Acquisition Document No.)			5. CONTRACT REFERENCE		6. REQUIRING OFFICE			
7. DD250 REQ		9. DIST STATEMENT REQUIRED		10. FREQUENCY SEE BLOCK 16		12. DATE OF FIRST SUBMISSION SEE BLOCK 16		
8. APP CODE				11. AS OF DATE SEE BLOCK 16		13. DATE OF SUBSEQUENT SUBMISSION SEE BLOCK 16		
16. REMARKS The contractor shall provide a copy of this information either in electronic or paper format, a minimum of 60-calendar-days prior to delivery of equipment. The contractor shall provide a second copy of this information in electronic or paper format at the time of delivery of the equipment. Acceptable electronic formats include acrobat files (.pdf), drawing exchange files (.dxf), and initial graphic exchange specification (.igs). This drawing may be combined with either the Foundation Drawing or the Footprint Drawing, providing clarity is maintained. This drawing will provide location dimensions for anchor bolts including both the anchor bolt size and height of anchor bolt concrete surfaces clearly shown. Dimensions will be from a common baseline, not chain dimensions. This is to prevent tolerance stack-up errors. Locations of the first connection points for all required power sources shall be shown and dimensioned. Approximate gross weight of each separate component shall be indicated. This drawing shall show capacity requirements at each utility point of first connection. PROVIDE COPIES, AS REQUESTED TO THE FOLLOWING: Rock Island Arsenal ATTN: TARA-LGC Robert McClure Bldg 220-B-D28 Rock Island, IL 61299-6400				14. DISTRIBUTION		b. COPIES		
				a. ADDRESSEE		Draft	Final	
							Reg	Repro
				SEE BLOCK 16				
15. TOTAL								
G. PREPARED BY Chandler J. Work			H. DATE 3-Oct-22		I. APPROVED BY		J. DATE	

[illegible]