

TYPICAL TOILET ACCESSORY MOUNTING HEIGHTS



SCALE: 1/4" = 1'-0"

Diagram illustrating typical toilet accessory mounting heights. The scale is 1/4" = 1'-0".

Key dimensions and mounting heights shown:


- U001, A5200, U002, U003: 39" - 41" O.C.
- U001, A5200, U002, U003: 39" - 41" T.O.P.
- U001, A5200, U002, U003: 39" - 41" T.O.B.
- A5090: 15" MIN.
- A5109: 15" MIN.
- A5115: 15" MIN.
- A5075: 44" - 48" MAX. TO MAX TO BUTTON
- A5080: 44" - 48" MAX. TO OUTLET
- A1085: 44" - 48" MAX. TO REE EXTING
- A5076: 44" - 48" MAX. TO MAX TO BUTTON

INTERIOR FINISHES GENERAL NOTES	
A.	COORDINATE CONSTRUCTION WITH OTHER FURNISHED AND CONTRACTOR PROVIDED EQUIPMENT. REFER TO EQUIPMENT SCHEDULE AND EQUIPMENT PLAN FOR ADDITIONAL INFORMATION. FURNITURE AND EQUIPMENT SHOWN FOR REFERENCE ONLY.
B.	COORDINATE WITH ENGINEERING DRAWINGS. REFER ANY DISCREPANCIES TO COR AND ARCHITECT.
C.	REFER TO PLUMBING ENGINEERING DRAWINGS FOR ADDITIONAL COORDINATION INFORMATION ON SINKS.
D.	PROVIDE BLOCKING AS REQUIRED. REFER TO SPECIFICATIONS FOR ADDITIONAL INFORMATION.
E.	REFER TO TOILET ACCESSORY SCHEDULE FOR INFORMATION REGARDING SPECIFICATIONS. PROVIDE SOAP AND PAPER TOWEL DISPENSERS AT EACH SINK WITHIN PROJECT BOUNDARY.
F.	REFER TO SPECIFICATIONS FOR CASEWORK HARDWARE.
G.	REFER TO FINISH SCHEDULE ON SHEET A801 FOR ADDITIONAL INFORMATION.
H.	REFER TO INTERIOR ELEVATION AND FINISHES SHEET AI SERIES FOR ADDITIONAL NOTES AND LEGENDS.
I.	PROVIDE WORK SURFACE SUPPORT BRACKETS AS NECESSARY WITH SPACERS RECOMMENDED BY MANUFACTURER. COORDINATE SUPPORT LOCATIONS WITH UNDERCOUNTER EQUIPMENT AND FURNITURE.
J.	PROVIDE FILLER PANELS BETWEEN WALLS AND CABINETS, NOT TO EXCEED 3". VERIFY DIMENSIONS IN THE FIELD.
K.	PROVIDE PLASTIC LAMINATE ON ALL EXPOSED SURFACES. EDGES AND ENDS OF WALL MOUNTED AND BASE CABINETS. INTERIORS SHALL BE WHITE MELAMINE. PROVIDE FURNITURE FINISHED ENDS ON ALL EXPOSED SIDES OF CASEWORK.
L.	WALLS AND INFFLL WALL CONSTRUCTION AND FINISHES SHALL BE PROVIDED FROM WALL CORNERS TO WALL CORNER.
M.	REFER TO INTERIOR FINISHES ELEVATION A201 - A204 FOR ADDITIONAL INFORMATION.
N.	REFER TO FINISH PLANS A101 FOR INFORMATION REGARDING ACCENT PANEL LOCATIONS AND FLOORING PATTERNS.
O.	PROVIDE P-1 ON WALLS, UNLESS OTHERWISE NOTED.
P.	PROVIDE P-6 ON HOLLOW METAL DOOR AND WINDOW FRAMES IN SEMI-GLOSS FINISH, UNLESS OTHERWISE NOTED.
Q.	PROVIDE P-4 ON GYPSUM BOARD CEILINGS AND BULKHEADS, UNLESS OTHERWISE NOTED.
R.	PROVIDE PAINT TO MATCH WALL PAINT ON ALL EXPOSED METAL ACCESS PANELS, DUCTS AND OTHER MISC. EXPOSED CONSTRUCTION ELEMENTS, UNLESS OTHERWISE NOTED.
S.	PATCH AND/OR REPAIR, FINISH, AND PAINT ALL WALLS IN AREA OF WORK.
T.	REFER TO INTERIOR ELEVATION SHEET AI SERIES FOR CERAMIC WALL TILE PATTERN. PAINT WALLS ABOVE TILE AS IDENTIFIED IN FINISH SCHEDULE.
U.	PROVIDE TS-1 BETWEEN CERAMIC TILE FLOORING AND RESILIENT FLOORING.
V.	PROVIDE MANUFACTURER TYPICAL TRIM, TRANSITION, AND FINISHING ACCESSORIES. EDGES AND JOINT SHALL BE FINISHED SMOOTH AND TO MANUFACTURERS INSTRUCTIONS.
W.	INSTALL CORNER GROUND MOUNTED ABOVE RESILIENT BASE.
X.	INSTALL WALL BASE OVER IMPACT RESISTANT WALL PROTECTION.



<h1>CONSULTANT</h1> <p><u>Consultant:</u> CMTA 10411 Meeting Street Prospect, Kentucky 40059 502.326.3085</p>

ARCHITECT/ENGINEER OF RECORD	
A/E:	
GUIDON DESIGN, INC.	
1221 N. Pennsylvania Street	
Indianapolis, Indiana 46202	
317.800.6388	



Office of
Construction
and Facilities
Management

A | U.S. Department
of Veterans Affairs

Drawing Title	
INTERIOR FINISHES ELEVATIONS	
Approved:	

Phase	100% CONSTRUCTION DOCUMENTS
	FULLY SPRINKLERED

Project Title		
CONSTRUCT TWO NEW GREEN HOMES 7 & 8		
Location		
1900 E. MAIN ST., DANVILLE, IL 61832		
Issue Date	Checked	Drawn
04/09/2020	JF	LC


Project Number	550-319
Building Number	7 & 8
Drawing Number	AI201

6/22/2024 1:24:41 PM
C:\Users\schinism\Documents\19-0502 Green Homes v17_schinism\MNFX.rvt


12345678910

INTERIOR FINISHES GENERAL NOTES


- A. COORDINATE CONSTRUCTION WITH OWNER FURNISHED AND CONTRACTOR PROVIDED EQUIPMENT. REFER TO EQUIPMENT SCHEDULE AND EQUIPMENT PLAN FOR ADDITIONAL INFORMATION. FURNITURE AND EQUIPMENT SHOWN FOR REFERENCE ONLY.
- B. COORDINATE WITH ENGINEERING DRAWINGS. REFER ANY DISCREPANCIES TO COR AND ARCHITECT.
- C. REFER TO PLUMBING ENGINEERING DRAWINGS FOR ADDITIONAL COORDINATION INFORMATION ON SINKS.
- D. PROVIDE BLOCKING AS REQUIRED. REFER TO SPECIFICATIONS FOR ADDITIONAL INFORMATION.
- E. REFER TO TOILET ACCESSORY SCHEDULE FOR INFORMATION REGARDING ACCESSORIES. PROVIDE SOAP AND PAPER TOWEL DISPENSERS AT EACH SINK WITHIN PROJECT BOUNDARY.
- F. REFER TO SPECIFICATIONS FOR CASEWORK HARDWARE.
- G. REFER TO FINISH SCHEDULE ON SHEET A101 FOR ADDITIONAL INFORMATION.
- H. REFER TO INTERIOR ELEVATION AND FINISHES SHEET A1 SERIES FOR ADDITIONAL NOTES AND LEGENDS.
- I. PROVIDE WORK SURFACE SUPPORT BRACKETS AS NECESSARY WITH SPACING RECOMMENDED BY MANUFACTURER. COORDINATE SUPPORT LOCATIONS WITH UNDERCOUNTER EQUIPMENT AND FURNITURE.
- J. PROVIDE FILLER PANELS BETWEEN WALLS AND CABINETS, NOT TO EXCEED 3". VERIFY DIMENSIONS IN THE FIELD.
- K. PROVIDE PLASTIC LAMINATE ON ALL EXPOSED SURFACES, EDGES AND ENDS OF WALL MOUNTED AND BASE CABINETS. INTERIORS SHALL BE WHITE MELAMINE. PROVIDE FURNITURE FINISHED ENDS ON ALL EXPOSED SIDES OF CASEWORK.
- L. WALLS AND INFILL WALL CONSTRUCTION AND FINISHES SHALL BE PROVIDED FROM WALL CORNER TO WALL CORNER.
- M. REFER TO INTERIOR FINISHES ELEVATION A101 - A104 FOR ADDITIONAL INFORMATION.
- N. REFER TO FINISH PLANS A101 FOR INFORMATION REGARDING ACCENT PAINT LOCATIONS AND FLOORING PATTERNS.
- O. PROVIDE P-1 ON WALLS, UNLESS OTHERWISE NOTED.
- P. PROVIDE P-6 ON HOLLOW METAL DOOR AND WINDOW FRAMES IN SEMI-GLOSS FINISH, UNLESS OTHERWISE NOTED.
- Q. PROVIDE P-4 ON GYPSUM BOARD CEILINGS AND BULKHEADS, UNLESS OTHERWISE NOTED.
- R. PROVIDE PAINT TO MATCH WALL PAINT ON ALL EXPOSED METAL ACCESS PANELS, DUCTS AND OTHER MISC. EXPOSED CONSTRUCTION ELEMENTS, UNLESS OTHERWISE NOTED.
- S. PATCH AND/OR REPAIR, FINISH, AND PAINT ALL WALLS IN AREA OF WORK.
- T. REFER TO INTERIOR ELEVATION SHEET A1 SERIES FOR CERAMIC WALL TILE PATTERN. PAINT WALLS ABOVE TILE AS IDENTIFIED IN FINISH SCHEDULE.
- U. PROVIDE TS-1 BETWEEN CERAMIC TILE FLOORING AND RESILIENT FLOORING.
- V. PROVIDE MANUFACTURER TYPICAL TRIM, TRANSITION, AND FINISHING ACCESSORIES. EDGES AND JOINT SHALL BE FINISHED SMOOTH AND TO MANUFACTURER'S INSTRUCTIONS.
- W. INSTALL CORNER GUARDS MOUNTED ABOVE RESILIENT BASE.
- X. INSTALL WALL BASE OVER IMPACT RESISTANT WALL PROTECTION.




1 INTERIOR FINISH ELEVATION
A103 SCALE: 3/8" = 1'-0"



3 INTERIOR FINISH ELEVATION
A103 SCALE: 3/8" = 1'-0"



2 INTERIOR FINISH ELEVATION
A103 SCALE: 3/8" = 1'-0"



1 INTERIOR FINISH ELEVATION
A103 SCALE: 3/8" = 1'-0"

Revisions:	Date:

CONSULTANT

Consultant:
CMTA
10411 Meeting Street
Prospect, Kentucky 40059
502.326.3085

ARCHITECT/ENGINEER OF RECORD

A/E:
GUIDON DESIGN, INC.
1221 N. Pennsylvania Street
Indianapolis, Indiana 46202
317.800.6388

STAMP



Office of
Construction
and Facilities
Management



U.S. Department
of Veterans Affairs

Drawing Title

INTERIOR FINISHES ELEVATIONS

Approved:

Phase

100% CONSTRUCTION
DOCUMENTS

FULLY SPRINKLERED

Project Title

CONSTRUCT TWO NEW GREEN
HOMES 7 & 8

Location

1900 E. MAIN ST., DANVILLE, IL 61832

Issue Date
04/09/2020

Checked
JF

Drawn
ELB

Project Number

550-319

Building Number
7 & 8

Drawing Number

A103

12345678910