

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>				1. CONTRACT ID CODE <b>J</b>		PAGE OF PAGES <b>1   4</b>	
2. AMENDMENT/MODIFICATION NO. <b>0003</b>		3. EFFECTIVE DATE <b>18-Sep-2023</b>		4. REQUISITION/PURCHASE REQ. NO. <b>96514732202603</b>		5. PROJECT NO.(If applicable)	
6. ISSUED BY CONTRACTING DIVISION US ARMY CORPS OF ENGINEERS 1500 ROCK ISLAND D ROCK ISLAND IL 61201		CODE <b>W912EK</b>		7. ADMINISTERED BY (If other than item 6) <b>See Item 6</b>		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X		9A. AMENDMENT OF SOLICITATION NO. <b>W912EK23Q0033</b>	
				X		9B. DATED (SEE ITEM 11) <b>30-Aug-2023</b>	
						10A. MOD. OF CONTRACT/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)  The purpose of the amendment is to extend the solicitation due date to 2:00 PM CT, 22 September 2023 and to update the Scope of Work.							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
				TEL: _____ EMAIL: _____			
15B. CONTRACTOR/OFFEROR  _____ (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA  BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED  <b>18-Sep-2023</b>	

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

**SUMMARY OF CHANGES**

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been modified:

SCOPE OF WORK

PWS FOR PURCHASE  
FITTINGS AND HOSES, FOR 12" PUMP

1. DESCRIPTION OF ITEMS TO BE PROCURED:

- a. General Description: FITTINGS, HOSES, AND ROAD CROSSING
- b. All flanged fitting and gaskets shall be meet ASME/ANSI B16.5.
- c. All Bauer Connections shall be a Type B Ball or Socket
- d. Preferred is the total solution to all items.
- e. Please identify open or non-schedule items you cannot supply.
- f. Indicate products that may have a longer than 60-day delivery time after award.
- g. Hose connections shall be pressure tested.

2. ACCEPTANCE:

The Government shall inspect 100% of the materials delivered on-site.

3. DELIVERY INFORMATION:

- a. Preferred Delivery Date: 75 days from contract award
- b. SHIP TO ADDRESS:
  - US Army Corps of Engineers, South Florida Operations Office
  - 525 Ridgelawn Rd.
  - Clewiston, FL. 33440
- c. RECEIVING POINT OF CONTACT:
  - Bill Slaughter, (863) 227-3619, William.J.Slaughter@usace.army.mil
- d. RECEIVING LOCATION HOURS:
  - Delivery shall be within regular work hours: Monday – Friday 7:30 AM to 4:30 PM

4. LIST OF SUPPLIES/QUANTITIES:

**Schedule of Prices**

#	Description	Qty	Unit Price	Total Price
1	Galvanized 12" Elbow 90 Degrees Flanged Ends	12		
2	Bauer Type B Connection Closing Tool rated for 12" pipe closure	2		
3	Galvanized 12" T Fitting Inline End are <b>Bauer BALL Type B</b> Perpendicular end is <b>Flanged</b>	12		
4	Galvanized 12" Elbow 45 Degrees Flanged End	12		
5	Galvanized 12" Bauer Socket Type B to Flanged End	12		
6	HDPE Pipe 12"x20' End 1: Bauer Ball Type B End 2: Bauer Socket Type B Connection	16		
7	Galvanized 12" Flanged to Bauer Ball Type B	12		
8	Stainless Steel Bolts 7/8" x 4"	432		
9	Gasket 12" - Classed to fit Flanges in this order	36		
10	12"x20' Rubber Suction Hose  Tube Black Smooth Rubber Cover: Black Weather and Abrasion Resistant Rubber. Reinforcement with yarn with a wire helix. Temp Range: -20° to 170° F Interior Dimensions: 12-inches Max water Pressure: 140 PSI Minimum Hose Weight: 12 lbs/ft Length: 20 ft Connections: End 1: Bauer Ball – Type B Connections: End 2: Bauer Socket – Type B	10		
11	12"x25' Discharge Hose Layflat Tube and Cover are abrasion, weather (exterior) and oil resistance Nitrile / PVC One-piece reinforcement through the weave Temp Range: -40°-170° F Interior Dimensions: 12-inches Max water Pressure: 140 PSIMinimum Weight: 3 lbs/ftLength: 25 ft Connections: End 1: Bauer Ball – Type B Connections: End 2: Bauer Socket – Type B	10		
12	12"x10' Rubber Suction Hose HOSE	6		

	Tube Black Smooth Rubber Cover: Black Weather and Abrasion Resistant Rubber. Reinforcement with yarn with a wire helix. Temp Range: -20° to 170° F Interior Dimensions: 12-inches Max water Pressure: 140 PSI Minimum Hose Weight: 12 lbs/ft Length: 10 ft Connections: End 1: Bauer Ball – Type B Connections: End 2: Bauer Socket – Type B			
28	Freight	1		
			<b>Total</b>	

## SECTION SF 1449 - CONTINUATION SHEET

## SOLICITATION/CONTRACT FORM

The required response date/time has changed from 18-Sep-2023 02:00 PM to 22-Sep-2023 02:00 PM.

(End of Summary of Changes)