

DOOR TYPES

NOT TO SCALE



1 / A225 EXTERIOR THRESHOLD

NOT TO SCALE

DOOR SCHEDULE

DOOR MARK	DOOR		OPENING SIZE			FRAME		HARDWARE
	TYPE	METAL	WIDTH	HEIGHT	THICK	TYPE	OPNG SIZE	
B-1	A	GLS	6'-0"	9'-0"	1 3/4"	ALUM.	6'-0"x8'-10 1/2"	NONE REQ
B-2	A	GLS	6'-0"	9'-0"	1 3/4"	ALUM.	6'-0"x8'-10 1/2"	1
B-3	B	H.M.	4'-0"	7'-0"	1 3/4"	H.M.	4'-0"x8'-10"	2
B-4	B	H.M.	3'-0"	7'-0"	1 3/4"	H.M.	3'-0"x8'-10"	3
B-5	B	H.M.	4'-0"	7'-0"	1 3/4"	H.M.	4'-0"x8'-10"	3
B-6	B	H.M.	4'-0"	7'-0"	1 3/4"	H.M.	4'-0"x8'-10"	3

PLAN NOTES:

1. DOOR SCHEDULES AND DOOR NUMBERS ARE TO BE CONSIDERED A REFERENCE FROM ORIGINAL CONSTRUCTION DOCUMENTS. ALL ELEMENTS WILL REQUIRE FIELD VERIFICATION.
2. ORIGINAL DOOR SPECIFICATION ARE NOT AVAILABLE. ALL REPLACED DOOR HARDWARE WILL REQUIRE FIELD VERIFICATION.
3. DOOR HARDWARE SHALL BE COMMERCIAL GRADE PRODUCTS.
4. DOOR HARDWARE INCLUDES WEATHERSTRIPPING AND THRESHOLDS. THRESHOLDS TO BE INSTALLED IN A FULL BED OF CAULK.
5. ALL EXISTING DOOR SIGNAGE TO BE REPLACED WITH SAME MATERIAL, COVERS AND LABELS. SEE RE FOR ACCEPTABLE ALTERNATIVES.
6. EXTERIOR DOOR HARDWARE GUIDELINE:
   a) BMHA GRADE 1 STOREROOM FUNCTION LOCKSET CAPABLE OF ACCEPTING A BEST 7 PINCORE.
   b) NO ROUND KNOBS
   c) USE NON-REMOVABLE PIN HINGES.
   d) USE LATCH GUARD ON SINGLE DOORS.
   e) USE ASTRAGALS ON DOUBLE DOORS.
   f) BET LOCK SYSTEMS INC. SHALL BE USED. APPROVAL NEEDED FOR ALTERNATIONS.
7. ALL DOORS ARE 1 3/4" THICK UNLESS OTHERWISE SCHEDULED OR DETAILED.
8. DOORS/HATCH TO E/G BUILDING, UPS BUILDING, AND TOWER CATWALK ARE NOT SHOWN ON SCHEDULE BUT STILL REQUIRE REPLACEMENT. FIELD VERIFY SIZES AND HARDWARE.

REV	APPROVED DATE	DESCRIPTION	JCN	REDLINE DATE	APVD

DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION
ATO - TECHNICAL OPERATIONS — CENTRAL SERVICE AREA

ATCT

DOOR SCHEDULES AND DOOR TYPES

LUBBOCK — PRESTON SMITH INTERNATIONAL AIRPORT — TX

REVIEWED BY

SUBMITTED BY: JELANI K JONES — Digitally signed by JELANI K JONES Date: 2023.01.18 09:28:34 -06'00'

APPROVED BY: KEVIN MILES — Digitally signed by KEVIN MILES Date: 2023.01.18 09:38:35 -06'00'

PROJECT ENGINEER — MGR: ENGINEERING - FORT WORTH

DESIGNED: JJ — DRAWN: KS — CHECKED

ISSUED BY: ENGINEERING SERVICES TERMINAL

DATE: 01/06/2023 — JCN: 1402705

DRAWING NO: LBB-D-ATCT-A225 — REV

ISSUED FOR: CONSTRUCTION

Plotted by: SRVC-CAEG-EDMS-COORD

lbb-atct-a225.dgn 01/17/2023 7:27:53 PM

EDM: lbb-atct-a225.dgn

THIS DRAWING PRODUCED ON ASW REGION CAD SYSTEM