

PERFORMANCE WORK STATEMENT

FOR

PORTABLE LATRINE SERVICE

AT

**JOINT BASE MCGUIRE-DIX-
LAKEHURST (JB MDL, NJ)**

Joint Base McGuire-Dix-Lakehurst

25 May 23

1.0. DESCRIPTION OF SERVICES. The contractor shall provide all personnel, equipment, tools, materials, supplies, vehicles, supervision, and other items or services necessary to supply portable latrines, portable handicapped latrines, portable hand wash sinks, and portable latrines with hand wash sinks at Joint Base McGuire-Dix-Lakehurst (JB MDL).

1.1. BASIC SERVICES. The contractor shall provide, deliver, repair, replace, relocate and service portable latrines, portable handicapped latrines, portable hand wash sinks, and portable latrines with hand wash sinks on a monthly basis. The list in Appendix A is not exhaustive as mission requirements change from time to time, consequently the number of services will increase and decrease as the mission requires. The contractor shall also provide services for special events such as airshows.

1.2. PORTABLE LATRINE / HAND WASH PARAMETERS. The contractor shall provide equipment that is uniformly manufactured with industry standard finishes, accouterments, and colors (acceptable colors include earth tone and sky tone colors i.e., blue, beige, white; unacceptable colors include yellow, orange, and pink). Portable latrine colors must be approved prior to contract start by the Contracting Officer Representative (COR). The contractor shall meet or exceed all stated minimum requirements.

1.2.1. PORTABLE LATRINES. The contractor shall provide portable latrines manufactured In Accordance With (IAW) industry standards. The overall dimensions shall be 45" x 45" x 80" or equivalent to mounted on a skid platform. The portable latrine shall be one piece unit constructed of 1/8" fiberglass reinforced resin or equal. The door opening shall be 31" x 72" or equal. The door shall have an occupancy usage indicator and coat hook. The portable latrine shall have ample ventilation as designated by health codes. A toilet seat with lid and a wall mounted urinal shall be provided. The toilet paper dispenser shall hold sufficient rolls of toilet paper to ensure it does not run out between cleanings. The holding tank shall have a 60-gallon capacity or equal with a vent stack sized in accordance with health codes. The portable latrines shall have hand sanitizer installed and refilled upon request by COR.

1.2.2. PORTABLE HANDICAPPED LATRINES. The contractor shall provide portable handicapped latrines specifically designed and manufactured for handicapped individuals IAW the Americans with Disabilities Act (ADA). The overall dimensions shall be 61" x 61" x 87" or equivalent to mounted on a skid platform with non-skid wheelchair ramp. The interior space shall be large enough to provide maximum wheelchair maneuverability with non-skid flooring. The portable handicapped latrine shall be one piece unit constructed of 1/8" fiberglass reinforced resin or equal. The door opening shall be easily able to accommodate a wheelchair. The door shall have an occupancy usage indicator and coat hook. The portable handicapped latrine shall have ample ventilation as designated by health codes. A toilet seat with lid and two 24" assist bars shall be provided. The toilet paper dispenser shall hold sufficient rolls of toilet paper to ensure it does not run out between cleanings. The holding tank shall have a 35-gallon capacity or equal with a vent stack sized in accordance with health codes. The portable handicap latrines shall have hand sanitizer installed and refilled upon request by COR.

1.2.3. PORTABLE HAND WASH SINKS. The contractor shall provide portable hand wash sinks manufactured in accordance with industry standards. The overall dimensions shall be 43" x 25" x 51" or equivalent. The portable hand wash sinks shall be equipped with a 45-gallon freshwater tank or equivalent. A comparably sized wastewater tank is required. The portable hand wash unit shall have a hand sanitizer dispenser, paper towel dispensers, and mirrors.

1.2.4. PORTABLE LATRINES WITH HAND WASH SINKS. The contractor shall provide portable latrines with hand wash sinks utilizing the same characteristics as portable latrines specified in Paragraph 1.2.1. The hand wash unit shall have a 15-gallon freshwater tank or equivalent with a hand sanitizer dispenser, paper towel dispenser, and mirror.

1.2.5. HAND SANITIZER STATIONS. The Contractor shall place hand sanitizer stations at locations as directed by the COR within 24 hours of notification. The contractor shall refill hand sanitizer stations upon request by COR. The contractor shall ensure that the hand sanitizer stations are placed on firm stable ground and sufficiently weighted to prevent them from toppling over. The contractor shall be responsible for protecting any hand sanitizer station from high winds. In the event that the hand sanitizer stations have toppled over, the contractor will upright the station as well as clean and restore them within 24 hours of identification. The hand sanitizer stations are to be placed in such a manner as to facilitate easy access for personnel and servicing.

1.3. PLACEMENT AND REMOVAL OF LATRINES, HANDWASH SINKS, AND HAND SANITIZER STATIONS. The contractor shall place portable latrines, hand sanitizer stations and hand wash sinks at locations as directed by the COR within 24 hours of notification. The contractor shall remove portable latrines, hand sanitizer stations and hand wash sinks at locations as directed by the COR within 48 hours of notification. The contractor shall ensure that the portable latrines, hand wash sinks and hand sanitizer stations are placed on firm stable ground and sufficiently weighted to prevent them from toppling over. The contractor shall be responsible for protecting any latrines from high winds, as well as for cleaning and restoring any latrines to an upright position that have fallen within 24 hours of identification. The portable latrines and hand wash sinks shall be placed in such a manner as to facilitate easy access for personnel and servicing.

1.4. SERVICE REQUIREMENTS. All portable latrines, portable handicapped latrines, and portable hand wash sinks shall be serviced two times per week as part of their normal service. The servicing of the portable latrines, and portable handicapped latrines shall include but not be limited to: the complete removal of wastewater and debris such as cans, bottles, etc. in the waste tank; the cleaning of the waste tank interior; the recharging of the waste tank with sufficient quantity of chemicals to ensure that units shall be free of objectionable odors; the cleaning of the toilet seat with commercial grade cleaner; the flushing of the urinal with sufficient quantity of chemicals to ensure that units shall be free of objectionable odors; the cleaning of the walls, floors, hand rails and door handles as required; and the filling of the toilet paper dispensers. The floors may require additional cleaning due to inclement weather conditions. The servicing of the wash sinks, and portable hand wash sinks shall include but not be limited to: the removal of the wastewater; the flushing of the sink with sufficient quantity of chemicals to ensure that units are clean; the addition of freshwater in the water tank; and filling of the hand sanitizer and paper towel dispensers.

1.4.1 EXTRA SERVICE CLEANINGS. Extra service cleaning may be required during mission exercises. The COR will request a minimum of 20 extra cleanings at a time and will notify the contractor of their locations. The contractor shall complete all extra service cleaning of latrines and sinks within 24 hours of notification by the COR. It is incumbent upon the contractor to maintain the portable latrines and hand washing sinks in accordance with all local, state, and federal health regulations and codes.

1.5. RELOCATION OF LATRINES AND HAND WASH SINKS. The contractor shall be required to relocate portable latrines, portable handicapped latrines, and hand wash sinks as part of their monthly service. The relocations are necessary due to the dynamic mission requirements of JB MDL. The contractor shall relocate these units within 24 hours of notification by the COR, at no additional cost, to the government. Historically, approximately 700 relocations are accomplished annually.

1.6. EMERGENCY RELOCATIONS OF LATRINES AND HAND WASHING STATIONS. The contractor shall be required to relocate portable latrines, hand sanitizer stations and hand wash sinks on short notice due to urgent mission requirements. The contractor shall relocate these units within four (4) hours of notification by the COR, at the government's expense.

1.7. SEASONAL REQUIREMENTS. Dix's seasonal requirements are dynamic due to summer training mission. A historical listing of the number units required is provided in Appendix A. The winter season timeline is considered November through March. The summer timeline is considered April through October. The summer training mission requirements for portable latrines are delineated into two categories: active encampments (known as bivouacs) and ranges. Each active encampment requires a varying number of portable latrines with variable amounts of servicing. There may be many active encampments during the same time periods. Each range normally requires one to four portable latrines with moderate amounts of servicing. Multiple range sites will be required to be supported simultaneously. Each portable latrine shall be serviced in accordance with industry standards and all local, state, and federal health regulations and codes. Special attention is required to maintain the cleanliness of the portable latrine floors due to the outdoor training environment.

1.8. SPECIAL EVENTS. JB MDL occasionally hosts open houses for the general public such as airshows, carnivals, etc. Peak requirements have historically been 230 portable latrines, 60 portable handicapped latrines, 35 portable hand wash sinks, and four (4) portable latrines with hand wash sinks for two active event days. Servicing shall be accomplished at least three times per event day or as required due to high usage. Set-up time will increase the overall requirement up to seven (7) days. The contractor shall ensure that the physical requirements are fully in place and available one (1) day before the event. It is incumbent upon the contractor to provide this special event surge without adversely affecting the training mission requirements.

1.9. TRANSPORT OF PORTABLE LATRINE WASTE MATERIAL. The contractor has the option to use the JB Waste Water Treatment Plant (WWTP) or an off base site for wastewater disposal at no additional cost to the government. The WWTP, Building 4352, is located on Sunrise Road off of Texas Avenue. The contractor shall provide all required transportation manifests to the COR within five (5) days of delivery, if applicable. The contractor shall be a New Jersey State certified licensed waste hauler. The contractor shall also maintain their licensing and certification for the entire period of performance of the contract, with copies of any renewals being supplied to the COR within five business days of receipt.

1.9.1. OFFLOADING OF WASTE MATERIAL. The contractor shall provide the proper tank truck and equipment required for the servicing and transporting of wastewater IAW industry standards. The contractor shall be held responsible for cleaning up of all spills and/or leaks at no additional cost to the government. In the event of a reportable spill, the contractor is responsible for any violations issued by any regulator including payment of fees, fines, penalties, or damages assessed. See paragraphs 5.0, 5.1, 5.2 of this PWS for complete requirements. All disposals will be documented in accordance with all local, State, and federal laws. The contractor has the option to use the WWTP, or an off-post disposal site at no additional expense to the government. When offloading at the WWTP, the contractor shall ensure that debris is not offloaded into the treatment stream. After offloading, the contractor is responsible to rinse down the dump basin, remove any debris, and provide the amounts and types of wastes offloaded in the administrative building's (bldg. 4352) logbook. In the event that the WWTP is inoperable, the contractor shall be notified, whenever possible, in advance by the COR. If waste has been collected when the WWTP is not operational, then the contractor will be required to dispose of waste collected at an appropriate off base disposal site at no additional expense to the government.

2.0. SERVICE SUMMARY (SS).

Performance Objective	Performance Work Statement Paragraph	Performance Threshold
Delivery/Removal Of Portable Latrines/Hand Wash Sinks and Hand Sanitizer Stations Perform delivery within 24 hours upon notification/Removal of within 48 hours upon notification	1.3	95% of the time
Service Requirements Perform service and extra cleanings within required timeframes and standards	1.4, 1.4.1	95% of the time
Relocation Of Portable Latrines Perform relocations within required timeframes	1.5, 1.6	95% of the time
Special Events Perform special event setup and service within required standards and timeframes	1.8	95% of the time
Transport and Offloading of Waste Material Perform transport and offloading according to required standards	1.9, 1.9.1	100% of the time

3.0. GOVERNMENT FURNISHED PROPERTY AND SERVICES. The government shall not provide any facilities, equipment, materials, and services.

3.1. POLICE PROTECTION. Base Security Forces shall provide initial law enforcement response and services to the contractor. The Base Security Operations Desk can be reached at phone numbers (609) 562-6001/2/3 (McGuire/Dix) or (732) 323-4000 (Lakehurst).

3.2. FIRE PROTECTION AND EMERGENCY SERVICES. Base Fire Department shall provide initial response and fire protection and emergency services to the contractor. The Base Fire Alarm Control Center can be reached at phone number 911 from a base telephone. If dialing 911 from a cell phone, the location must be fully identified to ensure that the proper responder is notified.

3.3. EMERGENCY MEDICAL SERVICE (EMS). The medical treatment facility will provide urgent health care to contract employees (contract employee is not a government employee but is a contractor or an employee of a contractor) for injuries occurring while on duty. Urgent health care is defined as medical care authorized to the extent necessary to save life or limb and prevent undue pain and suffering. The contract employee will be transferred to a civilian medical facility as soon as the contract employee is stabilized. The cost of such treatment will be paid for, in full, within a reasonable period of time, by the contract employee and will not be borne by the 87th Medical Treatment Facility, the United States Air Force (AF) or the government. The AF will be prepared to ensure collection and/or billing of charges. If a contract employee cannot pay for the treatment at the time of discharge, a statement of charges and a letter of indebtedness will be completed and billed to the contract employee for medical services rendered. An accounts receivable record will be established for each contract employee who receives medical care and is unable to pay at the time of discharge. Follow-up on accounts receivable will be completed in accordance with AFMAN 41-120, Medical Resource Operations. After an accounts receivable record is established and billing for outpatient medical services has occurred, the Medical Record - Emergency Care and Treatment Form, will be annotated with the date of billing and the voucher number and forwarded to Outpatient Records to be filed in the medical record folder. The contract employee shall ensure that they provide timely notice to their medical insurance company and that if the insurance company is to make payment, the insurance company has adequate information

and documentation to make payment. A contract employee treated in a natural disaster is not charged for outpatient care.

3.4. PHYSICAL SECURITY. The contractor shall be held fully accountable for any failure to maintain the physical security of all base restricted areas, secured facilities or sites that they are responsible for providing services within. The contractor shall be responsible for the safekeeping and inventorying of all government-furnished keys and combinations issued for the performance of services within secured areas. All losses or damages caused by the contractor, or by the contractor's failure or negligence in maintaining proper security of these areas will be paid for by the contractor. Upon termination or completion of the contract, the contractor shall secure the previously issued keys and return them to the COR within twenty-four (24) hours.

3.5. ANTI-TERRORISM As a prelude and during performance of any contract, it is critical that the contractor be supportive of all Department of Defense (DOD) requirements to protect personnel, their families, installations, facilities, information, and other resources from terrorist acts. All contractors and sub-contractors are responsible for providing their personnel information on the Joint Base Antiterrorism Program. During performance of work, personnel security and protection of resources is critical for the installation to maintain a safe work environment. Contractor personnel will be alert for any suspicious activity observed by their work force or any personnel working on the installation. If any situation appears to be suspicious, immediate actions must be taken to make proper notification to 87th Air Base Wing (ABW) Security Forces Squadron JB MDL Law Enforcement by calling JB MDL Security Forces Desk at phone number (609) 562-6001/2/3 (McGuire/Dix). Both personnel and vehicles must be strictly controlled during performance of duty. No personnel and/or equipment will be allowed to be placed in harm's way that could aid or abet anyone with bad intention to cause harm to JB MDL. Contractors are encouraged to contact the JB MDL Antiterrorism Office at (609)754-1397 or (609)754-1611 for information regarding the installation Antiterrorism Program.

3.6. RESTRICTED AREA BADGES. The government shall furnish a United States Air Force (USAF) Restricted Area Badge (AF Form 1199A) to all authorized contractor employees with proper security clearances and a validated need for access to flight line areas to perform maintenance services. The contractor shall coordinate the required request for restricted area badges with the COR.

3.7. RESTRICTED AREA ESCORTS. The government shall provide escort services for contractor employees to provide maintenance services within base restricted areas only until the contractor has been provided with the required AF Form 1199A (with escort authorization) to provide their own escorts. The contractor shall coordinate the necessary government escort services with the COR. The contractor is required to obtain restricted area badges for employees. The contractor shall obtain the appropriate number of employees with badges to escort the workforce.

3.8. AIRFIELD COORDINATION. The contractor shall coordinate all activities in the airfield area by contacting Airfield Management at (609)754-6466. Work will be accomplished only after Airfield Management has approved scheduled times.

3.9. FLIGHT LINE DRIVERS LICENSE. Training must be completed prior to operating vehicles on the flight line. All employees working on the airfield shall be required to have an AF Form IMT 483, Certificate of Competency (flight line driver's license) with them at all times. Vehicles must have a valid Privately Owned Vehicles (POV) pass issued by Airfield Management prior to operating on the flight line. The contractor shall be responsible for ensuring that all foreign objects and debris are removed from vehicle tires prior to entering all taxiways, runways, and aircraft parking aprons.

4.0. GENERAL INFORMATION.

4.1. QUALITY CONTROL. The contractor shall develop and submit for Contracting Officer (CO) review and maintain a quality control program and the necessary quality control procedures to ensure that services are performed IAW the established commercial standards within two (2) weeks of award. The government, through the COR, shall periodically evaluate the contractor's work performance in accordance with the specific contract performance requirements.

4.2. HOURS OF OPERATION. The normal hours of operation for the contractor to perform normal portable latrine service required under this contract are 7:00 AM to 4:00 PM, Monday through Friday. The contractor is not required to provide normal service except for emergencies on the following days: New Year's Day, Martin Luther King's Birthday, President's Day, Memorial Day, Juneteenth, Independence Day, Labor Day, Columbus Day, Veterans Day, Thanksgiving Day, and Christmas Day. The COR or CO must approve in advance, excluding legal holidays, any exceptions to the normal work hours and designated workdays. The contractor shall submit their request to COR and CO no later than two (2) business days in advance of the requested change(s). Contractor may be required to work weekends for extra servicing of latrines and for special events.

4.2.1 BASE CLOSURES. Work scheduled but not accomplished because of base closure due to weather, exercises, or actual alert, will be accomplished as soon as possible after reopening the base. In the cases of severe weather, the contractor will call 609-754-2273 for Joint Base McGuire-Dix and 1-866-690-5260 or 609-754-7777 Option 6 for the Expeditionary Center.

4.3. CONTRACTOR PERSONNEL. The contractor and their employees shall comply with all base regulations at all times and shall conduct themselves in a professional manner. Uniforms, badges, and good behavioral conduct will be mandatory. The contractor shall provide a complete and current employee roster to the COR and CO within ten (10) business days of the contract award. The contractor's employee roster shall identify the primary and alternate site manager or foreman and the Quality Control inspector and their telephone or cell phone numbers. As changes in personnel occur, the contractor shall provide updated copies of their employee roster to the COR and CO with two (2) business days of said change.

4.4. CONTRACTOR EMPLOYEE UNIFORMS AND IDENTIFICATION. All contractor employees shall wear a distinctive company logo on their outer garment at all times. The contractor employee shall be neat and professional in appearance and meet current commercial standards. In addition, the contractor's employees shall wear a company-issued identification badge with the company's name, employee's name and employee's photo prominently displayed on their outer clothing.

4.5. TOBACCO POLICY. The contractor shall ensure that all contractor employees do not use tobacco products within 50 feet (ft.) of any base facility, around fuel tanks and generators, within any clearly marked "No Smoking" areas or within 50 ft. of any flight line aircraft parking areas.

4.6. SAFETY AND ACCIDENT REPORTING. The contractor shall be responsible for providing services under this contract IAW all base, local, State, and federal occupational safety requirements. The contractor shall ensure that all services are conducted safely at all times. The contractor shall ensure that all contractor employees are issued and properly use all required safety personal protective equipment. The contractor shall use mechanically sound and safe vehicles and equipment in the performance of services under this contract. The contractors shall take necessary corrective actions if the contractor's employees are conducting operations in an unsafe manner. In the event of an accident, the contractor shall contact the base emergency 911 service (see paragraph 3.2) and the COR immediately. If dialing 911 from a cell phone, the location must be fully

identified to ensure that the proper responder is notified. Additionally, the contractor and contractor's personnel will be knowledgeable of and comply with all other base incident-reporting procedures.

4.7. HIRING GOVERNMENT PERSONNEL. The contractor is restricted from hiring the COR, inspectors, monitors or any other government employees whose employment could result in conflict of interests in accordance with Joint Ethics Regulation, DOD 5500.7-R.

4.8. SECURITY REQUIREMENTS / VEHICLES AND PASSES. All contractor or contractor employees' vehicles used for the performance of this contract shall comply with all local, State, and federal regulations. In addition, all vehicles described above must be registered through the Security Forces Squadron and will comply with JB MDL directives. After award of contract, the contractor shall request through the COR, CO and Security Forces to be issued base passes and identification badges for their employees and work vehicles IAW the attached McGuire AFB contractor Security Appendix 4 to Annex C to JB MDL JIDP – Sep 21. Reference Appendix C.

4.9. PERFORMANCE OF SERVICES DURING CRISIS DECLARED BY THE NATIONAL COMMAND AUTHORITY OR THE LOCAL INSTALLATION COMMANDER. This service does meet the criteria for continuation of performance during a crisis.

4.10. EXECUTIVE ORDER (EO) 13423 (Strengthening Federal Environmental, Energy, and Transportation Management). The contractor shall assist in compliance with this EO through the:

- (a) Use of products with post-consumer recycled content.
- (b) Use of products that are recyclable.
- (c) Use of low toxicity or non-toxic products.
- (d) Use and installation of low maintenance products.

4.11. NON-PERSONAL SERVICES AND/OR INHERENTLY GOVERNMENTAL SERVICES. The Government will neither supervise contractor employees nor control the method by which the contractor performs the required tasks. It shall be the responsibility of the contractor to manage its employees and to guard against any actions that are of the nature of personal services or give the perception of personal services. If the contractor feels that any actions constitute, or are perceived to constitute personal services, it shall be the contractor's responsibility to notify the CO immediately. These services shall not be used to perform work of a policy/decision making or management nature, (e.g., inherently governmental functions). All decisions relative to programs supported by the contractor shall be the sole responsibility of the Government.

5.0 ENVIRONMENTAL COMPLIANCE. The contractor is required to comply with all applicable base, local, State, and federal environmental laws and regulations, including Air Force Instructions in effect at the time of performance. The contractor shall be responsible for obtaining and complying with any required operating permits. The contractor shall be responsible and liable for penalties, fines, or environmental damage claims that may be required or assessed by the local, State, or federal governments as a result of the contractor's performance, or failure to perform, during the course of this contract. The government will inspect for environmental compliance at its discretion and will notify the COR of any discrepancies found. In addition, contractor may be subject to contractual sanctions for environmental non-compliance including, but not limited to, termination, suspension, and debarment and adverse past performance assessment. Any damages incurred by the contractor's operation or negligence shall be restored to their original condition by the contractor, at no additional cost to the government.

5.1 DISPOSAL OF WASTE. The contractor is responsible for the proper handling and disposal of solid waste. The contractor shall also be responsible for any enforcement action that may be taken by the State of New Jersey, other State or the federal government related to handling, transportation, and the proper disposal of solid waste materials. If notification, certifications, documentation, manifests, permits or any other written materials are required by law to be obtained, prepared and/or submitted. The contractor shall prepare the same and provide a written copy to the COR. Any action, which violates permit requirements for compliance, must be reported to 87 Civil Engineering Squadron (CES) at (609) 754-6166 immediately.

5.2 NOTIFICATION OF ENVIRONMENTAL SPILLS. In the event the contractor spills or releases any unpermitted substance, hazardous substance or hazardous waste into the environment, the contractor shall immediately report the incident to the Fire Department IAW paragraph 3.2, the COR, and the CO. The contractor shall be liable for the costs of clean up and remediation of any spills or the release of such substance into the environment.

5.3 MATERIALS. All materials used in the performance of services on the installation shall be in compliance with all industry standards, local, federal and State laws, and will be used according to manufactures' recommendations. Materials will be used for intended purposes and will be stored and utilized in accordance with industry standards. The contractor will submit Safety Data Sheets on all materials to be used fifteen (15) days prior for approval by the COR.

6.0. APPENDICES.

- A. ESTIMATED WORKLOAD DATA**
- B. REGULATIONS AND CODES**
- C. 87th SECURITY FORCES SQUADRON APPENDIX**

**APPENDIX A
ESTIMATED WORKLOAD DATA**

The average estimated workload data is predicated on historical information and does not reflect a commitment or guarantee of firm work due to the dynamic mission of Joint Base McGuire-Dix-Lakehurst. The location and number of services will vary as the mission changes.

McGuire

Description	Number of Units / Month
Portable Latrines	5 to 15

Dix

Description	Number of Units / Month
Portable Latrines	200 to 350
Portable Handicapped Latrines	2 to 5
Portable Hand Wash Sinks	15 to 25

Lakehurst

Description	Number of Units / Month
Portable Latrines	5 to 10

Special Events

Description	Number of Units
Portable Latrines	230
Portable Handicapped Latrines	60
Portable Latrine With Sinks	4
Portable Hand Wash Sinks	35

APPENDIX B REGULATIONS AND CODES

This is a basic list of areas where regulations, codes, and laws that pertain to this contract can be obtained. It is incumbent upon the contractor to know and understand all codes and laws that pertain to the performance of this contract prior to work commencing. Ignorance of the Law is no excuse.

Americans with Disabilities Act Website: <https://www.ada.gov/>

ADA Design Standards: https://www.ada.gov/2010ADASTandards_index.htm

AFMAN41-120: http://static.e-publishing.af.mil/production/1/af_sg/publication/afman41-120/afman41-120.pdf

DOD 5500.7-R: <http://www.esd.whs.mil/Directives/issuances/dodm/>

Executive Order 13423: <https://www.federalregister.gov/executive-orders/george-w-bush/2007>

Health Codes

OSHA Regs:

https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10624

ANSI Standards: <https://www.osha.gov/laws-regs/regulations/standardnumber/1915/1915.88>

International Plumbing Code, Section 311.1: <https://codes.iccsafe.org/public/document/code/550/9793057>

APPENDIX C

87th SECURITY FORCES SQUADRON APPENDIX TO ALL PERFORMANCE WORK STATEMENTS FOR JOINT BASE MCGUIRE-DIX- LAKEHURST

After award of contract, the contractor shall request through the COR, CO and Security Forces to be issued base passes and identification badges for their employees and work vehicles in accordance with the attached McGuire AFB contractor Security Appendix 4 to Annex C to JB MDL JIDP – SEP 21



SFS Appendix -
CONTRACTOR APPEN