

Salient Characteristics

Midmark 630 Humanform procedure Chair

STANDARD FEATURES

- Paper roll holder, Stirrups, Wired hand and foot controls
- Duplex, hospital grade, electrical outlets on each side (not available on rotational or 230 V models)

OPTIONAL UPHOLSTERY WIDTHS

- 28" and 32"

WIRELESS CONTROLS

- Hand and foot

ROTATION

- Allows chair to rotate 350° and adds 3.5" to the minimum and maximum seat height specifications

PATIENT WEIGHT CAPACITY

- 650 lb (295 kg)

HEIGHT

- 18" (45.7 cm) minimum - 40" (106.6 cm) maximum

PATIENT SUPPORT SURFACE LENGTH

- 72" - 76" (182.9 cm - 193 cm) flat position

ELECTRICAL (FOR STANDARD MODELS W/ RECEPTACLES)

- 115/230 VAC, 12/6 A, 50/60 Hz

ELECTRICAL (FOR ROTATION MODELS)

- 115/230 VAC, 9/4.5 A, 50/60 Hz

ELECTRICAL OUTLET RATING

- 115 VAC, 3 A

Cont..

Midmark 626 Barrier-Free Examination Chair

PATIENT WEIGHT CAPACITY

- 650 lb (295 kg)

HEIGHT

- Uncompressed: 15.5" Low/37" High (39 cm/94 cm)
- Compressed: 14.6" Low (36 cm)

PREMIUM UPHOLSTERY DIMENSIONS (top)

- 28" W x 60" L (71 cm x 52 cm)

LENGTH WITH FOOTREST EXTENDED

- 76" (193 cm)

PELVIC TILT

- 5 1/5°

HEATED DRAWER

- 24.6 W

HEATED DRAWER TEMPERATURE

- 92°F to 112°F at 115 VAC input voltage, 70°F ambient

PAPER ROLL HOLDER

- Holds 24" x 3.56" dia. paper roll (61 cm x 9 cm)

ELECTRICAL RECEPTACLE

- Electrical Draw: 4 A
- Hospital-grade, electrical receptacles on left and right sides

TABLE WEIGHT

- 435 lb (197 kg)

ELECTRICAL RATINGS

- 115 VAC, 50/60 Hz, 12 A

Cont...

Ritter 224 Barrier-Free Examination Chair

PATIENT WEIGHT CAPACITY

- 500 lb (227 kg)

HEIGHT

Uncompressed: 18" Low/37" High (46 cm/94 cm)

SEAMLESS UPHOLSTERY DIMENSIONS

- 28" W x 60" L (71 cm/152 cm)

LENGTH WITH FOOTREST EXTENDED

- 76" (193 cm)

PELVIC TILT

- 5 1/5° (not available on all models)

HEATED DRAWER

- 24.6 W (not available on all models)

HEATED DRAWER TEMPERATURE

- 92°F to 112°F at 115 VAC input voltage, 70°F ambient

PAPER ROLL HOLDER

- Holds 24" x 3.56" dia. paper roll (61 cm x 9 cm)

ELECTRICAL DRAW

- 4 A

ELECTRICAL RECEPTACLE

- Hospital-grade, electrical receptacles on left and right sides

TABLE WEIGHT

- 409 lb (185 kg)

SHIPPING WEIGHT

- 465 lb (211 kg)

224-001 ELECTRICAL RATINGS

- 115 VAC, 50/60 Hz, 9 A

- 224-002 ELECTRICAL RATINGS
- 115 VAC, 50/60 Hz, 11.5 A
- 224-003 ELECTRICAL RATINGS
- 115 VAC, 50/60 Hz, 11.5 A