

## PERFORMANCE WORK STATEMENT (PWS)

FOR

102 OR CERFP CTE 2023

### 1.0 General:

1.1 Scope: The contractor shall provide all personnel, equipment, tools, materials, supervision, and quality control necessary, except as specified in Paragraph 3.0 as Government Furnished, to perform Life Support Services, as defined in this PWS.

1.2 Background: The Oregon National Guard will use Structure Collapse Simulators (SCS) to simulate the collapsed state of buildings due to a natural disaster or a domestic terrorism event. This exercise is a Culminating Training Event (CTE). The use of these simulator venues supports regional training and exercises to enhancing domestic contingency preparedness exercises and evaluations of the Oregon National Guard Chemical, Biological, Radiological, and Nuclear (CBRN) Enhanced Response Force Package. A Structure Collapse Venue Site (SCVS) is a location where one or more SCS are used to simulate the collapsed state of buildings. These SCVS and surrounding areas were built up to be realistic, challenging, maintainable, and to provide the needed skill lanes. They are located on Camp Rilea, Warrenton, OR. The training venue provides command and tactical skill challenges of such complexity that repetitiveness does not breed familiarity with the training prop and training lanes. The Oregon National Guard requires the SCVS of sufficient size and complexity, identified in this PWS, to keep all Guard teams training in a realistic condition and environment so individuals gain valuable experience and expertise working on a simulated "real world" incident.

1.3 Period of Performance (PoP): The Period of Performance shall be 08-14 July 2023.

### 1.4 General Information:

1.4.1 Place and Performance of Services: The contractor shall provide services between the hours of 0500-2100 on 08-15 July 2023. Services shall be performed except on recognized US holidays or when the Government facility/installation is closed due to local or national emergencies, administrative closings, or similar Government-directed facility/installation closings. Performance shall be at **Portland Air National Guard Base (PANG)** in Oregon, Building #115 and **Camp Rilea, OR**. The contractor shall always maintain an adequate work force for the uninterrupted performance of all tasks defined within this PWS when the Government facility/installation is not closed for the above reasons.

1.4.1.1 Telework: The Government does not permit the contractor to telework in support of this requirement.

1.4.1.2 Unscheduled gate closures by the Security Police may occur at any time causing all personnel entering or exiting a closed installation to experience a delay. This cannot be predicted or prevented. Contractors are not compensated for unexpected closures or delays. Vehicles operated by contractor personnel are subject to search pursuant to applicable regulations. Any moving violation of any

applicable motor vehicle regulation may result in the termination of the contractor employee's installation driving privileges.

1.4.1.3 The contractor's employees shall become familiar with and obey the regulations of the installation, including fire, traffic, safety and security regulations while on the installation. Contractor employees should only enter restricted areas when required to do so and only upon prior approval. All contractor employees shall carry proper identification with them at all times and shall be subject to such checks as may be deemed necessary. The contractor shall ensure compliance with all regulations and orders of the installation, which may affect performance. The Government reserves the right to direct the removal of an employee from Government property or revoke access to Government systems for misconduct, security reasons, or any overt evidence of communicable disease. Removal of contractor employees for reasons stated above does not relieve the Contractor from responsibility for total performance of this contract.

1.4.2 Quality Control (QC): The contractor shall develop and maintain an effective QC Plan (QCP) to ensure services are performed in accordance with this PWS. The contractor shall develop and implement procedures to identify, prevent, and ensure non-recurrence of defective services. **At a minimum the QCP shall address contingencies to resolve role player shortfalls and the timeframe to implement such contingencies. QCP will be a required submittal for any quote for this requirement. See submission requirements and evaluation criteria in this solicitation for instructions for quoting.** The contractor's QCP is the means by which the contractor assures itself that its work complies with the requirements of the contract. The contractor shall obtain the Contracting Officer's (KO's) acceptance in writing of any proposed changes to its QCP after award.

1.4.3 Quality Assurance (QA): The Government will evaluate the contractor's performance under this contract in accordance with the Quality Assurance Surveillance Plan (QASP). This plan is primarily focused on what the Government will do to ensure that the contractor has performed in accordance with the performance standards. It defines how the performance standards will be applied, the frequency of surveillance, and acceptable quality level(s) or defect rate(s).

1.4.4. **Access and general protection/security policy and procedures (Camp Rilea, OR).** Contractor and all associated sub-contractors' employees shall provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements (FAR clause 52.204-9, Personal Identity Verification of Contractor Personnel) as directed by DOD, HQDA and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection Condition (FPCON) at any individual facility or installation change, the Government may require changes in contractor security matters or processes.

1.4.4.1 **Access and general protection/security policy and procedures (Pang AFB, OR).** This standard language is for contractor employees with an area of performance within Government controlled installation, facility, or area. The contractor shall comply with all applicable installation/facility access and local security policies and procedures, which may be obtained from the Contracting Officer's Representative (COR). The contractor shall also provide all information required for background checks to meet installation access requirements to be accomplished by the local installation's Security Forces, Director of Emergency Services or local Security Office. The contractor shall ensure compliance with all personal identity verification requirements as directed by DoD, HAF and/or local policy. Should the Force

Protection Condition (FPCON) change, the Government may require changes in contractor security matters or processes.

**1.4.5 AT Level I Training.** All contractor employees, including subcontractor employees, requiring access to Army installations, facilities, and controlled-access areas shall complete AT Level I awareness training prior to the performance of this contract. The contractor shall submit certificates of completion for each affected contractor employee and subcontractor employee, to the COR or to the contracting officer, if a COR is not assigned, prior to the execution of performance tasks. AT Level I awareness training is available at the following website: <http://jko.jten.mil>

**1.4.6 For contractors that do not require CAC, but require access to a DoD facility or installation (Camp Rilea, OR).** Contractor and all associated sub-contractors employees shall comply with adjudication standards and procedures using the National Crime Information Center Interstate Identification Index (NCIC-III) and Terrorist Screening Database (TSDB) (Army Directive 2014-05/AR 190-13), applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by government representative), or, at OCONUS locations, in accordance with status of forces agreements and other theater regulations.

**1.4.6.1 For contractors that do not require CAC, but require access to a DoD facility or installation (Pang AFB, OR)** Contractor and all associated sub-contractors employees shall comply with adjudication standards and procedures using the National Crime Information Center Interstate Identification Index (NCIC-III) and Terrorist Screening Database (TSDB) (AFI 10-245, AFI 31-101 and AFMAN 31-113), applicable installation, facility and area commander installation/facility access and local security policies and procedures (provided by government representative), or, at OCONUS locations, in accordance with status of forces agreements and other theater regulations.

**1.4.7 iWATCH Training.** The contractor and all associated sub-contractors shall brief all employees on the local iWATCH program (training standards provided by the requiring activity). This local developed training will be used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to the COR. This training shall be completed within 15 calendar days of contract award and before employees commence performance with the results reported to the COR. To meet this requirement, the contractors' employees who will have access to the federal facility will review and read the OPSEC trifold (attachment 4) and submit the signed roster to the COR prior to contract performance.

**1.4.8 For contracts that require OPSEC Training.** Per AR 530-1 *Operations Security*, the contractor employees must complete Level I OPSEC Awareness training. New employees must be trained prior to reporting for contract execution. Level 1 OPSEC training is available at <https://securityawareness.usalearning.gov/opsec/index.htm>.

**1.4.9 Communications Security/Information Technology (COMSEC/IT) Security.** All communications with DoD organizations are subject to COMSEC review. All telephone communications networks are continually subject to intercept by unfriendly intelligence organizations. DoD has authorized the military departments to conduct COMSEC monitoring and recording of telephone calls originating from, or terminating at, DoD organizations. Therefore, the contractor is advised that any time contractor personnel place or receive a call they are subject to COMSEC procedures. The contractor shall ensure wide and frequent dissemination of the above information to all employees dealing with DoD information. The contractor shall abide by all Government regulations concerning the authorized use of

the Government's computer network, including the restriction against using the network to recruit Government personnel or advertise job openings.

1.4.10 Physical Security. The contractor shall safeguard all Government property provided for contractor use. At the close of each work period, Government facilities, equipment and materials shall be secured.

1.4.11 Special Qualifications: **The contractor shall ensure applicable employees possess all required licenses for operating a 10k heavy lift forklift used in the performance of this contract.** This does not include education or other qualifications for the positions required. (NOTE: The Government does not provide training to contractors. Contractors must ensure that any personnel performing under a contract are fully trained, licensed, certified, and otherwise qualified to provide services.)

1.4.12 Contract Manager (CM): The contractor shall designate a CM who shall ensure performance under this contract. **The name of this person, and an alternate who shall act for the contractor when the CM is absent, shall be designated in writing to the KO.** The CM or alternate shall have full authority to act for the contractor on all contract matters relating to daily operation of this contract. The CM shall work through the COR to resolve issues, receive technical instructions, and ensure adequate performance of services. The CM shall ensure that contractor employees do not perform any services outside the scope of the contract without an official modification issued by the KO. The CM shall ensure contractor employees understand that services performed outside the scope of the contract are performed wholly at the expense of the contractor. The CM shall be onsite at Camp Rilea during the performance of this contract.

## 2.0 Definitions and Acronyms:

### 2.1 Definitions:

2.1.1 Contractor: A supplier or vendor awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.

2.1.2 Defective Service: A service output that does not meet the standard of performance associated with the PWS.

2.1.3 Deliverable: Anything that can be physically delivered and includes non-manufactured items such as meeting minutes or reports.

2.1.4 Key Personnel: Contractor personnel that are evaluated in a source selection process and that may be required to be used in the performance of a contract by the PWS. When key personnel are used as an evaluation factor in best value procurement, an offer can be rejected if it does not have a firm commitment from the persons that are listed in the proposal.

2.1.5 Physical Security: Actions that prevent the loss or damage of Government property.

2.1.6 Quality Assurance: The Government procedures to verify that services being performed by the Contractor are performed according to acceptable standards.

2.1.7 Quality Assurance Surveillance Plan (QASP): An organized written document specifying the surveillance methodology to be used for surveillance of contractor performance.

2.1.8 Quality Control: All necessary measures taken by the Contractor to ensure that the quality of an end product or service shall meet contract requirements.

2.1.9 Subcontractor: One that enters into a contract with a prime contractor. The Government does not have privity of contract with the subcontractor.

## 2.2 Acronyms:

AEI	Army Enterprise Infostructure
AR	Army Regulation
AT/OPSEC	Antiterrorism/Operational Security
BI	Background Investigation
CM	Contract Manager
COR	Contracting Officer Representative
CERFP	CBRN Enhanced Response Force Package
CRO	Camp Rilea Oregon
DA	Department of the Army
DFARS	Defense Federal Acquisition Regulation Supplement
DoD	Department of Defense
FAR	Federal Acquisition Regulation
GFP/M/E/S	Government Furnished Property/Material/Equipment/Services
HQDA	Headquarters, Department of the Army
HSPD	Homeland Security Presidential Directive
IA	Information Assurance
IC	Incident Commander
IMT	Incident Management Team
IS	Information System(s)
KO	Contracting Officer
NGB	National Guard Bureau
NLT	No Later Than
OCI	Organizational Conflict of Interest
PANG	Portland Air National Guard Base
POC	Point of Contact
PRS	Performance Requirements Summary
PWS	Performance Work Statement
QA	Quality Assurance
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Program
SCVS	Structural Collapse Venue Site
SME	Subject Matter Expert
SSN	Social Security Number
TE	Technical Exhibit
USD(I)	Under Secretary of Defense for Intelligence

3.0 Government Furnished Property, Material, Equipment and Services (GFP/M/E/S): The Government will provide the property, material, equipment, and/or services listed below solely for the purpose of performance under this contract:

**There is no GFP associated with this requirement.**

4.0 Contractor Furnished Property, Materials, and Equipment (CFP/M/E):

4.1 General: Except for those items specifically stated to be Government-Furnished in Paragraph 3.0, the contractor shall furnish everything required to perform these services as indicated in Paragraph 1.1.

5.0 **Requirements:** The contractor shall: Provide materials and services to accomplish all tasks outlined in this Performance Work Statement throughout the period of performance of the contract. See attachment 1 for timeline synchronization for all requirements during the exercise.

5.1 **Pre-exercise Planning:**

The contractor shall prepare for and participate in the identified meetings and site visit below with the Contracting Officer's Representative (COR). Attended meetings can be supported via teleconference or in person upon contract award, **except for the site visit which will only be held in person.** If contractors would like to attend planning meetings in person, then they may do so at their own cost or include the cost within the quote. This will not be billed separately.

Meeting location for Final Planning Meeting will take place at Portland Air Guard Base. CTE Kick-off Meeting will take place at Camp Rilea, OR. **Transportation will be the contractor's responsibility for meetings and site visit.**

- The COR will be available on site for a site visit on 29 or 30 JUNE 2023 after contract is award.
- Final Planning Meeting (FPM) –05 July 2023
- CTE Kick-off Meeting – 09 July 2023

During the final planning meeting the contractor will address any issues outstanding with the requirements through the QCP and implemented actions to correct those issues. **Submittal requirements in technical exhibit (TE2) will also be reviewed.** The contractor shall resolve all issues and report on corrections at the CTE kick-off meeting. If there are still deficiencies, a follow-on meeting will be scheduled with the COR.

5.2 **Services**

5.2.1 **Portable Chemical Toilets, Hand Washing Stations:** Provide thirty (30) outdoor style portable chemical toilets and a minimum of ten (10) portable hand washing stations. The contractor shall maintain material safety data sheets (MSDS) in the contractor's vehicle for all applicable material used in the performance of this service.

Locations:

- Provide 5 outdoor style portable chemical toilets at PANG in Portland, OR and 25 outdoor style portable chemical toilets at Camp Rilea, OR.

- Provide 2 portable hand washing stations at PANG in Portland, OR and 8 portable hand washing stations at Camp Rilea, OR.

- *Contractor shall be prepared to reposition Latrines and handwashing stations 1 time during the performance period. Notification will be given at a minimum of 24 hours prior to requiring the move. COR will be on site to direct the setup locations of the latrines and hand washing stations.*

#### 5.2.1.1 Delivery and service:

- Delivery/set-up dates:

**Pang AFB-** No earlier than (NET) 0800hrs 08 July 2022 and no later than (NLT) 1600hrs (4pm) 08 July 2023

**Camp Rilea, OR-** NET 0500hrs 09 July 2023 and NLT 1300 (1pm) 09 July 2023

- Service dates:

**Pang AFB-** 10 and 13 July 2023 (PANG only)

**Camp Rilea, OR-** 10-13 July 2023 (daily) Servicing will occur daily NET 1800 and NLT 2200.

- *Removal dates: Remove all Latrines and hand washing stations NLT 1800hrs 14 July 2022.*

#### 5.2.1.2 Standards:

##### **Portable Latrines-**

- Chemical toilet units shall be of standard commercial manufacture intended for use as portable chemical toilets.

- Portable chemical toilets shall consist of a completely enclosed, well-vented enclosure, the roofs, sides, and floors shall be free of leaks, cracks, and holes; Toilets units will include waterless hand sanitizer; Doors shall be self-closing, tight fitting, and will have an inside lock.

- All portable toilets shall be new or like new condition, clean, single type occupancy, to include urinal, and easily serviced.

- The contractor shall clean inside and outside of all units on dates outlined in para 5.2.1.1 to where they are free of all human waste, soiled toilet articles and dirt; after emptying the units the contractor shall refill each unit with standard commercial sanitizing chemicals and enough toilet paper to last until the next scheduled servicing.

- When more than one unit is positioned at any location, the contractor shall place the units as close together as feasible for user convenience and organized appearance and/or at the direction of the onsite government representative.

- The contractor shall use appropriate tie-down systems as necessary to ensure all units are secured in designated locations to prevent high winds from toppling them over.

**Handwashing Stations-**

- Hand washing stations will be of standard commercial manufacture intended for use as sanitary hand washing stations.
- Handwashing stations are to be filled completely (100%) at the start-up of the exercise and remain no less than 50% filled during the remainder of the exercise. Handwashing stations shall never run out of water to ensure that sanitary conditions are met in a field environment.
- The stations will be free of leaks and watertight - at least one hand washing station per every three toilets in one geographical area.
- The contractor shall furnish replacement units for all units removed for maintenance, repair or units that have toppled over within 24 hours of identification of an issue.

**Waste Disposal-**

- The contractor shall dispose of all waste at an off-post location. The contractor may not dump waste anywhere within PANG or CRO. Disposal shall be in accordance with existing local, state, and federal regulations. The contractor shall be responsible for any permits or fees associated with the use of off-post disposal locations. No Black or grey water shall be emptied or allowed to empty on the ground on either military location.

**5.2.2 Grey Water removal:** Provide gray water removal service in support of Military field training activities. Gray water removal (up to 1500 GAL) from storage blivets (containers).

Location: Camp Rilea, OR

**5.2.2.1 Service dates:**

- 11-13 July 2023. Performed daily NLT 2000.

**5.2.2.2 Standards:**

- Gray water will not be allowed to drain on the ground; gray water removal will be performed by the contractor.
- The contractor will also provide removal for gray water produced (up to 600 gallons per service) in support of field feeding and simulated decontamination processes used during training.

**5.2.3 Garbage Dumpsters:** Provide three (3) dumpsters. Two (2) 10ftx10ft garbage dumpster and one (1) 30ydx30yd construction material dumpster.

Location: Camp Rilea, OR

**5.2.3.1 Delivery:**

- No earlier than 0800hrs 09 July and no later than 1800hrs (6pm) 09 July 2023



#### 5.2.3.2 Service Dates:

- Remove trash from the dumpsters on 11 and 13 July 2023
- *Removal dates: Remove all dumpsters NLT 1800hrs 14 July 2023.*

#### 5.2.3.3 Standards:

- Contractor will place the equipment at a location as designated by the COR.

### 5.3 Supplies

**5.3.1 Provide one package of lumber material.** Any lumber unused during the training event will become property of the government and will be used for future training.

Location: 1 package delivered to Camp Rilea, OR

*\*\*Location of lumber delivery for the sites will be identified during the site visit.*

#### 5.3.1.1 Delivery Date:

- No later than 1800 on 09 July 2023

#### 5.3.1.2 Lumber Package will consist of the following:

- 30 – 12' 4x4 red fir boards
- 25 – 12' 2x4 red fir boards
- 30 – 12' 2x6 red fir boards
- 6 – 4'x8' plywood  $\frac{3}{4}$ " thick
- 1 – 10-pound box of 8 penny duplex nails
- 1 – 10-pound box of 16 penny duplex nails

**5.3.2 Provide 15 mannequins:** Mannequins shall include waterproof laminated injury cards for rubble pile and water decontamination operations.

Location: Camp Rilea, OR

#### 5.3.2.1 Delivery Date:

- Mannequins will be ready and placed in and around the SCVS daily NLT 0730 10-13 JULY 2023

#### 5.3.2.2 Standards for implementation of Mannequins:

- Mannequins will be moulage prepped (wounds made-up), transported and placed by SCVS SMEs.

- Mannequin Adults shall weigh a minimum of 150 pounds with weighted limbs: Children 60-100 pounds; Infants 10-30 pounds. Composition of mannequins: Adults - 10, Children - 3, Infants - 2 mix.
- Provide exercise scenario specific moulage for mannequins with the following types of issues: Multiple Compression Wounds, Geriatrics, Trauma, Crush, Burn and Fatalities.
- Provide required support at each presentation dependent upon the exercise sequencing and pacing. Times may shift slightly based on training requirements as directed by exercise planners.
- Mannequin waterproof laminated injury cards should be able to be modified each day per operational requirements.
- Provide a minimum of ten simulated fatality remains; dismembered limbs, body parts, in accordance with exercise scenario. This is in addition to the full body mannequins listed within this section.

**5.3.3 Provide all-terrain 10k heavy lift forklift:** Forklift required **with qualified driver**, for daily SCVS reset. SCVS reset will include but not limited to the movement and placement of mannequins, movement of lumber material, and movement and placement of concrete breaching slabs throughout the daily operational period of 0700-1800.

Location: Camp Rilea, OR

5.3.3.1 Delivery Date:

- No later than 0730 10 July 2023.
- *Removal dates: Remove of forklift NLT 1800hrs 14 July 2023.*

#### **5.4 Personnel Support.**

**5.4.1 Provide real-world medical support.** Contractor will provide 1 advanced life support ambulance and 1 basic life support ambulance for civilian role players and service members for real world medical needs. Ambulatory support shall include personnel support of 4 Paramedics/EMTs, two (2) per ambulance.

Location: Camp Rilea

5.4.1.1 Operational period: 0730-1830 12-13 July 2023.

5.4.1.2 Standards

- Ambulances shall conform to the State Rules and Regulations.
- The Contractor shall employ Oregon State Licensed Paramedics, Emergency

Medical Technician-Intermediates, or Emergency Medical Technicians and provide real world patient care and to operate Contractor's vehicles and equipment. Each Paramedic/EMT shall be physically capable of performing the tasks assigned by the Contractor, shall be clean in dress and person, and shall display their name and certification on a photo identification badge in an appropriate manner visible to the patient.

- At least one ambulance will be required to remain on site in order for training to continue, in the event both ambulances are off site for any reason training will be suspended until at least one ambulance is back on site.
- Contractor shall provide Medical Support for all military personnel and civilians participating in the training event. All medical treatment expenses will be billed to the individual's respective insurance. ORNG will not be liable for any expenses incurred for medical services rendered.

#### **5.4.2 Provide moulage, wound simulation prep, and displaced civilian role player support for training exercise.**

Location: Camp Rilea, OR

5.4.2.1 Operational Period: 0730-1800 12-13 July 2023.

5.4.2.2 Role Player Screening Requirements:

- All Role Players will be at least 18 years of age, have no outstanding warrants, cannot be on parole, and must possess a valid government issued I.D. All personnel will be subject to ID check and vehicle inspections at PANG and CRO.
- Role Players must be free of communicable diseases and do not have allergic reactions to moulage supplies when applied.

5.4.2.3 Standards:

- Provide Role player sign in Roster. The role player roster is utilized for security and safety on site. **See attachment 2 for sign in roster template and PRS requirements.** The purpose is to confirm personnel on site and accountability in case of injury or safety incident. Personnel entering the training site shall sign in before participation each day. Additionally, this report can be used for validation of performance requirements and shall be submitted to the COR NLT 2300 daily.
- Number and type of role players will be required on the following dates for the duration of the Operational Period listed in paragraph 5.4.2.1:  
  
12JUL23: 10 Moulaged, 30 Displaced Civilians- 40 total role players  
13JUL23: 10 Moulaged, 30 Displaced Civilians- 40 total role players
- Provide an on-site manager/expert for assuring quality of moulage treatments. The numbers of artisans are based on contractor needs to provide the number of presentations.

- Provide exercise scenario specific moulage for casualty role players with the following types of medical issues: Multiple Compression Wounds, Geriatrics, Trauma, Chest Pain, Crush, Burn, Hot/Cold, and Panic (mental other), Chemical, PTSD, Pediatrics -- Ambulatory and Non-Ambulatory.
- Provide moulage prepped role players with exercise scenario specific Mass Casualty Cards (waterproof) and provide injury specific acting instructions/coaching.
- Provide patient flow rates in accordance with exercise scenarios and schedule of exercise events.
- Role players will be moulage prepped (make-up) and placed at the appropriate training sites in accordance with exercise timelines and suspense's.
- Ensure timely pickup of role players once they have passed through medical holding to maximize the recycling and iteration process.
- Prepare Role players to understand that they will get extremely wet, exercise play clothing will be cut off and they will be scrubbed with brushes and a lot of water (possibly cold water).
- Provide role player orientation and mandatory safety training prior to exercise participation.

#### 5.4.2.4 Contractor provided equipment for Role Players:

- Provide all materials, to include "cut away" clothing and moulage for make-up and dressing role-players.
- Provide mandatory safety equipment (face masks, eye protection, ear protection, adequate foot ware, etc.) for all role players entering the collapse structure (rubble pile) location and confined spaces as required.
- Provide transportation for all role players to, around, and from the training sites.
- Provide a dry and covered space with power, tables, potable water and chairs to support moulage operations and a holding/break site for Role Players during operational periods 0730-1800 12-13 July 2023.

#### 6.0 Applicable Publications: Publications applicable to this PWS are listed below:

Publication (Chapter/Page)	Date of Publication	Mandatory or Advisory	Website
Federal Acquisition Regulation			<a href="https://www.acquisition.gov/?q=browsefar">https://www.acquisition.gov/?q=browsefar</a>

Defense Federal Acquisition Regulation Supplement			<a href="http://www.acq.osd.mil/dpap/dars/dfarspgi/current/index.html">http://www.acq.osd.mil/dpap/dars/dfarspgi/current/index.html</a> or <a href="https://www.acquisition.gov/dfars">https://www.acquisition.gov/dfars</a>
Joint Travel Regulation (JTR)			<a href="https://www.defensetravel.dod.mil/site/travelreg.cfm">https://www.defensetravel.dod.mil/site/travelreg.cfm</a>
Federal Information Processing Standards (FIPS) Publication 201-2 Personal Identity Verification (PIV) of Federal Employees and Contractors (paragraph 9)	August 2013		<a href="http://nvlpubs.nist.gov/nistpubs/FIPS/NIST.FIPS.201-2.pdf">http://nvlpubs.nist.gov/nistpubs/FIPS/NIST.FIPS.201-2.pdf</a>
DoDM 5200.2 Procedures for the DoD Personnel Security Program (PSP)	04/03/2017		<a href="https://www.esd.whs.mil/Directives/issuances/dodm/">https://www.esd.whs.mil/Directives/issuances/dodm/</a>
AR 381-12 Threat Awareness and Reporting Program (TARP) (Section II, ¶ 2-4.b)AR 525-13 AntiterrorismAR 530-1 Operations Security	06/01/2016 12/09/2019 09/26/2014		<a href="http://armypubs.army.mil/ProductMaps/PubForm/AR.aspx">http://armypubs.army.mil/ProductMaps/PubForm/AR.aspx</a> <a href="http://armypubs.army.mil/ProductMaps/PubForm/AR.aspx">http://armypubs.army.mil/ProductMaps/PubForm/AR.aspx</a> <a href="http://armypubs.army.mil/ProductMaps/PubForm/AR.aspx">http://armypubs.army.mil/ProductMaps/PubForm/AR.aspx</a>

6.1 Applicable Forms: Forms applicable to the PWS are listed below:

Form	Date	Website
I-9 Employment Eligibility Verification	10/21/2019	<a href="https://www.uscis.gov/sites/default/files/files/form/i-9.pdf">https://www.uscis.gov/sites/default/files/files/form/i-9.pdf</a>
DD 250 Material Inspection and Receiving Report	Aug 2000	<a href="https://www.esd.whs.mil/Directives/forms/dd0001_0499/">https://www.esd.whs.mil/Directives/forms/dd0001_0499/</a>

## TECHNICAL EXHIBIT 1

### Performance Requirements Summary (PRS)

This PRS includes performance objectives the Government will use to determine contractor performance and will compare contractor performance to the Acceptable Quality Level (AQL).

PWS Para	Performance Objective	Performance Standard	Acceptable Quality Levels (AQL)	Surveillance Method/ by Whom
5.1	Pre-exercise Planning	Attend all scheduled meetings and	At a minimum CM who will be on site during contract performance attends and verifies employees	100% Inspection/ COR

		submission of submittals	have completed all required training to access training sites	
5.2	Services	All services in place and all equipment available for use by the start of the operational period stated within the PWS	<p>No more than 2 of any hand washing station or latrine down at any time.</p> <p>No grey or black water spillage on military property</p> <p>No overflowing dumpsters, trash removed to prevent littering and land contamination</p>	Daily Inspection/ COR
5.3	Supplies	Deliveries completed per the PWS	<p>Lumber delivered in accordance with the prescribed package.</p> <p>No loss of training time for damaged or missing mannequins.</p> <p>Forklift- No loss of training time in SCVS due to mechanical issues.</p>	Periodic Inspection/ COR
5.4	Personnel Support	All requested support personnel on site prior to exercise initiation	<p>Ambulatory support- 100% met contract requirements</p> <p>Role Players- No delay in training or lack of realism due to personnel deficiencies</p> <p>IMT- a minimum of 3 out of 4 IMT role players during the exercise at any one time</p>	Daily Inspection/ COR

## TECHNICAL EXHIBIT 2

### Deliverables Schedule

PWS Reference / Deliverable Title	Frequency	Number of Copies	Medium/Format	Submit To
1.4.5 AT Level 1 Awareness Training Certificates	Provide within 15 calendar days after employee completes training and	1	Electronic Submission	COR

	prior to contract performance.			
1.4.7 iWATCH Training Roster	Provide prior to contract performance	1	Electronic Submission	COR
1.4.8 OPSEC Training Certificates	Provide prior to contract performance	1	Electronic Submission	COR
5.4.2.3 Sign in Roster	Provide NLT 2300 of each day	1	Electronic Submission	COR