


**NOTE:**

- COVER ALL TEMPORARY CONSTRUCTION FENCE WITH BROWN UV RESISTANT FABRIC. PROVIDE PROPER ANCHORAGE OF THE FABRIC TO THE FENCE.




**C1** TEMPORARY CHAIN-LINK CONSTRUCTION FENCE  
SCALE: N.T.S.



**NOTES:**

- USE OF HYDRANT REQUIRES AUTHORIZATION FROM 11th CES OFFICE SHOP AND OTHER APPLICABLE AGENCIES.
- METER AND BACKFLOW DEVICES SHALL BE FULLY SUPPORTED WHEN CONNECTED TO THE FIRE HYDRANT.
- DOCUMENTATION OF METER AND BACKFLOW CERTIFICATION TO BE PROVIDED TO 11TH CES OFFICE
- METER AND BACKFLOW DEVICES SHALL BE TESTED ANNUALLY ACCORDING TO THE MANUFACTURER'S RECOMMENDATION.
- SUBCONTRACTOR WILL BE HELD RESPONSIBLE FOR ANY DAMAGE TO THE FIRE HYDRANT DURING INSTALLATION, USE, AND REMOVAL

**C2** FIRE HYDRANT CONSTRUCTION CONNECTION  
SCALE: N.T.S.




**NOTE:**

- USE SANDBAGS OR OTHER APPROVED METHODS TO CHANNELIZE RUNOFF TO SUMP.

**GENERAL NOTES:**

- THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OR FLOWING OF SEDIMENT ONTO ROADWAY. THIS MAY REQUIRE TOP DRESSING, REPAIR AND/OR CLEANOUT OF ANY MEASURES USED TO TRAP SEDIMENT.
- WHEN NECESSARY, WHEELS SHALL BE CLEANED PRIOR TO ENTRANCE ONTO PUBLIC RIGHT-OF-WAY.
- WHEN WASHING IS REQUIRED, IT SHALL BE DONE ON AN AREA STABILIZED WITH CRUSHED STONE THAT DRAINS INTO AN APPROVED SEDIMENT TRAP OR SEDIMENT BASIN. CONTRACTOR TO PROVIDE EQUIPMENT FOR WASHING.

**A4** STABILIZED CONSTRUCTION ENTRANCE  
SCALE: N.T.S.



**NOTE:**

- A KNOX PADLOCK MODEL # 3770 SHALL BE INSTALLED ON ALL TEMPORARY GATES TO SECURE THE TEMPORARY GATE COMBINED WITH THE CONTRACTORS LOCK TO ENABLE EMERGENCY ACCESS 24/7. THE KNOX LOCK MUST BE KEYPED FOR THE FIRE DEPARTMENT KEY ACCESS.

**A1** TEMPORARY CONSTRUCTION GATE  
SCALE: N.T.S.

DATE	APPR
04/01/2023	
09/26/2022	
SYMBOL	DESCRIPTION
1	AMENDMENT 0001
0	ISSUE FOR CONSTRUCTION

WileyWilson | BURNS & MCDONNELL  
JOINT VENTURE

APPROVED

FOR COMMANDER NAVFAC

ACTIVITY

SATISFACTORY TO DATE

DES | DRW | CHK

PROJECT NO. 1396650

CONSTR. CONTR. NO. N40080-22-R-8580

NAVFAC DRAWING NO. 13140289

SHEET 19 OF 229

**GI-501**

DEPARTMENT OF THE NAVY  
NAVAL FACILITIES ENGINEERING COMMAND  
WASHINGTON DC  
NAVAL FACILITIES ENGINEERING COMMAND - WASHINGTON DC  
WASHINGTON DC  
JOINT BASE ANDREWS NAVAL AIR FACILITY  
CAMP SPRINGS, MD  
P-3002 RELOCATE HAZARDOUS CARGO  
PAD AND EOD PROFICIENCY RANGE  
TEMPORARY CONSTRUCTION DETAILS

MDE NO. 21-SF-0064

SCALE: AS NOTED

DRAWNFORM REVISION: 06 APRIL 2017