

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE J	PAGE OF PAGES 1 3
2. AMENDMENT/MODIFICATION NO. 0002	3. EFFECTIVE DATE 13-Sep-2023	4. REQUISITION/PURCHASE REQ. NO. 96514732202603		5. PROJECT NO.(If applicable)	
6. ISSUED BY CONTRACTING DIVISION US ARMY CORPS OF ENGINEERS 1500 ROCK ISLAND D ROCK ISLAND IL 61201		CODE W912EK	7. ADMINISTERED BY (If other than item 6) See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				<input checked="" type="checkbox"/>	9A. AMENDMENT OF SOLICITATION NO. W912EK23Q0033
				<input checked="" type="checkbox"/>	9B. DATED (SEE ITEM 11) 30-Aug-2023
					10A. MOD. OF CONTRACT/ORDER NO.
					10B. DATED (SEE ITEM 13)
CODE		FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The purpose of the amendment is to extend the solicitation to 2:00 PM CT, 18 September 2023 and to include questions and answers.					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
			TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)			BY _____ (Signature of Contracting Officer)		13-Sep-2023

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been modified:

QUESTIONS AND ANSWERS

Question:

On line #3 it states Galvanized 12" T fitting inline end are flanged perpendicular end Bauer type B. It does not state if the Bauer end is a Bauer ball or Bauer socket.

Answer:

Galvanized 12" T-Fitting
Inline ends are Bauer Ball Type B ends.
Perpendicular end is flanged.

Question:

Is the HDPE Pipe on line 6 to be smooth or corrugated?

Answer:

The HDPE should be smooth.
The amendment does change that type of fitting on order of the end types.

Question:

How many bolt holes for 12" flanges ?

Answer:

12 bolt holes

Question:

1/8 thick, red rubber material is our usual choice for flanged gaskets. Attached are the specs on the red rubber we use. Could this fit your application:

Styles:	R75: 70 Duro hardness (Shore Durometer A) RF75: 70 Duro hardness (Shore Durometer A)	Polymer:	Styrene-Butadiene
Common Name:	Red Rubber Sheet	ISO/ASTM Designation:	SBR Meets D1330 Grade 1

Features & Properties:

- Good physical properties.
- (Properties shown based on Rubber Manufacturers Association Sheet Rubber Handbook, second edition)
- Acid Resistance
- Alkali Resistance
- Compression Set Resilience
- Gas Permeability Resistance
- Gas Resistance
- Good physical properties
- Heat Aging /Abrasion Resistance
- Oil Resistance
- Tear Flame Resistance
- Weathering Ozone Resistance

Gauge x Width in.	ASTM Specification (SI units)	Temp. Range	Durometer	Tensile Strength (PSI)	Elongation (%)	Finish	Avg. Length (Linear Ft. /Roll)	Weight (Lbs/Roll)
1/16" x 36"	D 2000 M1AA 705	-22 deg. F to +158 deg. F	65 - 75	600 PSI	200%	Plate	67ft	106 lbs
1/8" x 36"	D 2000 M1AA 705	-22 deg. F to +158 deg. F	65 - 75	600 PSI	200%	Plate	36ft	114 lbs
1/8" x 36"	D 2000 M1AA 705	-22 deg. F to +158 deg. F	65 - 75	600 PSI	200%	Plate	50ft	158 lbs

Answer:

as far as thickness and material composition this should function just fine for what we use it for.

SECTION SF 1449 - CONTINUATION SHEET

SOLICITATION/CONTRACT FORM

The required response date/time has changed from 13-Sep-2023 02:00 PM to 18-Sep-2023 02:00 PM.

(End of Summary of Changes)