

3062542

DD Form 2169, JUN 86

Previous editions are obsolete

M2A1HS AFM 2-9 Page 1 of 3 pages

SPECIAL PACKAGING INSTRUCTION

Form Approved
OMB No. 0704-0188 -FO

1. PART OR DRAWING NO. 3062542 15434 PUMP		2. CODE IDENT 19207		3. SPI NO. AK12923002	
4. NATIONAL STOCK NO. 2815-01-2923002		5. DATE OF DRAWING 10-30-90		6. REVISION A	
7. QUP 001	8. ICD NONE	9. UNIT PACK WT. 25.9 (LB)	10. UNIT PACK CU 0.851 (CU FT)	11. UNIT PACK SIZE 10.3 X 8.5 X 16.9 (IN)	
12. PRESERVATION		18. 19 STEPS REQUIRED			
a. LEVEL A MIL-P-116, METHOD IA-14		20. DESCRIPTION SIZES IN INCHES PRESERVATIVE, MIL-P-3420, STYLE B, TYPE I, CLASS 2, SIZE 28 X 18			
b. LEVEL B NOT APPLICABLE		2A. CUSHIONING, SEE NOTE A			
13. CLEANING MIL-P-116, C-1		3. 1 CONTAINER, PPP-B-636, STYLE RSC, TYPE CF, GRADE 200, CLASS DOM, VARIETY SW, SIZE 15-1/2 X 7-5/8 X 9			
14. DRYING MIL-P-116		4. 2 CLOSURE, A-A-883 SIZE 2 X 20			
15. PACKING		5. 1 BARRIER, MIL-B-117, STYLE 1, TYPE I, CLASS E, SIZE 19 X 27			
a. LEVEL A MIL-STD-2073-1		6. 1 CONTAINER, PPP-B-636, STYLE RSC, TYPE CF, GRADE WEC, CLASS M-R, SIZE 9-7/8 X 8-1/8 X 16-1/8			
b. LEVEL B MIL-STD-2073-1		7. 2 CLOSURE, PPP-T-60, TYPE III, CLASS 1, SIZE 2 X 14			
16. MARKING MIL-STD-129					
17. NOTES/DRAWING					

A. SEE SHEETS 2 AND 3 FOR DETAILS OF MATERIAL, FABRICATION AND ASSEMBLY.

B. QUALITY ASSURANCE PROVISION :

1. INSPECT THE PRESERVATION AND UNIT PACK IN ACCORDANCE WITH MIL-STD-2073-1.
2. INSPECT THE PACKING IN ACCORDANCE WITH MIL-STD-1186 AND APPLICABLE CONTAINER SPECIFICATION.

SPECIAL PACKAGING INSTRUCTION (Continuation Sheet)

Form Approved -FO
OMB No. 0704-0188

1. PART OR DRAWING NO.	30625+2	2. CODE INCIDENT	19207	3. SPI NO.	AK12923002
4. NATIONAL STOCK NO.	2815-01-2923002	5. DATE SUBMITTED (YYMMDD)	10-30-90	6. REVISION	A

ITEM	DESCRIPTION	QTY	NOTE
1.	15-3/8 X 7-1/2 X 1/2 THK	1	1
2.	2 X 4 NOM X 6	2	2
3.	1 X 4 NOM X 6	2	2
4.	CARRIAGE BOLT 4-1/4 X 3/8 THD	2	4
5.	WASHER FLAT 3/8 ID	2	4
6.	WASHER LOCK 3/8 ID	2	4
7.	NUT 3/8 THD	2	4

NOTES:

1. PLYWOOD, NM-P-530, STD INT W/EXT GLUE.
2. LUMBER, MIL-STD-731, GROUP I OR II.
3. NAIL IN ACCORDANCE WITH MIL-STD-1186.
4. COAT ALL HARDWARE WITH PRESERVATIVE, MIL-C-16173, GRADE 4.
5. SLEEVE, PPP-F-320, TYPE CF, GRADE 200, CLASS DOM, VARETTY SM.



