KEY NOTES

1. CONNECT TO EXISTING ELECTRICAL
2. ELECTRICAL – 1 ALIGNMENT
3. FIRE – 1 ALIGNMENT
4. 2X1 WAY ELECTRICAL DUCTBANK
5. FIRE HYDRANT
6. ADJUST RIM ELEVATION OF TWO (2) EXISTING ELECTRICAL HANDHOLES TO MATCH FINAL GRADE
7. DIRECT BURIED ELECTRICAL CONDUIT (REFER TO ELECTRICAL)

LEGEND

- F — FIRE WATER LINE
- PV–UGE — ELECTRICAL DUCTBANK (REFER TO ELECTRICAL)
- UGE — DIRECT BURIED CONDUIT (REFER TO ELECTRICAL)
- ☼ SITE LIGHT FIXTURE (REFER TO ELECTRICAL)

MATCH LINE STATION 30+00 SHEET CU-102

ELECTRICAL – 1 ALIGNMENT

1" CONDUIT FROM EOD PROTECTION BUNKER TO EOD DETONATION STRUCTURE

GENERAL NOTES:

1. REFER TO SHEET C–001 FOR LEGEND AND GENERAL NOTES.
2. REFER TO SHEET CU–220 FOR FIRE–1 ALIGNMENT.
3. REFER TO SHEETS CU–230 TO CU–232 FOR ELECTRICAL PROFILES.
4. REFER TO SHEET CU–507 FOR WATER SYSTEM DETAILS.

1"=50' 0' 50' 100' 150' 200' 250'

KEY PLAN

SYM	DESCRIPTION	DATE	APPR
1	AMENDMENT 0004	04/01/2023	
0	ISSUE FOR CONSTRUCTION	09/26/2022	

NAVFAC

STATE OF MARYLAND — KEVIN WAYNE WILLIAMS — 90176 — REGISTERED PROFESSIONAL ENGINEER — 09/26/2022

SEAL

Wiley|Wilson | BURNS MCDONNELL

JOINT VENTURE

A/E INFO

APPROVED

FOR COMMANDER NAVFAC

ACTIVITY

SATISFACTORY TO DATE

DES | DRW | CHK

PM/DM

BRANCH MANAGER

CHIEF ENG/ARCH

FIRE PROTECTION

DEPARTMENT OF THE NAVY
NAVAL FACILITIES ENGINEERING COMMAND
WASHINGTON NAVY YARD

NAVAL FACILITIES ENGINEERING COMMAND – WASHINGTON
WASHINGTON, DC

MDE NO. 21-SF-0064

JOINT BASE ANDREWS NAVAL AIR FACILITY
CAMP SPRINGS, MD

P-3002 RELOCATE HAZARDOUS CARGO PAD AND EOD PROFICIENCY RANGE

UTILITIES PLAN

SCALE: AS NOTED
EPROJECT NO.: 1396650
CONSTR. CONTR. NO.: N40080-22-R-8580
NAVFAC DRAWING NO.: 13140395
SHEET 125 OF 229

CU-103

DRAWFORM REVISION: 06 APRIL 2017