

### DEMOLITION PLAN LEGEND

- EXISTING CONSTRUCTION TO REMAIN
- EXISTING CONSTRUCTION TO BE REMOVED, INCLUDING ALL MOUNTED ACCESSORIES, CORNER GUARDS, HANDRAILS, ETC. PATCH ABUTTING WALLS, FLOORS, CEILINGS AND ROOF AS REQUIRED. REMOVE EXISTING ITEMS SCHEDULED TO REMAIN AS NECESSARY TO ALLOW THE COMPLETE DEMOLITION OF SELECTED ITEMS. REPAIR/REPLACE EXISTING ITEMS ONCE DEMOLITION IS COMPLETED.
- EXISTING DOOR TO BE REMOVED
- EXISTING 2 HOUR FIRE & SMOKE SEPARATION
- EXISTING 1 HOUR FIRE & SMOKE SEPARATION
- AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.
- AREA OF FLOOR DEPRESSION


- ### GENERAL DEMOLITION NOTES
- A. REFER TO SHEET G1003 FOR ADDITIONAL GENERAL DEMOLITION NOTES.
  - B. COORDINATE EXTENT OF DEMOLITION WITH NEW FLOOR PLANS.
  - C. REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING STRUCTURAL, HAZARDOUS MATERIAL, FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL SCOPE OF DEMOLITION WORK.
  - D. ALL DIMENSIONS INDICATED FOR LENGTH OF WALL/PARTITION TO BE REMOVED IS APPROXIMATE AND SUBJECT TO ANY ADDITIONAL DEMOLITION NECESSARY TO PROPERLY SPlice IN THE NEW WORK ASSEMBLY AND PROVIDE FOR DOOR UNIT INSTALLATION AS PER THE DETAILS.
  - E. SEAL/FIRESTOP ALL OPENINGS IN EXISTING SMOKE AND FIRE RATED PARTITIONS AND FIRE RATED FLOORS THAT ARE ENCOUNTERED DURING DEMOLITION. INCLUDES ALL EXPOSED CONDUIT AND PIPING.
  - F. CONSTRUCTION ACTIVITIES THAT CREATE DUST PARTICULATES, SUCH AS CUTTING, SAW CUTTING, PIPE AND DUCT CUTTING, ETC. SHALL BE KEPT WITHIN THE PERIMETER OF THE NEW WORK.
  - G. REPLACE/RESURFACE FIREPROOFING THAT HAS BEEN KNOCKED OFF BEAMS, COLUMNS, ETC. DURING DEMOLITION.
  - H. ALL MOVABLE EQUIPMENT TO BE REMOVED BY VA. COORDINATE WITH VA/COR BEFORE START OF WORK. SEE FOOD SERVICE DRAWINGS FOR ADDITIONAL INFORMATION ON RELATED KITCHEN EQUIPMENT.
  - I. ALL FIXED EQUIPMENT, ACCESSORIES AND CASEWORK TO BE REMOVED BY THE CONTRACTOR. CONTRACTOR TO COORDINATE ROOM BY ROOM WITH VA/COR IF TO BE SAVED OR DISCARDED.
  - J. PRIOR TO START OF DEMOLITION WORK, GC SHALL ENSURE THAT A VA PROVIDED HAZARDOUS MATERIAL SURVEY HAS BEEN CONDUCTED IDENTIFYING ALL HAZARDOUS MATERIAL FOUND IN SOW AREAS. GC TO VERIFY QUANTITIES AND LOCATIONS OF ALL HAZARDOUS MATERIALS FOUND TO BE REMOVED PRIOR TO DEMOLITION. REMOVAL TO BE IN ACCORDANCE WITH ANY REGULATORY PLANS OR APPROVALS IN THE STATE OF WEST VIRGINIA. WALL DEMOLITION WORK IN EXISTING EXHAUST ARE WELL IN MECHANICAL SERVICES ROOM GC-105 TO BE INCLUDED IN HAZARDOUS MATERIAL SURVEY. APPROXIMATE AREA OF FLOORING TO BE REMOVED : 26,400SF

PARTIAL DEMOLITION OF EXISTING WALL TO ENLARGE OPENINGS ABOVE DOOR TO ACCOMMODATE NEW MECHANICAL WORK. SEE MECHANICAL DRAWINGS FOR SIZE OF NEW OPENING.

7/22/2021 11:11:33 AM

C:\Users\mimenes\Documents\18-133\_Architectural\_Central\_dme\mimenes\UPAS.dwg

**OVERALL DEMOLITION PLAN, BASEMENT FLOOR**  
1/16" = 1'-0"



**BASEMENT KEY PLAN**  
NOT TO SCALE

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD



**Bancroft**  
BANCROFT ARCHITECTS + ENGINEERS  
700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

STAMP


Office of Construction and Facilities Management  
VA U.S. Department of Veterans Affairs

Drawing Title: ARCHITECTURAL- OVERALL DEMOLITION PLAN, BASEMENT FLOOR  
Approved: Project Director

Phase: 100% CONSTRUCTION DOCUMENTS  
FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171

Project Title	RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number	613-19-103
Location	510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number	500
Issue Date	07/23/21	Checked	II
Drawn	DMKA	Drawing Number	AD100



**ENLARGED DEMOLITION PLAN, BASEMENT FLOOR - AREA 1**  
 3/16" = 1'-0"  
 0 4' 8' 12'

**BASEMENT KEY PLAN - AREA 1**  
 NOT TO SCALE

**DEMOLITION PLAN LEGEND**

	EXISTING CONSTRUCTION TO REMAIN
	EXISTING CONSTRUCTION TO BE REMOVED, INCLUDING ALL MOUNTED ACCESSORIES, CORNER GUARDS, HANDRAILS, ETC. PATCH ABUTTING WALLS, FLOORS, CEILINGS AND ROOF AS REQUIRED. REMOVE EXISTING ITEMS SCHEDULED TO REMAIN AS NECESSARY TO ALLOW THE COMPLETE DEMOLITION OF SELECTED ITEMS. REPAIR/REPLACE EXISTING ITEMS ONCE DEMOLITION IS COMPLETED.
	EXISTING DOOR TO BE REMOVED
	EXISTING 2 HOUR FIRE & SMOKE SEPARATION
	EXISTING 1 HOUR FIRE & SMOKE SEPARATION
	AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.

- GENERAL DEMOLITION NOTES**
- REFER TO SHEET G1003 FOR ADDITIONAL GENERAL DEMOLITION NOTES.
  - COORDINATE EXTENT OF DEMOLITION WITH NEW FLOOR PLANS.
  - REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING STRUCTURAL, HAZARDOUS MATERIAL, FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL SCOPE OF DEMOLITION WORK.
  - ALL DIMENSIONS INDICATED FOR LENGTH OF WALL/PARTITION TO BE REMOVED IS APPROXIMATE AND SUBJECT TO ANY ADDITIONAL DEMOLITION NECESSARY TO PROPERLY SPLICE IN THE NEW WORK ASSEMBLY AND PROVIDE FOR DOOR UNIT INSTALLATION AS PER THE DETAILS.
  - SEAL FIRESTOP OPENINGS, EXISTING SMOKE AND FIRE RATED PARTITIONS AND FIRE RATED FLOORS THAT ARE ENCOUNTERED DURING DEMOLITION. INCLUDES ALL EXPOSED CONDUIT AND PIPING.
  - CONSTRUCTION ACTIVITIES THAT CREATE DUST PARTICULATES, SUCH AS CUTTING, SAW CUTTING, PIPE AND DUCT CUTTING, ETC. SHALL BE KEPT WITHIN THE PERIMETER OF THE NEW WORK.
  - REPLACE/REPAIR FIREPROOFING THAT HAS BEEN KNOCKED OFF BEAMS, COLUMNS, ETC. DURING DEMOLITION.
  - ALL MOVABLE EQUIPMENT TO BE REMOVED BY VA. COORDINATE WITH VA/OCR BEFORE START OF WORK. SEE FOOD SERVICE DRAWINGS FOR ADDITIONAL INFORMATION ON RELATED KITCHEN EQUIPMENT.
  - ALL FIXED EQUIPMENT, ACCESSORIES AND CASWORK TO BE REMOVED BY THE CONTRACTOR.
  - CONTRACTOR TO COORDINATE ROOM BY ROOM WITH VA/OCR IF TO BE SAVED OR DISCARDED.
  - PRIOR TO START OF DEMOLITION WORK, GC SHALL ENSURE THAT A VA PROVIDED HAZARDOUS MATERIAL SURVEY HAS BEEN CONDUCTED IDENTIFYING ALL HAZARDOUS MATERIAL FOUND IN SOW AREAS. GC TO VERIFY QUANTITIES AND LOCATIONS OF ALL HAZARDOUS MATERIALS FOUND TO BE REMOVED PRIOR TO DEMOLITION. REMOVAL TO BE IN ACCORDANCE WITH ANY REGULATORY PLANS OR APPROVALS IN THE STATE OF WEST VIRGINIA. WALL DEMOLITION WORK IN EXISTING EXHAUST ARE WELL IN MECHANICAL SERVICES ROOM GC-105 TO BE INCLUDED IN HAZARDOUS MATERIAL SURVEY. APPROXIMATE AREA OF FLOORING TO BE REMOVED : 26,400SF

- DEMOLITION KEYNOTES**
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- EXISTING FULL HEIGHT PARTITION WALL TO BE REMOVED IN ITS ENTIRETY TO UNDERSIDE OF EXISTING STRUCTURE ABOVE, AS INDICATED BY DASHED LINES, TO ACCOMMODATE NEW WORK. COORDINATE EXTENT OF DEMOLITION WITH NEW WORK REQUIREMENTS. THIS INCLUDES, BUT IS NOT LIMITED TO, PLUMBING, ELECTRICAL, MECHANICAL, GASES, HARDWARE, GUARDRAILS, ETC. SEE PLUMBING DRAWINGS.
  - EXISTING DOOR, FRAME AND HARDWARE TO BE REMOVED IN ITS ENTIRETY
  - REMOVE EXISTING PLUMBING FIXTURE IN ITS ENTIRETY. CAP ALL UTILITIES BELOW CONCRETE FLOOR SLAB OR BEHIND FINISH WALL. SEE PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL INFORMATION.
  - PARTIAL HEIGHT PARTITION WALL TO BE REMOVED IN ITS ENTIRETY AS INDICATED BY DASHED LINES, AND REPLACED WITH NEW ISLAND TYPE UTILITY DISTRIBUTION SYSTEM. COORDINATE EXTENT OF DEMOLITION WITH NEW WORK REQUIREMENTS. THIS INCLUDES, BUT IS NOT LIMITED TO, PLUMBING, ELECTRICAL, MECHANICAL, GASES, HARDWARE, ETC. REFER TO MEP DRAWINGS.
  - EXISTING WINDOW AND FRAME TO BE REMOVED IN ITS ENTIRETY.
  - EXISTING CHASE AND PNEUMATIC TUBE UNIT TO BE REMOVED IN ITS ENTIRETY. PNEUMATIC TUBE UNIT AND ALL ASSOCIATED COMPONENTS TO BE TURNED OVER TO THE VA. COORDINATE CAPPING W/ PNEUMATIC TUBE MANUFACTURER.
  - ALL ELEMENTS RELATED TO FREEZER/COOLER UNIT TO BE DEMOLISHED INCLUDING: ALL WALL, FLOOR AND CEILING PANELS, DOORS, STRUCTURAL SUPPORTS AND REFRIGERATION SYSTEM EQUIPMENT AND DEVICES. COORDINATE EXTENT OF DEMOLITION WITH MEP DRAWINGS.
  - EXISTING COLUMN TO REMAIN. PREPARE SURFACE TO RECEIVE NEW FINISH.
  - REMOVE COMPLETELY ALL FLOOR FINISHES, WALL BASE AND ASSOCIATED ADHESIVE AS REQUIRED FOR INSTALLATION OF NEW FLOOR FINISH. FILL ALL HOLES AND LEVEL DEPRESSION. PREPARE EXISTING SUB-FLOOR TO RECEIVE NEW FINISH.
  - EXISTING CHASE TO BE DEMOLISHED IN ITS ENTIRETY. REFER TO MEP DRAWINGS FOR ADDITIONAL INFORMATION.
  - COMPLETELY REMOVE TOILET PARTITIONS AND ALL RELATED ELEMENTS.
  - REMOVE CHAIN LINK FENCE AND ALL RELATED ELEMENTS.
  - REMOVE EXISTING FREEZER/COOLER DEPRESSIONED FLOOR PANELS IN THEIR ENTIRETY. FILL FLOOR CAVITY WITH CONCRETE TO MATCH LEVEL OF TOP OF EXISTING SLAB. SEE NEW WORK FOR FURTHER DETAILS.
  - EXTERIOR WALL TO REMAIN IN ALL LOCATIONS. COMPLETELY REMOVE INTERIOR WALL CONSTRUCTION TO CONCRETE WALL TO INCLUDE BUT NOT LIMITED TO: WALL FRAMING, FINISHES, PLUMBING AND ELECTRICAL ITEMS TO PREPARE WALL FOR NEW WALL FRAMING AND FINISHES. (SEE ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS)
  - CUT OPENING IN EXISTING WALL TO ACCOMMODATE NEW WINDOW AND FRAME. SEE DRAWINGS FOR NEW WORK.
  - REMOVE WALL TO ACCOMMODATE NEW WINDOW. COORDINATE WITH NEW WORK PLANS.
  - EXISTING WALL TO REMAIN. REMOVE EXISTING WALL MOUNTED ITEMS IN THEIR ENTIRETY. THIS INCLUDES, BUT IS NOT LIMITED TO: CLOCKS, FACEPLATES, SUPPORT ANCHORS, TACKBOARDS, MIRRORS, SIGNAGE, HANDRAILS, CORNER GUARDS, CHAIR RAILS, ETC. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. SEE MEP DEMOLITION DRAWINGS FOR ADDITIONAL NOTES.
  - EXISTING WALL FINISHES TO BE REMOVED IN THEIR ENTIRETY UP TO METAL FRAMING. COORDINATE WITH VA/OCR IF TO BE SAVED OR DISCARDED TYPICAL OF INTERIOR FACE OF EXISTING CORRIDOR WALL ALONG ENTIRE LENGTH OF NEW WORK AND FACE OF WALL WITH PLUMBING FIXTURE DEMOLITION WORK. WALL ATTACHED ITEMS TO BE REMOVED. SEE DRAWINGS FOR NEW WORK.
  - REMOVE METAL ENCLOSURE AND ALL EXISTING EQUIPMENT WITHIN ENTIRETY TO ACCOMMODATE NEW WORK. TURN EQUIPMENT OVER TO THE VA.
  - CUT OPENING IN EXISTING WALL TO ACCOMMODATE NEW DOOR AND FRAME. SEE DRAWINGS FOR NEW WORK.
  - EXISTING WALL TO REMAIN. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. PROTECT ELEVATOR DOORS, CONTROLS, FRAME AND PLATES DURING DEMOLITION WORK. DO NOT DISTURB ELECTRICAL ITEMS. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL NOTES.
  - EXISTING WALL TO REMAIN. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. PROTECT ALL ELECTRICAL ITEMS TO REMAIN. SEE ELECTRICAL DRAWINGS FOR FURTHER INFORMATION.
  - REMOVE EXISTING DOOR, FRAME AND HARDWARE. FRAME EXISTING OPENING. SEE DRAWINGS FOR NEW WORK.
  - REMOVE PORTION OF EXISTING FLOORING FOR PLUMBING DEMOLITION AND NEW WORK. CONCRETE FILL AND PATCH EXISTING FLOOR TO MATCH ADJACENT CONDITIONS. PREPARE TO RECEIVE NEW FINISH. SEE PLUMBING DRAWINGS FOR EXACT LOCATION AND FURTHER INFORMATION.
  - DEMOLISH & REMOVE EXISTING FLOORING IN ITS ENTIRETY IN HATCHED AREA FOR INSTALLATION OF WALK-IN COOLERS AND FLOOR TROUGH. EXISTING FLOOR THICKNESS MAY VARY. EXCAVATE AS NECESSARY TO ACCOMMODATE NEW WORK. SEE DRAWING A100 FOR FLOOR DEPRESSION DIMENSIONS AND NEW WORK. COORDINATE WITH MEP AND FOOD SERVICE DRAWINGS.
  - CONTRACTOR TO INVESTIGATE ALL EXISTING CONDITIONS UNDER EXISTING FLOOR IN HATCHED AREA PRIOR TO DEMOLITION WORK. CONTRACTOR TO INFORM THE A/E OF ANY EXISTING CONDITIONS THAT INTERFERE WITH THE WORK.

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS  
 700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

**STAMP**

Office of Construction and Facilities Management  
 VA U.S. Department of Veterans Affairs

Drawing Title  
 ARCHITECTURAL- ENLARGED DEMOLITION PLAN, BASEMENT FLOOR - AREA 1


Approved: Project Director

Phase  
 100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171

Project Title RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number 613-19-103
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number 500
Issue Date 07/23/21	Checked II
Drawn DMKA	Drawing Number AD100.1



### DEMOLITION PLAN LEGEND


- EXISTING CONSTRUCTION TO REMAIN
- EXISTING CONSTRUCTION TO BE REMOVED, INCLUDING ALL MOUNTED ACCESSORIES, CORNER GUARDS, HANDRAILS, ETC. PATCH ABUTTING WALLS, FLOORS, CEILING AND ROOF AS REQUIRED. REMOVE EXISTING ITEMS SCHEDULED TO REMAIN AS NECESSARY TO ALLOW THE COMPLETE DEMOLITION OF SELECTED ITEMS. REPAIR/REPLACE EXISTING ITEMS ONCE DEMOLITION IS COMPLETED.
- EXISTING DOOR TO BE REMOVED
- EXISTING 2 HOUR FIRE & SMOKE SEPARATION
- EXISTING 1 HOUR FIRE & SMOKE SEPARATION
- AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.

### GENERAL DEMOLITION NOTES

- A. REFER TO SHEET G003 FOR ADDITIONAL GENERAL DEMOLITION NOTES.
- B. COORDINATE EXTENT OF DEMOLITION WITH NEW FLOOR PLANS.
- C. REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING STRUCTURAL, HAZARDOUS MATERIAL, FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL SCOPE OF DEMOLITION WORK.
- D. ALL DIMENSIONS INDICATED FOR LENGTH OF WALL PARTITION TO BE REMOVED IS APPROXIMATE AND SUBJECT TO ANY ADDITIONAL DEMOLITION NECESSARY TO PROPERLY SPICE IN THE NEW WORK ASSEMBLY AND PROVIDE FOR DOOR UNIT INSTALLATION AS PER THE DETAILS.
- E. SEAL/FIRESTOP ALL OPENINGS IN EXISTING SMOKE AND FIRE RATED PARTITIONS AND FIRE RATED FLOORS THAT ARE ENCOUNTERED DURING DEMOLITION. INCLUDES ALL EXPOSED CONDUIT AND PIPING. CONSTRUCTION ACTIVITIES THAT CREATE DUST PARTICULATES, SUCH AS CUTTING, SAW CUTTING, PIPE AND DUCT CUTTING, ETC. SHALL BE KEPT WITHIN THE PERIMETER OF THE NEW WORK.
- F. REPLACE/RESURFACE FIREPROOFING THAT HAS BEEN KNOCKED OFF BEAMS, COLUMNS, ETC. DURING DEMOLITION.
- G. ALL MOVABLE EQUIPMENT TO BE REMOVED BY VA. COORDINATE WITH VA/COR BEFORE START OF WORK. SEE FOOD SERVICE DRAWINGS FOR ADDITIONAL INFORMATION ON RELATED KITCHEN EQUIPMENT.
- H. ALL FIXED EQUIPMENT, ACCESSORIES AND CASEWORK TO BE REMOVED BY THE CONTRACTOR. CONTRACTOR TO COORDINATE ROOM BY ROOM WITH VA/COR IF TO BE SAVED OR DISCARDED. PRIOR TO START OF DEMOLITION WORK, GC SHALL ENSURE THAT A VA PROVIDED HAZARDOUS MATERIAL SURVEY HAS BEEN CONDUCTED IDENTIFYING ALL HAZARDOUS MATERIAL FOUND IN SOW AREAS. GC TO VERIFY QUANTITIES AND LOCATIONS OF ALL HAZARDOUS MATERIALS FOUND TO BE REMOVED PRIOR TO DEMOLITION. REMOVAL TO BE IN ACCORDANCE WITH ANY REGULATORY PLANS OR APPROVALS IN THE STATE OF WEST VIRGINIA. WALL DEMOLITION WORK IN EXISTING EXHAUST ARE WELL IN MECHANICAL SERVICES ROOM GC-106 TO BE INCLUDED IN HAZARDOUS MATERIAL SURVEY. APPROXIMATE AREA OF FLOORING TO BE REMOVED: 26,400SF.

- ### DEMOLITION KEYNOTES
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- 1 EXISTING FULL HEIGHT PARTITION WALL TO BE REMOVED IN ITS ENTIRETY TO UNDERSIDE OF EXISTING STRUCTURE ABOVE, AS INDICATED BY DASHED LINES, TO ACCOMMODATE NEW WORK. COORDINATE EXTENT OF DEMOLITION WITH NEW WORK REQUIREMENTS. THIS INCLUDES, BUT IS NOT LIMITED TO, PLUMBING, ELECTRICAL, MECHANICAL, GASES, HARDWARE, GUARDRAILS, ETC. SEE PLUMBING DRAWINGS.
  - 2 EXISTING DOOR, FRAME AND HARDWARE TO BE REMOVED IN ITS ENTIRETY
  - 3 REMOVE EXISTING PLUMBING FIXTURE IN ITS ENTIRETY. CAP ALL UTILITIES BELOW CONCRETE FLOOR SLAB OR BEHIND FINISH WALL. SEE PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL INFORMATION.
  - 4 PARTIAL HEIGHT PARTITION WALL TO BE REMOVED IN ITS ENTIRETY AS INDICATED BY DASHED LINES, AND REPLACED WITH NEW ISLAND TYPE UTILITY DISTRIBUTION SYSTEM. COORDINATE EXTENT OF DEMOLITION WITH NEW WORK REQUIREMENTS. THIS INCLUDES, BUT IS NOT LIMITED TO, PLUMBING, ELECTRICAL, MECHANICAL, GASES, HARDWARE, ETC. REFER TO MEP DRAWINGS.
  - 5 EXISTING WINDOW AND FRAME TO BE REMOVED IN ITS ENTIRETY.
  - 6 EXISTING CHASE AND PNEUMATIC TUBE UNIT TO BE REMOVED IN ITS ENTIRETY. PNEUMATIC TUBE UNIT AND ALL ASSOCIATED COMPONENTS TO BE TURNED OVER TO THE VA. COORDINATE CAPPING W/ PNEUMATIC TUBE MANUFACTURER.
  - 7 ALL ELEMENTS RELATED TO FREEZER/COOLER UNIT TO BE DEMOLISHED INCLUDING ALL WALL, FLOOR AND CEILING PANELS, DOORS, STRUCTURAL SUPPORTS AND REFRIGERATION SYSTEM EQUIPMENT AND DEVICES. COORDINATE EXTENT OF DEMOLITION WITH MEP DRAWINGS.
  - 8 EXISTING COLUMN TO REMAIN. PREPARE SURFACE TO RECEIVE NEW FINISH
  - 9 REMOVE COMPLETELY ALL FLOOR FINISHES, WALL BASE AND ASSOCIATED ADHESIVE AS REQUIRED FOR INSTALLATION OF NEW FLOOR FINISH. FILL ALL HOLES AND LEVEL DEPRESSION. PREPARE EXISTING SUB-FLOOR TO RECEIVE NEW FINISH.
  - 10 EXISTING CHASE TO BE DEMOLISHED IN ITS ENTIRETY. REFER TO MEP DRAWINGS FOR ADDITIONAL INFORMATION
  - 11 COMPLETELY REMOVE TOILET PARTITIONS AND ALL RELATED ELEMENTS.
  - 12 REMOVE CHAINLINK FENCE AND ALL RELATED ELEMENTS.
  - 13 REMOVE EXISTING FREEZER/COOLER DEPRESSIONED FLOOR PANELS IN THEIR ENTIRETY. FILL FLOOR CAVITY WITH CONCRETE TO MATCH LEVEL OF TOP OF EXISTING SLAB. SEE NEW WORK FOR FURTHER DETAILS.
  - 14 EXTERIOR WALL TO REMAIN IN ALL LOCATIONS. COMPLETELY REMOVE INTERIOR WALL CONSTRUCTION TO CONCRETE WALL TO INCLUDE BUT NOT LIMITED TO: WALL FRAMING, FINISHES, PLUMBING AND ELECTRICAL ITEMS TO PREPARE WALL FOR NEW WALL FRAMING AND FINISHES. (SEE ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS)
  - 15 CUT OPENING IN EXISTING WALL TO ACCOMMODATE NEW WINDOW AND FRAME. SEE DRAWINGS FOR NEW WORK.
  - 16 REMOVE WALL TO ACCOMMODATE NEW WINDOW. COORDINATE WITH NEW WORK PLANS
  - 17 EXISTING WALL TO REMAIN. REMOVE EXISTING WALL MOUNTED ITEMS IN THEIR ENTIRETY. THIS INCLUDES, BUT IS NOT LIMITED TO: CLOCKS, FACEPLATES, SUPPORT ANCHORS, TACKBOARDS, MIRRORS, SIGNAGE, HANDRAILS, CORNER GUARDS, CHAIR RAILS, ETC. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. SEE MEP DEMOLITION DRAWINGS FOR ADDITIONAL NOTES.
  - 18 EXISTING WALL FINISHES TO BE REMOVED IN THEIR ENTIRETY UP TO METAL FRAMING. COORDINATE WITH VA/COR IF TO BE SAVED OR DISCARDED. TYPICAL OF INTERIOR FACE OF EXISTING CORRIDOR WALL ALONG ENTIRE LENGTH OF NEW WORK AND FACE OF WALL WITH PLUMBING FIXTURE DEMOLITION WORK. WALL ATTACHED ITEMS TO BE REMOVED. SEE DRAWINGS FOR NEW WORK.
  - 19 REMOVE METAL ENCLOSURE AND ALL EXISTING EQUIPMENT WITHIN ENTIRETY TO ACCOMMODATE NEW WORK. TURN EQUIPMENT OVER TO THE VA.
  - 20 CUT OPENING IN EXISTING WALL TO ACCOMMODATE NEW DOOR AND FRAME. SEE DRAWINGS FOR NEW WORK.
  - 21 EXISTING WALL TO REMAIN. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. PROTECT ELEVATOR DOORS, CONTROLS, FRAME AND PLATES DURING DEMOLITION WORK. DO NOT DISTURB ELECTRICAL ITEMS. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL NOTES.
  - 22 EXISTING WALL TO REMAIN. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. PROTECT ALL ELECTRICAL ITEMS TO REMAIN. SEE ELECTRICAL DRAWINGS FOR FURTHER INFORMATION.
  - 23 REMOVE EXISTING DOOR, FRAME AND HARDWARE. FRAME EXISTING OPENING. SEE DRAWINGS FOR NEW WORK.
  - 24 REMOVE PORTION OF EXISTING FLOORING FOR PLUMBING DEMOLITION AND NEW WORK. CONCRETE FILL AND PATCH EXISTING FLOOR TO MATCH ADJACENT CONDITIONS. PREPARE TO RECEIVE NEW FINISH. SEE PLUMBING DRAWINGS FOR EXACT LOCATION AND FURTHER INFORMATION.
  - 25 DEMOLISH & REMOVE EXISTING FLOOR IN ITS ENTIRETY IN HATCHED AREA FOR INSTALLATION OF WALK-IN COOLERS AND FLOOR TROUGH. EXISTING FLOOR THICKNESS MAY VARY. EXCAVATE AS NECESSARY TO ACCOMMODATE NEW WORK. SEE DRAWING A100 FOR FLOOR DEPRESSION DIMENSIONS AND NEW WORK. COORDINATE WITH MEP AND FOOD SERVICE DRAWINGS.
  - 26 CONTRACTOR TO INVESTIGATE ALL EXISTING CONDITIONS UNDER EXISTING FLOOR IN HATCHED AREA PRIOR TO DEMOLITION WORK. CONTRACTOR TO INFORM THE VA OF ANY EXISTING CONDITIONS THAT INTERFERE WITH THE WORK.

**1 ENLARGED DEMOLITION PLAN, BASEMENT FLOOR - AREA 2**  
 3/16" = 1'-0"  
 0 4' 8' 12'



C:\Users\mimencas\Documents\8-133\_Architectural\_Central\_mimencas\UPAS\nt

Revisions:	Date:
100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.banerji-ae.com

**STAMP**

Office of  
 Construction  
 and Facilities  
 Management

Drawing Title  
**ARCHITECTURAL- ENLARGED DEMOLITION PLAN,  
 BASEMENT FLOOR - AREA 2**

Approved: Project Director

Phase  
**100% CONSTRUCTION  
 DOCUMENTS**

**FULLY SPRINKLERED**

**VA CONTRACT NO: 36C24519C0171**

Project Title	Project Number
RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	613-19-103
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number 500
Issue Date 07/23/21	Drawing Number AD100.2
Checked II	Drawn DMKA



### DEMOLITION PLAN LEGEND

- EXISTING CONSTRUCTION TO REMAIN
- EXISTING CONSTRUCTION TO BE REMOVED, INCLUDING ALL MOUNTED ACCESSORIES, CORNER GUARDS, HANDRAILS, ETC. PATCH ABUTTING WALLS, FLOORS, CEILINGS AND ROOF AS REQUIRED. REMOVE EXISTING ITEMS SCHEDULED TO REMAIN AS NECESSARY TO ALLOW THE COMPLETE DEMOLITION OF SELECTED ITEMS. REPAIR/REPLACE EXISTING ITEMS ONCE DEMOLITION IS COMPLETED.
- EXISTING DOOR TO BE REMOVED
- EXISTING 2 HOUR FIRE & SMOKE SEPARATION
- EXISTING 1 HOUR FIRE & SMOKE SEPARATION
- AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.

### GENERAL DEMOLITION NOTES

- A. REFER TO SHEET G1003 FOR ADDITIONAL GENERAL DEMOLITION NOTES.
- B. COORDINATE EXTENT OF DEMOLITION WITH NEW FLOOR PLANS.
- C. REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING STRUCTURAL, HAZARDOUS MATERIAL, FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL SCOPE OF DEMOLITION WORK.
- D. ALL DIMENSIONS INDICATED FOR LENGTH OF WALL/PARTITION TO BE REMOVED IS APPROXIMATE AND SUBJECT TO ANY ADDITIONAL DEMOLITION NECESSARY TO PROPERLY ASSEMBLE IN THE NEW WORK AND PROVIDE FOR DOOR UNIT INSTALLATION AS PER THE DETAILS.
- E. SEAL/FIRESTOP ALL OPENINGS IN EXISTING SMOKE AND FIRE RATED PARTITIONS AND FIRE RATED FLOORS THAT ARE ENCOUNTERED DURING DEMOLITION. INCLUDES ALL EXPOSED CONDUIT AND PIPING.
- F. CONSTRUCTION ACTIVITIES THAT CREATE DUST PARTICULATES, SUCH AS CUTTING, SAW CUTTING, PIPE AND DUCT CUTTING, ETC. SHALL BE KEPT WITHIN THE PERIMETER OF THE NEW WORK.
- G. REPLACE/REPAIR FIREPROOFING THAT HAS BEEN KNOCKED OFF BEAMS, COLUMNS, ETC. DURING DEMOLITION.
- H. ALL MOVABLE EQUIPMENT TO BE REMOVED BY VA. COORDINATE WITH VACOR BEFORE START OF WORK. SEE FOOD SERVICE DRAWINGS FOR ADDITIONAL INFORMATION ON RELATED KITCHEN EQUIPMENT.
- I. ALL FIXED EQUIPMENT, ACCESSORIES AND CASEWORK TO BE REMOVED BY THE CONTRACTOR. CONTRACTOR TO COORDINATE ROOM BY ROOM WITH VACOR IF TO BE SAVED OR DISCARDED. PRIOR TO START OF DEMOLITION WORK, GC SHALL ENSURE THAT A VA PROVIDED HAZARDOUS MATERIAL SURVEY HAS BEEN CONDUCTED IDENTIFYING ALL HAZARDOUS MATERIALS FOUND IN SOW AREAS. GC TO VERIFY QUANTITIES AND LOCATIONS OF ALL HAZARDOUS MATERIALS FOUND TO BE REMOVED PRIOR TO DEMOLITION. REMOVAL TO BE IN ACCORDANCE WITH ANY REGULATORY PLANS OR APPROVALS IN THE STATE OF WEST VIRGINIA. WALL DEMOLITION WORK IN EXISTING EXHAUST ARE WELL IN MECHANICAL SERVICES ROOM GC-105 TO BE INCLUDED IN HAZARDOUS MATERIAL SURVEY. APPROXIMATE AREA OF FLOORING TO BE REMOVED: 26,400SF
- J.
- K.
- L.
- M.
- N.
- O.
- P.
- Q.
- R.
- S.
- T.
- U.
- V.
- W.
- X.
- Y.
- Z.

### DEMOLITION KEYNOTES

NOTE: NOT ALL NOTES APPLY TO THIS SHEET

- 1 EXISTING FULL HEIGHT PARTITION WALL TO BE REMOVED IN ITS ENTIRETY TO UNDERSIDE OF EXISTING STRUCTURE ABOVE, AS INDICATED BY DASHED LINES, TO ACCOMMODATE NEW WORK. COORDINATE EXTENT OF DEMOLITION WITH NEW WORK REQUIREMENTS. THIS INCLUDES, BUT IS NOT LIMITED TO, PLUMBING, ELECTRICAL, MECHANICAL, GASES, HARDWARE, GUARDRAILS, ETC. SEE PLUMBING DRAWINGS.
- 2 EXISTING DOOR, FRAME AND HARDWARE TO BE REMOVED IN ITS ENTIRETY.
- 3 REMOVE EXISTING PLUMBING FIXTURE IN ITS ENTIRETY. CAP ALL UTILITIES BELOW CONCRETE FLOOR SLAB OR BEHIND FINISH WALL. SEE PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL INFORMATION.
- 4 PARTIAL HEIGHT PARTITION WALL TO BE REMOVED IN ITS ENTIRETY AS INDICATED BY DASHED LINES, AND REPLACED WITH NEW ISLAND TYPE UTILITY DISTRIBUTION SYSTEM. COORDINATE EXTENT OF DEMOLITION WITH NEW WORK REQUIREMENTS. THIS INCLUDES, BUT IS NOT LIMITED TO, PLUMBING, ELECTRICAL, MECHANICAL, GASES, HARDWARE, ETC. REFER TO MEP DRAWINGS.
- 5 EXISTING WINDOW AND FRAME TO BE REMOVED IN ITS ENTIRETY.
- 6 EXISTING CHASE AND PNEUMATIC TUBE UNIT TO BE REMOVED IN ITS ENTIRETY. PNEUMATIC TUBE UNIT AND ALL ASSOCIATED COMPONENTS TO BE TURNED OVER TO THE VA. COORDINATE CAPPING W/ PNEUMATIC TUBE MANUFACTURER.
- 7 ALL ELEMENTS RELATED TO FREEZER/COOLER UNIT TO BE DEMOLISHED INCLUDING ALL WALL, FLOOR AND CEILING PANELS, DOORS, STRUCTURAL SUPPORTS AND REFRIGERATION SYSTEM EQUIPMENT AND DEVICES. COORDINATE EXTENT OF DEMOLITION WITH MEP DRAWINGS.
- 8 EXISTING COLUMN TO REMAIN. PREPARE SURFACE TO RECEIVE NEW FINISH.
- 9 REMOVE COMPLETELY ALL FLOOR FINISHES, WALL BASE AND ASSOCIATED ADHESIVE AS REQUIRED FOR INSTALLATION OF NEW FLOOR FINISH. FILL ALL HOLES AND LEVEL DEPRESSION. PREPARE EXISTING SUB-FLOOR TO RECEIVE NEW FINISH.
- 10 EXISTING CHASE TO BE DEMOLISHED IN ITS ENTIRETY. REFER TO MEP DRAWINGS FOR ADDITIONAL INFORMATION.
- 11 COMPLETELY REMOVE TOILET PARTITIONS AND ALL RELATED ELEMENTS.
- 12 REMOVE CHAIN LINK FENCE AND ALL RELATED ELEMENTS.
- 13 REMOVE EXISTING FREEZER/COOLER DECREASED FLOOR PANELS IN THEIR ENTIRETY. FILL FLOOR CAVITY WITH CONCRETE TO MATCH LEVEL OF TOP OF EXISTING SLAB. SEE NEW WORK FOR FURTHER DETAILS.
- 14 EXTERIOR WALL TO REMAIN IN ALL LOCATIONS. COMPLETELY REMOVE INTERIOR WALL CONSTRUCTION TO CONCRETE WALL TO INCLUDE BUT NOT LIMITED TO: WALL FRAMING, FINISHES, PLUMBING AND ELECTRICAL ITEMS TO PREPARE WALL FOR NEW WALL FRAMING AND FINISHES. (SEE ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS)
- 15 CUT OPENING IN EXISTING WALL TO ACCOMMODATE NEW WINDOW AND FRAME. SEE DRAWINGS FOR NEW WORK.
- 16 REMOVE WALL TO ACCOMMODATE NEW WINDOW. COORDINATE WITH NEW WORK PLANS.
- 17 EXISTING WALL TO REMAIN. REMOVE EXISTING WALL MOUNTED ITEMS IN THEIR ENTIRETY. THIS INCLUDES, BUT IS NOT LIMITED TO: CLOCKS, FACEPLATES, SUPPORT ANCHORS, TACKBOARDS, MIRRORS, SIGNAGE, HANDRAILS, CORNER GUARDS, CHAIR RAILS, ETC. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. SEE MEP DEMOLITION DRAWINGS FOR ADDITIONAL NOTES.
- 18 EXISTING WALL FINISHES TO BE REMOVED IN THEIR ENTIRETY UP TO METAL FRAMING. COORDINATE WITH VACOR IF TO BE SAVED OR DISCARDED TYPICAL OF INTERIOR FACE OF EXISTING CORRIDOR WALL ALONG ENTIRE LENGTH OF NEW WORK AND FACE OF WALL WITH PLUMBING FIXTURE DEMOLITION WORK. WALL ATTACHED ITEMS TO BE REMOVED. SEE DRAWINGS FOR NEW WORK.
- 19 REMOVE METAL ENCLOSURE AND ALL EXISTING EQUIPMENT WITHIN ENTIRETY TO ACCOMMODATE NEW WORK. TURN EQUIPMENT OVER TO THE VA.
- 20 CUT OPENING IN EXISTING WALL TO ACCOMMODATE NEW DOOR AND FRAME. SEE DRAWINGS FOR NEW WORK.
- 21 EXISTING WALL TO REMAIN. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. PROTECT ELEVATOR DOORS, CONTROLS, FRAME AND PLATES DURING DEMOLITION WORK. DO NOT DISTURB ELECTRICAL ITEMS. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL NOTES.
- 22 EXISTING WALL TO REMAIN. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. PROTECT ALL ELECTRICAL ITEMS TO REMAIN. SEE ELECTRICAL DRAWINGS FOR FURTHER INFORMATION.
- 23 REMOVE EXISTING DOOR, FRAME AND HARDWARE. FRAME EXISTING OPENING. SEE DRAWINGS FOR NEW WORK.
- 24 REMOVE PORTION OF EXISTING FLOORING FOR PLUMBING DEMOLITION AND NEW WORK. CONCRETE FILL AND PATCH EXISTING FLOOR TO MATCH ADJACENT CONDITIONS. PREPARE TO RECEIVE NEW FINISH. SEE PLUMBING DRAWINGS FOR EXACT LOCATION AND FURTHER INFORMATION.
- 25 DEMOLISH & REMOVE EXISTING FLOORING IN ITS ENTIRETY IN HATCHED AREA FOR INSTALLATION OF WALK-IN COOLERS AND FLOOR TROUGH. EXISTING FLOOR THICKNESS MAY VARY. EXCAVATE AS NECESSARY TO ACCOMMODATE NEW WORK. SEE DRAWING A1100 FOR FLOOR DEPRESSION DIMENSIONS AND NEW WORK. COORDINATE WITH MEP AND FOOD SERVICE DRAWINGS.
- 26 CONTRACTOR TO INVESTIGATE ALL EXISTING CONDITIONS UNDER EXISTING FLOOR IN HATCHED AREA PRIOR TO DEMOLITION WORK. CONTRACTOR TO INFORM THE A/E OF ANY EXISTING CONDITIONS THAT INTERFERE WITH THE WORK.

**BASEMENT KEY PLAN - AREA 3**  
NOT TO SCALE

**ENLARGED DEMOLITION PLAN, BASEMENT FLOOR - AREA 3**  
3/16" = 1'-0"

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

BANERCROFT ARCHITECTS + ENGINEERS  
700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.banercraft-ae.com

STAMP

Office of Construction and Facilities Management  
VA U.S. Department of Veterans Affairs


Drawing Title  
ARCHITECTURAL - ENLARGED DEMOLITION PLAN, BASEMENT FLOOR - AREA 3

Approved: Project Director

Phase  
100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171		
Project Title	Project Number	Building Number
RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	613-19-103	500
Location	Drawing Number	
510 BUTLER AVENUE, MARTINSBURG, WV 25405	AD100.3	
Issue Date	Checked	Drawn
07/23/21	II	DMKA



### DEMOLITION PLAN LEGEND

	EXISTING CONSTRUCTION TO REMAIN
	EXISTING CONSTRUCTION TO BE REMOVED, INCLUDING ALL MOUNTED ACCESSORIES, CORNER GUARDS, HANDRAILS, ETC. PATCH ABUTTING WALLS, FLOORS, CEILINGS AND ROOF AS REQUIRED. REMOVE EXISTING ITEMS SCHEDULED TO REMAIN AS NECESSARY TO ALLOW THE COMPLETE DEMOLITION OF SELECTED ITEMS. REPAIR/REPLACE EXISTING ITEMS ONCE DEMOLITION IS COMPLETED.
	EXISTING DOOR TO BE REMOVED
	EXISTING 2 HOUR FIRE & SMOKE SEPARATION
	EXISTING 1 HOUR FIRE & SMOKE SEPARATION
	AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.

- ### GENERAL DEMOLITION NOTES
- REFER TO SHEET G103 FOR ADDITIONAL GENERAL DEMOLITION NOTES.
  - COORDINATE EXTENT OF DEMOLITION WITH NEW FLOOR PLANS.
  - REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING STRUCTURAL, HAZARDOUS MATERIAL, FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL SCOPE OF DEMOLITION WORK.
  - ALL DIMENSIONS INDICATED FOR LENGTH OF WALL/PARTITION TO BE REMOVED IS APPROXIMATE AND SUBJECT TO ANY ADDITIONAL DEMOLITION NECESSARY TO PROPERLY SPlice IN THE NEW WORK ASSEMBLY AND PROVIDE FOR DOOR UNIT INSTALLATION AS PER THE DETAILS.
  - SEAL/FIRESTOP ALL OPENINGS IN EXISTING SMOKE AND FIRE RATED PARTITIONS AND FIRE RATED FLOORS THAT ARE ENCOUNTERED DURING DEMOLITION. INCLUDES ALL EXPOSED CONDUIT AND PIPING, CONSTRUCTION ACTIVITIES THAT CREATE DUST PARTICULATES, SUCH AS CUTTING, SAW CUTTING, PIPE AND DUCT CUTTING, ETC. SHALL BE KEPT WITHIN THE PERIMETER OF THE NEW WORK.
  - REPLACE/RESURFACE FIREPROOFING THAT HAS BEEN KNOCKED OFF BEAMS, COLUMNS, ETC. DURING DEMOLITION.
  - ALL MOVABLE EQUIPMENT TO BE REMOVED BY VA. COORDINATE WITH VACOR BEFORE START OF WORK. SEE FOOD SERVICE DRAWINGS FOR ADDITIONAL INFORMATION ON RELATED KITCHEN EQUIPMENT.
  - ALL FIXED EQUIPMENT, ACCESSORIES AND CASEWORK TO BE REMOVED BY THE CONTRACTOR. CONTRACTOR TO COORDINATE ROOM BY ROOM WITH VACOR. IF TO BE SAVED OR DISCARDED.
  - PRIOR TO START OF DEMOLITION WORK, GC SHALL ENSURE THAT A VA PROVIDED HAZARDOUS MATERIAL SURVEY HAS BEEN CONDUCTED IDENTIFYING ALL HAZARDOUS MATERIAL FOUND IN SOW AREAS. GC TO VERIFY QUANTITIES AND LOCATIONS OF ALL HAZARDOUS MATERIALS FOUND TO BE REMOVED PRIOR TO DEMOLITION. REMOVAL TO BE IN ACCORDANCE WITH ANY REGULATORY PLANS OR APPROVALS IN THE STATE OF WEST VIRGINIA. WALL DEMOLITION WORK IN EXISTING EXHAUST AREAS WELL IN MECHANICAL SERVICES ROOM GC-105 TO BE INCLUDED IN HAZARDOUS MATERIAL SURVEY. APPROXIMATE AREA OF FLOORING TO BE REMOVED: 26,400SF

- ### DEMOLITION KEYNOTES
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- EXISTING FULL HEIGHT PARTITION WALL TO BE REMOVED IN ITS ENTIRETY TO UNDERSIDE OF EXISTING STRUCTURE ABOVE, AS INDICATED BY DASHED LINES, TO ACCOMMODATE NEW WORK. COORDINATE EXTENT OF DEMOLITION WITH NEW WORK REQUIREMENTS. THIS INCLUDES, BUT IS NOT LIMITED TO, PLUMBING, ELECTRICAL, MECHANICAL, GASES, HARDWARE, GUARDRAILS, ETC. SEE PLUMBING DRAWINGS.
  - EXISTING DOOR, FRAME AND HARDWARE TO BE REMOVED IN ITS ENTIRETY
  - REMOVE EXISTING PLUMBING FIXTURE IN ITS ENTIRETY. CAP ALL UTILITIES BELOW CONCRETE FLOOR SLAB OR BEHIND FINISH WALL. SEE PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL INFORMATION.
  - PARTIAL HEIGHT PARTITION WALL TO BE REMOVED IN ITS ENTIRETY AS INDICATED BY DASHED LINES, AND REPLACED WITH NEW ISLAND TYPE UTILITY DISTRIBUTION SYSTEM. COORDINATE EXTENT OF DEMOLITION WITH NEW WORK REQUIREMENTS. THIS INCLUDES, BUT IS NOT LIMITED TO, PLUMBING, ELECTRICAL, MECHANICAL, GASES, HARDWARE, ETC. REFER TO MEP DRAWINGS.
  - EXISTING WINDOW AND FRAME TO BE REMOVED IN ITS ENTIRETY.
  - EXISTING CHASE AND PNEUMATIC TUBE UNIT TO BE REMOVED IN ITS ENTIRETY. PNEUMATIC TUBE UNIT AND ALL ASSOCIATED COMPONENTS TO BE TURNED OVER TO THE VA. COORDINATE CAPPING W/ PNEUMATIC TUBE MANUFACTURER.
  - ALL ELEMENTS RELATED TO FREEZER/COOLER UNIT TO BE DEMOLISHED INCLUDING ALL WALL, FLOOR AND CEILING PANELS, DOORS, STRUCTURAL SUPPORTS AND REFRIGERATION SYSTEM EQUIPMENT AND DEVICES. COORDINATE EXTENT OF DEMOLITION WITH MEP DRAWINGS.
  - EXISTING COLUMN TO REMAIN. PREPARE SURFACE TO RECEIVE NEW FINISH
  - REMOVE COMPLETELY ALL FLOOR FINISHES, WALL BASE AND ASSOCIATED ADHESIVE AS REQUIRED FOR INSTALLATION OF NEW FLOOR FINISH. FILL ALL HOLES AND LEVEL DEPRESSION. PREPARE EXISTING SUB-FLOOR TO RECEIVE NEW FINISH.
  - EXISTING CHASE TO BE DEMOLISHED IN ITS ENTIRETY. REFER TO MEP DRAWINGS FOR ADDITIONAL INFORMATION.
  - COMPLETELY REMOVE TOILET PARTITIONS AND ALL RELATED ELEMENTS.
  - REMOVE CHAIN LINK FENCE AND ALL RELATED ELEMENTS.
  - REMOVE EXISTING FREEZER/COOLER DEPRESSED FLOOR PANELS IN THEIR ENTIRETY. FILL FLOOR CAVITY WITH CONCRETE TO MATCH LEVEL OF TOP OF EXISTING SLAB. SEE NEW WORK FOR FURTHER DETAILS.
  - EXTERIOR WALL TO REMAIN IN ALL LOCATIONS. COMPLETELY REMOVE INTERIOR WALL CONSTRUCTION TO CONCRETE WALL TO INCLUDE BUT NOT LIMITED TO: WALL FRAMING, FINISHES, PLUMBING AND ELECTRICAL ITEMS TO PREPARE WALL FOR NEW WALL FRAMING AND FINISHES. (SEE ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS)
  - CUT OPENING IN EXISTING WALL TO ACCOMMODATE NEW WINDOW AND FRAME. SEE DRAWINGS FOR NEW WORK.
  - REMOVE WALL TO ACCOMMODATE NEW WINDOW. COORDINATE WITH NEW WORK PLANS
  - EXISTING WALL TO REMAIN. REMOVE EXISTING WALL MOUNTED ITEMS IN THEIR ENTIRETY. THIS INCLUDES, BUT IS NOT LIMITED TO: GLOBS, FACED PLATES, SUPPORT ANCHORS, TAGBOARDS, MIRRORS, SIGNAGE, HANDRAILS, CORNER GUARDS, CHAIR RAILS, ETC. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. SEE MEP DEMOLITION DRAWINGS FOR ADDITIONAL NOTES.
  - EXISTING WALL FINISHES TO BE REMOVED IN THEIR ENTIRETY UP TO METAL FRAMING. COORDINATE WITH VACOR IF TO BE SAVED OR DISCARDED. TYPICAL OF INTERIOR FACE OF EXISTING CORRIDOR WALL ALONG ENTIRE LENGTH OF NEW WORK AND FACE OF WALL WITH PLUMBING FIXTURE DEMOLITION WORK. WALL ATTACHED ITEMS TO BE REMOVED. SEE DRAWINGS FOR NEW WORK.
  - REMOVE METAL ENCLOSURE AND ALL EXISTING EQUIPMENT WITHIN ENTIRETY TO ACCOMMODATE NEW WORK. TURN EQUIPMENT OVER TO THE VA.
  - CUT OPENING IN EXISTING WALL TO ACCOMMODATE NEW DOOR AND FRAME. SEE DRAWINGS FOR NEW WORK.
  - EXISTING WALL TO REMAIN. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. PROTECT ELEVATOR DOORS, CONTROLS, FRAME AND PLATES DURING DEMOLITION WORK. DO NOT DISTURB ELECTRICAL ITEMS. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL NOTES.
  - EXISTING WALL TO REMAIN. PATCH AND REPAIR EXISTING WALL AND PREPARE SURFACE TO RECEIVE NEW FINISH. PROTECT ALL ELECTRICAL ITEMS TO REMAIN. SEE ELECTRICAL DRAWINGS FOR FURTHER INFORMATION.
  - REMOVE EXISTING DOOR, FRAME AND HARDWARE. FRAME EXISTING OPENING. SEE DRAWINGS FOR NEW WORK.
  - REMOVE PORTION OF EXISTING FLOORING FOR PLUMBING DEMOLITION AND NEW WORK. CONCRETE FILL AND PATCH EXISTING FLOOR TO MATCH ADJACENT CONDITIONS. PREPARE TO RECEIVE NEW FINISH. SEE PLUMBING DRAWINGS FOR EXACT LOCATION AND FURTHER INFORMATION.
  - DEMOLISH & REMOVE EXISTING FLOORINGS IN ITS ENTIRETY IN HATCHED AREA FOR INSTALLATION OF WALK-IN COOLERS AND FLOOR TROUGHES. EXISTING FLOOR THICKNESS MAY VARY. EXCAVATE AS NECESSARY TO ACCOMMODATE NEW WORK. SEE DRAWING A1100 FOR FLOOR DEPRESSION DIMENSIONS AND NEW WORK. COORDINATE WITH MEP AND FOOD SERVICE DRAWINGS.
  - CONTRACTOR TO INVESTIGATE ALL EXISTING CONDITIONS UNDER EXISTING FLOOR IN HATCHED AREA PRIOR TO DEMOLITION WORK. CONTRACTOR TO INFORM THE A/E OF ANY EXISTING CONDITIONS THAT INTERFERE WITH THE WORK.

**ENLARGED DEMOLITION PLAN, BASEMENT FLOOR - AREA 4**  
 3/16" = 1'-0"  
 0 4' 8' 12'

**BASEMENT KEY PLAN - AREA 4**  
 NOT TO SCALE

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS  
 700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

**Office of Construction and Facilities Management**  
 VA U.S. Department of Veterans Affairs

Drawing Title  
**ARCHITECTURAL - ENLARGED DEMOLITION PLAN, BASEMENT FLOOR - AREA 4**

Approved: Project Director


Phase  
**100% CONSTRUCTION DOCUMENTS**

**FULLY SPRINKLERED**

**VA CONTRACT NO: 36C24519C0171**

Project Title <b>RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT</b>	Project Number <b>613-19-103</b>
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Drawing Number <b>AD100.4</b>
Issue Date 07/23/21	Checked II
Drawn DMKA	





### CEILING DEMOLITION PLAN LEGEND


- EXISTING CONSTRUCTION TO REMAIN
- EXISTING PARTITION TO BE REMOVED IN ITS ENTIRETY.
- NEW 2 HOUR FIRE & SMOKE SEPARATION
- EXISTING 2 HOUR FIRE & SMOKE SEPARATION
- NEW 1 HOUR FIRE & SMOKE SEPARATION
- EXISTING 1 HOUR FIRE & SMOKE SEPARATION
- COMPLETELY REMOVE EXISTING SUSPENDED CEILING AND ALL ASSOCIATED SUPPORTS.
- REMOVE EXISTING GYPSUM BOARD CEILING AND ALL ASSOCIATED SUPPORTS.
- AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.
- REMOVE WIRELESS ACCESS POINT
- REMOVE NURSE CALL LIGHT
- REMOVE EXIT SIGN (DOUBLE SIDED SHOWN)
- REMOVE SPRINKLER HEAD
- REMOVE LIGHT FIXTURE
- REMOVE SUPPLY AIR DIFFUSER
- REMOVE AIR DIFFUSER

NOTE: REFER TO G1003 FOR GENERAL DEMOLITION NOTES. REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL SCOPE OF DEMOLITION WORK.

- ### GENERAL DEMOLITION NOTES
- A. REMOVE COMPLETELY ALL EXISTING CEILINGS IN AREAS REQUIRING NEW CEILINGS. NEW CEILINGS SHALL NOT BE ATTACHED TO EXISTING CEILING SYSTEMS. REMOVE EXISTING SUSPENSION SYSTEM IN ITS ENTIRETY, INCLUDING HANGERS, TO INSTALL NEW.
  - B. NEW CEILING TILE AND GRID WILL BE INSTALLED WHEREVER ANY EXISTING CEILING HAS BEEN REMOVED IN WHOLE OR PARTIALLY AS NECESSARY FOR INSTALLATION OF NEW WORK.
  - C. PROTECT ALL EXISTING SPRINKLER HEADS DURING CONSTRUCTION.
  - D. SEAL/FIRESTOP ALL OPENINGS IN EXISTING 1 HR. AND SMOKE RATED PARTITION WALLS AND FLOORS THAT ARE ENCOUNTERED DURING DEMOLITION. INCLUDES ALL EXPOSED CONDUIT AND PIPING.
  - E. EXISTING WIRELESS ACCESS POINT DEVICES IN AREA OF WORK TO BE PROTECTED DURING CONSTRUCTION.

- ### CEILING DEMOLITION PLAN KEY NOTES
- 1 REMOVE EXISTING ACOUSTICAL TILE CEILING GRID AND SUSPENSION SYSTEM IN ITS ENTIRETY.
  - 2 REMOVE EXISTING DIFFUSERS AND RETURNS IN THEIR ENTIRETY. SEE MEP DRAWINGS FOR ADDITIONAL INFORMATION.
  - 3 EXISTING LIGHTING FIXTURE(S) TO BE REMOVED IN ITS ENTIRETY INCLUDING WIRING, SUPPORT, ETC. COORDINATE WITH ELECTRICAL DRAWINGS.
  - 4 EXISTING WIRELESS ACCESS POINT DEVICE TO BE REMOVED. COORDINATE WITH VA COR REGARDING DEVICES TO BE SALVAGED.
  - 5 REMOVE EXISTING SPRINKLER HEAD AND ASSOCIATED PIPING.
  - 6 EXISTING COOKING EXHAUST HOOD AND ALL RELATED COMPONENTS INCLUDING SUPPRESSION SYSTEM TO BE REMOVED IN ITS ENTIRETY. SEE MECHANICAL DRAWINGS FOR MORE INFORMATION.
  - 7 REMOVE EXISTING GYPSUM BOARD CEILING AND SUSPENSION SYSTEM IN ITS ENTIRETY.

**ENLARGED CEILING DEMOLITION PLAN - AREA 1**  
 3/16" = 1'-0"



**BASEMENT KEY PLAN - AREA 1**  
 NOT TO SCALE

VA CONTRACT NO: 36C24519C0171

Project Title		Project Number	
RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT		613-19-103	
Location		Building Number	
510 BUTLER AVENUE, MARTINSBURG, WV 25405		500	
Issue Date	Checked	Drawn	Drawing Number
07/23/21	II	DMIKA	ACD100.1

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

BANCROFT ARCHITECTS + ENGINEERS  
 700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

Office of Construction and Facilities Management


U.S. Department of Veterans Affairs

Approved: Project Director

Phase

100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED



### CEILING DEMOLITION PLAN LEGEND

- EXISTING CONSTRUCTION TO REMAIN
- EXISTING PARTITION TO BE REMOVED IN ITS ENTIRETY.
- NEW 2 HOUR FIRE & SMOKE SEPARATION
- EXISTING 2 HOUR FIRE & SMOKE SEPARATION
- NEW 1 HOUR FIRE & SMOKE SEPARATION
- EXISTING 1 HOUR FIRE & SMOKE SEPARATION
- COMPLETELY REMOVE EXISTING SUSPENDED CEILING AND ALL ASSOCIATED SUPPORTS.
- REMOVE EXISTING GYPSUM BOARD CEILING AND ALL ASSOCIATED SUPPORTS.
- AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.
- REMOVE WIRELESS ACCESS POINT
- REMOVE NURSE CALL LIGHT
- REMOVE EXIT SIGN (DOUBLE SIDED SHOWN)
- REMOVE SPRINKLER HEAD
- REMOVE LIGHT FIXTURE
- REMOVE SUPPLY AIR DIFFUSER
- REMOVE AIR DIFFUSER

NOTE: REFER TO G1003 FOR GENERAL DEMOLITION NOTES. REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL SCOPE OF DEMOLITION WORK.


### GENERAL DEMOLITION NOTES

- A. REMOVE COMPLETELY ALL EXISTING CEILINGS IN AREAS REQUIRING NEW CEILINGS. NEW CEILINGS SHALL NOT BE ATTACHED TO EXISTING CEILING SYSTEMS. REMOVE EXISTING SUSPENSION SYSTEM IN ITS ENTIRETY. INCLUDING HANGERS, TO INSTALL NEW.
- B. NEW CEILING TILE AND GRID WILL BE INSTALLED WHEREVER ANY EXISTING CEILING HAS BEEN REMOVED IN WHOLE OR PARTIALLY AS NECESSARY FOR INSTALLATION OF NEW WORK.
- C. PROTECT ALL EXISTING SPRINKLER HEADS DURING CONSTRUCTION.
- D. SEAL/FIRESTOP ALL OPENINGS IN EXISTING 1 HR. AND SMOKE RATED PARTITION WALLS AND FLOORS THAT ARE ENCOUNTERED DURING DEMOLITION. INCLUDES ALL EXPOSED CONDUIT AND PIPING.
- E. EXISTING WIRELESS ACCESS POINT DEVICES IN AREA OF WORK TO BE PROTECTED DURING CONSTRUCTION.

### CEILING DEMOLITION PLAN KEY NOTES

- 1 REMOVE EXISTING ACOUSTICAL TILE CEILING GRID AND SUSPENSION SYSTEM IN ITS ENTIRETY.
- 2 REMOVE EXISTING DIFFUSERS AND RETURNS IN THEIR ENTIRETY. SEE MEP DRAWINGS FOR ADDITIONAL INFORMATION
- 3 EXISTING LIGHTING FIXTURE(S) TO BE REMOVED IN ITS ENTIRETY INCLUDING WIRING, SUPPORT, ETC. COORDINATE WITH ELECTRICAL DRAWINGS.
- 4 EXISTING WIRELESS ACCESS POINT DEVICE TO BE REMOVED. COORDINATE WITH VA COR REGARDING DEVICES TO BE SALVAGED.
- 5 REMOVE EXISTING SPRINKLER HEAD AND ASSOCIATED PIPING.
- 6 EXISTING COOKING EXHAUST HOOD AND ALL RELATED COMPONENTS INCLUDING SUPPRESSION SYSTEM TO BE REMOVED IN ITS ENTIRETY. SEE MECHANICAL DRAWINGS FOR MORE INFORMATION.
- 7 REMOVE EXISTING GYPSUM BOARD CEILING AND SUSPENSION SYSTEM IN ITS ENTIRETY.

**1 ENLARGED CEILING DEMOLITION PLAN - AREA 2**  
 3/16" = 1'-0"



**VA CONTRACT NO: 36C24519C0171**

Project Title <b>RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT</b>		Project Number <b>613-19-103</b>
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405		Building Number <b>500</b>
Issue Date 07/23/21	Checked II	Drawn DMKA
Drawing Number <b>ACD100.2</b>		

C:\Users\mlewis\Documents\18-133\_Architectural\_Central\mlewis\UPAS.rvt

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

BANCROFT ARCHITECTS + ENGINEERS  
 700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

**Office of Construction and Facilities Management**


**VA** U.S. Department of Veterans Affairs

Drawing Title  
**ARCHITECTURAL- REFLECTED CEILING DEMOLITION PLAN BASEMENT FLOOR - AREA 2**

Phase  
**100% CONSTRUCTION DOCUMENTS**

Approved: Project Director

**FULLY SPRINKLERED**



### CEILING DEMOLITION PLAN LEGEND

- EXISTING CONSTRUCTION TO REMAIN
- EXISTING PARTITION TO BE REMOVED IN ITS ENTIRETY.
- NEW 2 HOUR FIRE & SMOKE SEPARATION
- EXISTING 2 HOUR FIRE & SMOKE SEPARATION
- NEW 1 HOUR FIRE & SMOKE SEPARATION
- EXISTING 1 HOUR FIRE & SMOKE SEPARATION
- COMPLETELY REMOVE EXISTING SUSPENDED CEILING AND ALL ASSOCIATED SUPPORTS.
- REMOVE EXISTING GYPSUM BOARD CEILING AND ALL ASSOCIATED SUPPORTS.
- AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.
- REMOVE WIRELESS ACCESS POINT
- REMOVE NURSE CALL LIGHT
- REMOVE EXIT SIGN (DOUBLE SIDED SHOWN)
- REMOVE SPRINKLER HEAD
- REMOVE LIGHT FIXTURE
- REMOVE SUPPLY AIR DIFFUSER
- REMOVE AIR DIFFUSER


NOTE: REFER TO G1003 FOR GENERAL DEMOLITION NOTES. REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL SCOPE OF DEMOLITION WORK.

### GENERAL DEMOLITION NOTES

- A. REMOVE COMPLETELY ALL EXISTING CEILINGS IN AREAS REQUIRING NEW CEILINGS. NEW CEILINGS SHALL NOT BE ATTACHED TO EXISTING CEILING SYSTEMS. REMOVE EXISTING SUSPENSION SYSTEM IN ITS ENTIRETY, INCLUDING HANGERS, TO INSTALL NEW.
- B. NEW CEILING TILE AND GRID WILL BE INSTALLED WHEREVER ANY EXISTING CEILING HAS BEEN REMOVED IN WHOLE OR PARTIALLY AS NECESSARY FOR INSTALLATION OF NEW WORK.
- C. PROTECT ALL EXISTING SPRINKLER HEADS DURING CONSTRUCTION.
- D. SEAL FIRESTOP ALL OPENINGS IN EXISTING 1 HR. AND SMOKE RATED PARTITION WALLS AND FLOORS THAT ARE ENCOUNTERED DURING DEMOLITION. INCLUDES ALL EXPOSED CONDUIT AND PIPING.
- E. EXISTING WIRELESS ACCESS POINT DEVICES IN AREA OF WORK TO BE PROTECTED DURING CONSTRUCTION.

### CEILING DEMOLITION PLAN KEY NOTES

- 1 REMOVE EXISTING ACOUSTICAL TILE CEILING GRID AND SUSPENSION SYSTEM IN ITS ENTIRETY.
- 2 REMOVE EXISTING DIFFUSERS AND RETURNS IN THEIR ENTIRETY. SEE MEP DRAWINGS FOR ADDITIONAL INFORMATION.
- 3 EXISTING LIGHTING FIXTURE(S) TO BE REMOVED IN ITS ENTIRETY INCLUDING WIRING, SUPPORT, ETC. COORDINATE WITH ELECTRICAL DRAWINGS.
- 4 EXISTING WIRELESS ACCESS POINT DEVICE TO BE REMOVED. COORDINATE WITH VA COR REGARDING DEVICES TO BE SALVAGED.
- 5 REMOVE EXISTING SPRINKLER HEAD AND ASSOCIATED PIPING.
- 6 EXISTING COOKING EXHAUST HOOD AND ALL RELATED COMPONENTS INCLUDING SUPPRESSION SYSTEM TO BE REMOVED IN ITS ENTIRETY. SEE MECHANICAL DRAWINGS FOR MORE INFORMATION.
- 7 REMOVE EXISTING GYPSUM BOARD CEILING AND SUSPENSION SYSTEM IN ITS ENTIRETY.



**1 ENLARGED CEILING DEMOLITION PLAN - AREA 3**  
3/16" = 1'-0"

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

**Banerji**  
BANCROFT ARCHITECTS + ENGINEERS

700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com


Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Phase: 100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171	
Project Title: RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number: 613-19-103
Location: 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number: 500
Issue Date: 07/23/21	Checked: II
Drawn: DMKA	Drawing Number: ACD100.3




### CEILING DEMOLITION PLAN LEGEND

- EXISTING CONSTRUCTION TO REMAIN
- EXISTING PARTITION TO BE REMOVED IN ITS ENTIRETY.
- NEW 2 HOUR FIRE & SMOKE SEPARATION
- EXISTING 2 HOUR FIRE & SMOKE SEPARATION
- NEW 1 HOUR FIRE & SMOKE SEPARATION
- EXISTING 1 HOUR FIRE & SMOKE SEPARATION
- COMPLETELY REMOVE EXISTING SUSPENDED CEILING AND ALL ASSOCIATED SUPPORTS.
- REMOVE EXISTING GYPSUM BOARD CEILING AND ALL ASSOCIATED SUPPORTS.
- AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.
- REMOVE WIRELESS ACCESS POINT
- REMOVE NURSE CALL LIGHT
- REMOVE EXIT SIGN (DOUBLE SIDED SHOWN)
- REMOVE SPRINKLER HEAD
- REMOVE LIGHT FIXTURE
- REMOVE SUPPLY AIR DIFFUSER
- REMOVE AIR DIFFUSER

NOTE: REFER TO G1003 FOR GENERAL DEMOLITION NOTES. REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR FULL SCOPE OF DEMOLITION WORK.

- ### GENERAL DEMOLITION NOTES
- A. REMOVE COMPLETELY ALL EXISTING CEILINGS IN AREAS REQUIRING NEW CEILINGS. NEW CEILINGS SHALL NOT BE ATTACHED TO EXISTING CEILING SYSTEMS. REMOVE EXISTING SUSPENSION SYSTEM IN ITS ENTIRETY, INCLUDING HANGERS, TO INSTALL NEW.
  - B. NEW CEILING TILE AND GRID WILL BE INSTALLED WHEREVER ANY EXISTING CEILING HAS BEEN REMOVED IN WHOLE OR PARTIALLY AS NECESSARY FOR INSTALLATION OF NEW WORK.
  - C. PROTECT ALL EXISTING SPRINKLER HEADS DURING CONSTRUCTION.
  - D. SEAL FIRESTOP ALL OPENINGS IN EXISTING 1 HR. AND SMOKE RATED PARTITION WALLS AND FLOORS THAT ARE ENCOUNTERED DURING DEMOLITION. INCLUDES ALL EXPOSED CONDUIT AND PIPING.
  - E. EXISTING WIRELESS ACCESS POINT DEVICES IN AREA OF WORK TO BE PROTECTED DURING CONSTRUCTION.

- ### CEILING DEMOLITION PLAN KEY NOTES
- 1 REMOVE EXISTING ACOUSTICAL TILE CEILING GRID AND SUSPENSION SYSTEM IN ITS ENTIRETY.
  - 2 REMOVE EXISTING DIFFUSERS AND RETURNS IN THEIR ENTIRETY. SEE MEP DRAWINGS FOR ADDITIONAL INFORMATION.
  - 3 EXISTING LIGHTING FIXTURE(S) TO BE REMOVED IN ITS ENTIRETY INCLUDING WIRING, SUPPORT, ETC. COORDINATE WITH ELECTRICAL DRAWINGS.
  - 4 EXISTING WIRELESS ACCESS POINT DEVICE TO BE REMOVED. COORDINATE WITH VA COR REGARDING DEVICES TO BE SALVAGED.
  - 5 REMOVE EXISTING SPRINKLER HEAD AND ASSOCIATED PIPING.
  - 6 EXISTING COOKING EXHAUST HOOD AND ALL RELATED COMPONENTS INCLUDING SUPPRESSION SYSTEM TO BE REMOVED IN ITS ENTIRETY. SEE MECHANICAL DRAWINGS FOR MORE INFORMATION.
  - 7 REMOVE EXISTING GYPSUM BOARD CEILING AND SUSPENSION SYSTEM IN ITS ENTIRETY.



**BASEMENT KEY PLAN - AREA 4**  
NOT TO SCALE

**CD 01 - ENLARGED CEILING DEMOLITION PLAN - AREA 4**  
3/16" = 1'-0"  
0 4' 8' 12'

95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

STAMP

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title: ARCHITECTURAL - REFLECTED CEILING DEMOLITION PLAN BASEMENT FLOOR - AREA 4

Phase: 100% CONSTRUCTION DOCUMENTS

Approved: Project Director

FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171		
Project Title: RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number: 613-19-103	Building Number: 500
Location: 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Drawing Number: ACD100.4	
Issue Date: 07/23/21	Checked: II	Drawn: DMKA

**UNDERGROUND LEGEND**


▨ BASEMENT FLOOR DEPRESSION

▭ EXISTING FOOTING


---

**UNDERGROUND KEYNOTES**

1 DEPRESSION FLOOR AREA. ALL DEPRESSION FLOOR AREA DIMENSIONS FOR TROUGHS AND WALK-IN COOLERS TO BE VERIFIED WITH MANUFACTURER'S INSTALLATION INSTRUCTIONS AND COORDINATED WITH MEP AND FOOD SERVICE DRAWINGS PRIOR TO WORK.



**1 OVERALL FLOOR PLAN, UNDERGROUND FLOOR DEPRESSION**  
1/8" = 1'-0"



**VA CONTRACT NO: 36C24519C0171**

Project Title RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number 613-19-103 Building Number 500
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Drawing Number AU100
Issue Date 07/23/21	Checked MOB
	Drawn MOB

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS

700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

**STAMP**

**Office of Construction and Facilities Management**


VA U.S. Department of Veterans Affairs

Drawing Title  
ARCHITECTURAL - OVERALL UNDERGROUND FLOOR DEPRESSION

Phase  
100% CONSTRUCTION DOCUMENTS

Approved: Project Director

**FULLY SPRINKLERED**



PLAN LEGEND	
	AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.
	EXISTING WALL TO REMAIN
	NEW PARTITION WALL
	EXISTING DOOR
	NEW DOOR
	NEW 2 HOUR FIRE & SMOKE SEPARATION
	EXISTING 2 HOUR FIRE & SMOKE SEPARATION
	NEW 1 HOUR FIRE & SMOKE SEPARATION
	EXISTING 1 HOUR FIRE & SMOKE SEPARATION
	ROOM TAG ROOM NAME ROOM NUMBER

- GENERAL NOTES**
- REFER TO SHEET A501 FOR WALL TYPES.
  - REFER TO SHEET G002 FOR ADDITIONAL GENERAL NOTES.
  - REFER TO FS-SERIES SHEETS FOR COORDINATION WITH ARCHITECTURAL WORK AND ADDITIONAL INFORMATION ON KITCHEN EQUIPMENT PLANS AND SCHEDULES.
  - REFER TO SHEETS I611 FOR FURNITURE AND EQUIPMENT SCHEDULE.
  - REFER TO SHEET A512 FOR DETAILS FOR CORNER GUARDS, CRASH RAIL, INTEGRAL COVE BASE, EXISTING SUBSURFACE FLOOR PREPARATION, THE EXISTING CONCRETE FLOOR SUB-SURFACES RESULTING FROM THE REMOVAL OF OLD FLOOR FINISHES (IE CERAMIC TILE, VCT, MASTICS, VINYL SHEETS, ABATEMENTS, CARPETING, ETC.) OR GOING OVER CONCRETE FLOOR REPAIRS OR IN-FILLS SHALL BE ENTIRELY SKIM COATED TO A SMOOTH AND LEVEL FINISH WITH ALL ADJACENT FLOOR SURFACES REQUIRING EXISTING FLOOR FINISH REMOVALS AND NEW FLOOR FINISHES. FOR BIDDING PURPOSES, FLOOR SKIM COATING SHALL BE FIGURED AT 1/4" THICKNESS AVERAGE.
  - SEE FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR NEW WORK.
  - PATCH EXISTING WALLS AS NECESSARY AROUND NEW DOOR INSTALLATION TO LEAVE NO VISIBLE DIFFERENCE BETWEEN NEW AND EXISTING.
  - AIR QUALITY TO BE MONITORED AND REPORTED DAILY BY THE CONTRACTOR DURING INSTALLATION OF NEW FLOOR.
  - CONTRACTOR TO LOCATE A MANOMETER AT ENTRY DOOR TO PROVIDE NEGATIVE AIR MONITORING THROUGHOUT THE DURATION OF WORK.
  - SEAL ALL EXISTING AND NEW PENETRATIONS WITH FIRE CAULKING.
  - REFER TO SHEETS I601 AND I602 FOR NEW FLOOR FINISHES.

NEW OPENINGS ABOVE DOOR TO ACCOMMODATE NEW MECHANICAL WORK SEE MECHANICAL DRAWINGS FOR SIZE OF NEW OPENING.

NEW AIR HANDLING UNIT. SEE MECHANICAL DRAWINGS FOR FURTHER INFORMATION.

NEW MAKE UP AIR UNIT. SEE MECHANICAL DRAWINGS FOR FURTHER INFORMATION.

MECH SERVICES (G-108)

NEW SANGRENT PUMP. SEE MEP DRAWINGS FOR FURTHER INFORMATION.

NEW BURIED GREASE INTERCEPTOR LOCATION. SEE MEP DRAWINGS FOR FURTHER INFORMATION.

LOCATION OF NEW CONDENSING UNITS. SEE MECHANICAL AND FOOD SERVICES EQUIPMENT DRAWINGS FOR FURTHER INFORMATION.

MECHANICAL YARD (GE-100B)

CHAIN LINK FENCE ENCLOSURE

TEMPORARY AHU. SEE MEP DRAWINGS FOR FURTHER INFORMATION.

NEW SEWAGE BOOSTER PUMP. SEE MEP DRAWINGS FOR FURTHER INFORMATION.


NEW BURIED GREASE INTERCEPTOR LOCATION. SEE MEP DRAWINGS FOR FURTHER INFORMATION.

LOCATION OF NEW CONDENSING UNITS. SEE MECHANICAL AND FOOD SERVICES EQUIPMENT DRAWINGS FOR FURTHER INFORMATION.

MECHANICAL YARD (GE-100B)

CHAIN LINK FENCE ENCLOSURE

**OVERALL FLOOR PLAN, BASEMENT FLOOR**  
 1/16" = 1'-0"  
 0 8' 16' 32'



**BASEMENT KEY PLAN**  
 NOT TO SCALE

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS  
 700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

**STAMP**

**Office of Construction and Facilities Management**

VA U.S. Department of Veterans Affairs


Drawing Title: ARCHITECTURAL - OVERALL FLOOR PLAN, BASEMENT FLOOR

Approved: Project Director

Phase: 100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171		
Project Title: RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number: 613-19-103	Building Number: 500
Location: 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Issue Date: 07/23/21	Checked: II
Drawn: DMKA	Drawing Number: A100	




PLAN LEGEND	
	AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.
	EXISTING WALL TO REMAIN
	NEW PARTITION WALL
	EXISTING DOOR
	NEW DOOR
	NEW 2 HOUR FIRE & SMOKE SEPARATION
	EXISTING 2 HOUR FIRE & SMOKE SEPARATION
	NEW 1 HOUR FIRE & SMOKE SEPARATION
	EXISTING 1 HOUR FIRE & SMOKE SEPARATION
ROOM TAG	
	ROOM NAME
	ROOM NUMBER
WINDOW TAG	
	WINDOW NUMBER

- FLOOR PLAN GENERAL NOTES**
- REFER TO SHEET A501 FOR WALL TYPES.
  - REFER TO SHEET G002 FOR ADDITIONAL GENERAL NOTES.
  - REFER TO FS-SERIES SHEETS FOR COORDINATION WITH ARCHITECTURAL WORK AND ADDITIONAL INFORMATION ON KITCHEN EQUIPMENT PLANS AND SCHEDULES.
  - REFER TO SHEETS I611 FOR FURNITURE AND EQUIPMENT SCHEDULE.
  - REFER TO SHEET A512 FOR DETAILS FOR CORNER GUARDS, CRASH RAIL, INTEGRAL COVE BASE.
  - EXISTING SUBSURFACE FLOOR PREPARATION: THE EXISTING CONCRETE FLOOR SUB-SURFACES RESULTING FROM THE REMOVAL OF OLD FLOOR FINISHES (IE. CERAMIC TILE, VCT, MASTICS, VINYL SHEETS, ABATEMENTS, CARPETING, ETC.) OR GOING OVER CONCRETE FLOOR REPAIRS OR IN-FILLS SHALL BE ENTIRELY SKIM COATED TO A SMOOTH AND LEVEL FINISH WITH ALL ADJACENT FLOOR SURFACES REQUIRING EXISTING FLOOR FINISH REMOVALS AND NEW FLOOR FINISHES. FOR BIDDING PURPOSES, FLOOR SKIM COATING SHALL BE FIGURED AT 1/4" THICKNESS AVERAGE.
  - SEE FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR NEW WORK.
  - PATCH EXISTING WALLS AS NECESSARY AROUND NEW DOOR INSTALLATION TO LEAVE NO VISIBLE DIFFERENCE BETWEEN NEW AND EXISTING.
  - AIR QUALITY TO BE MONITORED AND REPORTED DAILY BY THE CONTRACTOR DURING INSTALLATION OF NEW FLOOR.
  - CONTRACTOR TO LOCATE A MANOMETER AT ENTRY DOOR TO PROVIDE NEGATIVE AIR MONITORING THROUGHOUT THE DURATION OF WORK.
  - SEAL ALL EXISTING AND NEW PENETRATIONS WITH FIRE CAULKING.
  - REFER TO SHEETS I601 AND I602 FOR NEW FLOOR FINISHES.

- FLOOR PLAN KEYNOTES**
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- INFILL EXISTING DOOR OPENING WITH GYPSUM BOARD AND METAL STUDS (20 GA.) TO MATCH WIDTH AND RATING OF EXISTING WALL. ALIGN WALL, PATCH, LEVEL AND FINISH SO AS NOT TO SEE A VISIBLE DIFFERENCE BETWEEN EXISTING AND NEW. WALL TO RECEIVE NEW FINISHES PER SCHEDULE.
  - PROVIDE 5/8" NEW MOISTURE RESISTANT GYPSUM BOARD LAYER TO UNDERSIDE OF EXISTING DECK AT EXISTING WALL PARTITION AND PROVIDE FINISHES PER FINISH SCHEDULE.
  - NEW FLOOR TROUGH. SEE PLUMBING DRAWINGS FOR FURTHER INFORMATION.
  - NEW FLOOR MOUNTED MOP SINK. SEE PLUMBING DRAWINGS FOR FURTHER DETAILS.
  - NEW PLUMBING FIXTURE. SEE PLUMBING DRAWINGS FOR FURTHER INFORMATION.
  - NEW TOILET PARTITIONS. SEE ROOM FINISH SCHEDULE FOR FURTHER INFORMATION.
  - EXISTING WALL TO REMAIN. APPLY ONE LAYER OF 5/8" GYPSUM BOARD. EXTEND GYPSUM BOARD 6" ABOVE FINISH CEILING. PROVIDE FINISHES PER SCHEDULE.
  - NEW WINDOW. SEE WINDOW SCHEDULE FOR MORE INFORMATION.
  - NEW WALK-IN FREEZER/COOLER PANELS. SEE FOOD SERVICE EQUIPMENT DRAWINGS FOR FURTHER INFORMATION.
  - NEW EXPANSION JOINT COVER- FLOOR TO FLOOR SYSTEM MODEL 6FS-2M BY BALCO INC OR VA APPROVED EQUAL.
  - NEW KITCHEN HOOD. SEE MECHANICAL DRAWINGS FOR FURTHER INFORMATION.
  - EXISTING COOLER FLOOR VOID AREA IN FUTURE SPACE TO BE FILLED WITH CONCRETE. PIN ALL INFILL SLABS TO ADJACENT CONCRETE WITH REBAR AT 18" ON CENTER.
  - SEMI-RECESSED FIRE EXTINGUISHER CABINET.
  - NEW PTS-247 4-INCH RECESSED STATION FOR THE TRANSLOGIC PNEUMATIC TUBE SYSTEM BY SWISSLOG OR VA APPROVED EQUAL. GC TO COORDINATE SYSTEM REQUIREMENTS AND INSTALLATION WITH PNEUMATIC TUBE MANUFACTURER PRIOR TO WORK.
  - PROVIDE MOISTURE RESISTANT GYPSUM BOARD IN THIS AREA.
  - INSTALL NEW CHAIN LINK ENCLOSURE AND ACCESS DOORS.
  - NOT USED.

**1 ENLARGED FLOOR PLAN, BASEMENT FLOOR - AREA 1**  
 3/16" = 1'-0"  
 0 4' 8' 12'



**BASEMENT KEY PLAN - AREA 1**  
 NOT TO SCALE

Revisions:	Date:
100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS  
 700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

**Office of Construction and Facilities Management**

VA U.S. Department of Veterans Affairs


Drawing Title  
**ARCHITECTURAL - PLAN, BASEMENT FLOOR - AREA 1**

Approved: Project Director

Phase  
**100% CONSTRUCTION DOCUMENTS**

**FULLY SPRINKLERED**

VA CONTRACT NO: 36C24519C0171		
Project Title <b>RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT</b>	Project Number <b>613-19-103</b>	Building Number <b>500</b>
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Drawing Number <b>A100.1</b>	
Issue Date 07/23/21	Checked II	Drawn DMKA




### PLAN LEGEND

	AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.		NEW 2 HOUR FIRE & SMOKE SEPARATION
	EXISTING WALL TO REMAIN		EXISTING 2 HOUR FIRE & SMOKE SEPARATION
	NEW PARTITION WALL		NEW 1 HOUR FIRE & SMOKE SEPARATION
	EXISTING DOOR		EXISTING 1 HOUR FIRE & SMOKE SEPARATION
	NEW DOOR		ROOM TAG
			ROOM NAME
			ROOM NUMBER
			WINDOW TAG
			WINDOW NUMBER

- ### FLOOR PLAN GENERAL NOTES
- REFER TO SHEET A501 FOR WALL TYPES.
  - REFER TO SHEET G002 FOR ADDITIONAL GENERAL NOTES.
  - REFER TO FS-SERIES SHEETS FOR COORDINATION WITH ARCHITECTURAL WORK AND ADDITIONAL INFORMATION ON KITCHEN EQUIPMENT PLANS AND SCHEDULES.
  - REFER TO SHEETS 1611 FOR FURNITURE AND EQUIPMENT SCHEDULE.
  - REFER TO SHEET A512 FOR DETAILS FOR CORNER GUARDS, CRASH RAIL, INTEGRAL COVE BASE.
  - EXISTING SUBSURFACE FLOOR PREPARATION: THE EXISTING CONCRETE FLOOR SUB-SURFACES RESULTING FROM THE REMOVAL OF OLD FLOOR FINISHES (IE CERAMIC TILE, VCT, MASTICS, VINYL SHEETS, ABATEMENTS, CARPETING, ETC.) OR GOING OVER CONCRETE FLOOR REPAIRS OR INFILLS SHALL BE ENTIRELY SKIM COATED TO A SMOOTH AND LEVEL FINISH WITH ALL ADJACENT FLOOR SURFACES REQUIRING EXISTING FLOOR FINISH REMOVALS AND NEW FLOOR FINISHES. FOR BIDDING PURPOSES, FLOOR SKIM COATING SHALL BE FIGURED AT 1/4" THICKNESS AVERAGE.
  - SEE FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR NEW WORK.
  - PATCH EXISTING WALLS AS NECESSARY AROUND NEW DOOR INSTALLATION TO LEAVE NO VISIBLE DIFFERENCE BETWEEN NEW AND EXISTING.
  - AIR QUALITY TO BE MONITORED AND REPORTED DAILY BY THE CONTRACTOR DURING INSTALLATION OF NEW FLOOR.
  - CONTRACTOR TO LOCATE A MANOMETER AT ENTRY DOOR TO PROVIDE NEGATIVE AIR MONITORING THROUGHOUT THE DURATION OF WORK.
  - SEAL ALL EXISTING AND NEW PENETRATIONS WITH FIRE CAULKING.
  - REFER TO SHEETS 1601 AND 1602 FOR NEW FLOOR FINISHES.

- ### FLOOR PLAN KEYNOTES
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- INFILL EXISTING DOOR OPENING WITH GYPSUM BOARD AND METAL STUDS (20 GA.) TO MATCH WIDTH AND RATING OF EXISTING WALL. PATCH, LEVEL AND FINISH SO AS NOT TO SEE A VISIBLE DIFFERENCE BETWEEN EXISTING AND NEW. WALL TO RECEIVE NEW FINISHES PER SCHEDULE.
  - PROVIDE 5/8" NEW MOISTURE RESISTANT GYPSUM BOARD LAYER TO UNDERSIDE OF EXISTING DECK AT EXISTING WALL PARTITION AND PROVIDE FINISHES PER FINISH SCHEDULE.
  - NEW FLOOR TROUGH. SEE PLUMBING DRAWINGS FOR FURTHER INFORMATION.
  - NEW FLOOR MOUNTED MOP SINK. SEE PLUMBING DRAWINGS FOR FURTHER DETAILS.
  - NEW PLUMBING FIXTURE. SEE PLUMBING DRAWINGS FOR FURTHER INFORMATION.
  - NEW TOILET PARTITIONS. SEE ROOM FINISH SCHEDULE FOR FURTHER INFORMATION.
  - EXISTING WALL TO REMAIN. APPLY ONE LAYER OF 5/8" GYPSUM BOARD. EXTEND GYPSUM BOARD 6" ABOVE FINISH CEILING. PROVIDE FINISHES PER SCHEDULE.
  - NEW WINDOW. SEE WINDOW SCHEDULE FOR MORE INFORMATION.
  - NEW WALK-IN FREEZER/COOLER PANELS. SEE FOOD SERVICE EQUIPMENT DRAWINGS FOR FURTHER INFORMATION.
  - NEW EXPANSION JOINT COVER- FLOOR TO FLOOR SYSTEM MODEL 6FS-2M BY BALCO INC OR VA APPROVED EQUAL.
  - NEW KITCHEN HOOD. SEE MECHANICAL DRAWINGS FOR FURTHER INFORMATION.
  - EXISTING COOLER FLOOR VOID AREA IN FUTURE SPACE TO BE FILLED WITH CONCRETE. PIN ALL INFILL SLABS TO ADJACENT CONCRETE WITH REBAR AT 18" ON CENTER.
  - SEMI-RECESSED FIRE EXTINGUISHER CABINET.
  - NEW PFS-247 4-INCH RECESSED STATION FOR THE TRANSLONIC PNEUMATIC TUBE SYSTEM BY SWISSLOG OR VA APPROVED EQUAL. GC TO COORDINATE SYSTEM REQUIREMENTS AND INSTALLATION WITH PNEUMATIC TUBE MANUFACTURER PRIOR TO WORK.
  - PROVIDE MOISTURE RESISTANT GYPSUM BOARD IN THIS AREA.
  - INSTALL NEW CHAIN LINK ENCLOSURE AND ACCESS DOORS.
  - NOT USED.



**1 ENLARGED FLOOR PLAN, BASEMENT FLOOR - AREA 2**  
3/16" = 1'-0"

**BASEMENT KEY PLAN - AREA 2**  
NOT TO SCALE

VA CONTRACT NO: 36C24519C0171

Project Title	RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number	613-19-103
Location	510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number	500
Issue Date	07/23/21	Checked	II
Drawn	DMKA	Drawing Number	A100.2

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

**Bancroft**

BANCROFT ARCHITECTS + ENGINEERS

700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

STAMP

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Approved: Project Director

Phase

100% CONSTRUCTION DOCUMENTS


FULLY SPRINKLERED



PLAN LEGEND			
	AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.		NEW 2 HOUR FIRE & SMOKE SEPARATION
	EXISTING WALL TO REMAIN		EXISTING 2 HOUR FIRE & SMOKE SEPARATION
	NEW PARTITION WALL		NEW 1 HOUR FIRE & SMOKE SEPARATION
	EXISTING DOOR		EXISTING 1 HOUR FIRE & SMOKE SEPARATION
	NEW DOOR		ROOM TAG
			ROOM NAME
			ROOM NUMBER
			WINDOW TAG
			WINDOW NUMBER

- FLOOR PLAN GENERAL NOTES**
- REFER TO SHEET A501 FOR WALL TYPES.
  - REFER TO SHEET G002 FOR ADDITIONAL GENERAL NOTES.
  - REFER TO FS-SERIES SHEETS FOR COORDINATION WITH ARCHITECTURAL WORK AND ADDITIONAL INFORMATION ON KITCHEN EQUIPMENT PLANS AND SCHEDULES.
  - REFER TO SHEETS I611 FOR FURNITURE AND EQUIPMENT SCHEDULE.
  - REFER TO SHEET A512 FOR DETAILS FOR CORNER GUARDS, CRASH RAIL, INTEGRAL COVE BASE.
  - EXISTING SUBSURFACE FLOOR PREPARATION: THE EXISTING CONCRETE FLOOR SUB-SURFACES RESULTING FROM THE REMOVAL OF OLD FLOOR FINISHES (IE. CERAMIC TILE, VCT, MASTICS, VINYL SHEETS, ABATEMENTS, CARPETING, ETC.) OR GOING OVER CONCRETE FLOOR REPAIRS OR IN-FILLS SHALL BE ENTIRELY SKIM COATED TO A SMOOTH AND LEVEL FINISH WITH ALL ADJACENT FLOOR SURFACES REQUIRING EXISTING FLOOR FINISH REMOVALS AND NEW FLOOR FINISHES. FOR BIDDING PURPOSES, FLOOR SKIM COATING SHALL BE FIGURED AT 1/4" THICKNESS AVERAGE.
  - SEE FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR NEW WORK.
  - PATCH EXISTING WALLS AS NECESSARY AROUND NEW DOOR INSTALLATION TO LEAVE NO VISIBLE DIFFERENCE BETWEEN NEW AND EXISTING.
  - AIR QUALITY TO BE MONITORED AND REPORTED DAILY BY THE CONTRACTOR DURING INSTALLATION OF NEW FLOOR.
  - CONTRACTOR TO LOCATE A MANOMETER AT ENTRY DOOR TO PROVIDE NEGATIVE AIR MONITORING THROUGHOUT THE DURATION OF WORK.
  - SEAL ALL EXISTING AND NEW PENETRATIONS WITH FIRE CAULKING.
  - REFER TO SHEETS I601 AND I602 FOR NEW FLOOR FINISHES.

- FLOOR PLAN KEYNOTES**
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- INFILL EXISTING DOOR OPENING WITH GYPSUM BOARD AND METAL STUDS (20 GA.) TO MATCH WIDTH AND RATING OF EXISTING WALL. PATCH, LEVEL AND FINISH SO AS NOT TO SEE A VISIBLE DIFFERENCE BETWEEN EXISTING AND NEW. WALL TO RECEIVE NEW FINISHES PER SCHEDULE.
  - PROVIDE 5/8" NEW MOISTURE RESISTANT GYPSUM BOARD LAYER TO UNDERSIDE OF EXISTING DECK AT EXISTING WALL PARTITION AND PROVIDE FINISHES PER FINISH SCHEDULE.
  - NEW FLOOR TROUGH. SEE PLUMBING DRAWINGS FOR FURTHER INFORMATION.
  - NEW FLOOR MOUNTED MOP SINK. SEE PLUMBING DRAWINGS FOR FURTHER DETAILS.
  - NEW PLUMBING FIXTURE. SEE PLUMBING DRAWINGS FOR FURTHER INFORMATION.
  - NEW TOILET PARTITIONS. SEE ROOM FINISH SCHEDULE FOR FURTHER INFORMATION.
  - EXISTING WALL TO REMAIN. APPLY ONE LAYER OF 5/8" GYPSUM BOARD. EXTEND GYPSUM BOARD 6" ABOVE FINISH CEILING. PROVIDE FINISHES PER SCHEDULE.
  - NEW WINDOW. SEE WINDOW SCHEDULE FOR MORE INFORMATION.
  - NEW WALK-IN FREEZER/COOLER PANELS. SEE FOOD SERVICE EQUIPMENT DRAWINGS FOR FURTHER INFORMATION.
  - NEW EXPANSION JOINT COVER. FLOOR TO FLOOR SYSTEM MODEL 6FS-2M BY BALCO INC OR VA APPROVED EQUAL.
  - NEW KITCHEN HOOD. SEE MECHANICAL DRAWINGS FOR FURTHER INFORMATION.
  - EXISTING COOLER FLOOR VOID AREA IN FUTURE SPACE TO BE FILLED WITH CONCRETE. PIN ALL INFILL SLABS TO ADJACENT CONCRETE WITH REBAR AT 18" ON CENTER.
  - SEMI-RECESSED FIRE EXTINGUISHER CABINET.
  - NEW PTS-247 4-INCH RECESSED STATION FOR THE TRANSLOGIC PNEUMATIC TUBE SYSTEM BY SWISSLOG OR VA APPROVED EQUAL. GC TO COORDINATE SYSTEM REQUIREMENTS AND INSTALLATION WITH PNEUMATIC TUBE MANUFACTURER PRIOR TO WORK.
  - PROVIDE MOISTURE RESISTANT GYPSUM BOARD IN THIS AREA.
  - INSTALL NEW CHAIN LINK ENCLOSURE AND ACCESS DOORS.
  - NOT USED.



**BASEMENT KEY PLAN - AREA 3**

NOT TO SCALE

VA CONTRACT NO: 36C24519C0171

Project Title	RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number	613-19-103
Location	510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number	500
Issue Date	07/23/21	Drawing Number	A100.3
Checked	II		
Drawn	DMKA		

**ENLARGED FLOOR PLAN, BASEMENT FLOOR - AREA 3**  
 3/16" = 1'-0"  
 0 4' 8' 12'

Revisions:	Date:
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

**Bancroft**

BANCROFT ARCHITECTS + ENGINEERS

700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

STAMP

Office of Construction and Facilities Management


VA U.S. Department of Veterans Affairs

Drawing Title  
 ARCHITECTURAL - PLAN, BASEMENT FLOOR - AREA 3

Approved: Project Director

Phase  
 100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED




PLAN LEGEND	
	AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.
	EXISTING WALL TO REMAIN
	NEW PARTITION WALL
	EXISTING DOOR
	NEW DOOR
	NEW 2 HOUR FIRE & SMOKE SEPARATION
	EXISTING 2 HOUR FIRE & SMOKE SEPARATION
	NEW 1 HOUR FIRE & SMOKE SEPARATION
	EXISTING 1 HOUR FIRE & SMOKE SEPARATION
	ROOM TAG
	ROOM NAME
	ROOM NUMBER
	WINDOW TAG
	WINDOW NUMBER

- GENERAL NOTES**
- A. REFER TO SHEET A501 FOR WALL TYPES.
  - B. REFER TO SHEET G002 FOR ADDITIONAL GENERAL NOTES.
  - C. REFER TO FS-SERIES SHEETS FOR COORDINATION WITH ARCHITECTURAL WORK AND ADDITIONAL INFORMATION ON KITCHEN EQUIPMENT PLANS AND SCHEDULES.
  - D. REFER TO SHEETS B611 FOR FURNITURE AND EQUIPMENT SCHEDULE.
  - E. REFER TO SHEET A512 FOR DETAILS FOR CORNER GUARDS, CRASH RAIL, INTEGRAL COVE BASE.
  - F. EXISTING SUBSURFACE FLOOR PREPARATION: THE EXISTING CONCRETE FLOOR SUBSURFACES RESULTING FROM THE REMOVAL OF OLD FLOOR FINISHES (I.E. CERAMIC TILE, VCT, MASTICS, VINYL SHEETS, ABATEMENTS, CARPETING, ETC.) OR GOING OVER CONCRETE FLOOR REPAIRS OR IN-FILLS SHALL BE ENTIRELY SKIM COATED TO A SMOOTH AND LEVEL FINISH WITH ALL ADJACENT FLOOR SURFACES REQUIRING EXISTING FLOOR FINISH REMOVALS AND NEW FLOOR FINISHES. FOR BIDDING PURPOSES, FLOOR SKIM COATING SHALL BE FIGURED AT 1 1/4" THICKNESS AVERAGE.
  - G. SEE FIRE PROTECTION, PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR NEW WORK.
  - H. PATCH EXISTING WALLS AS NECESSARY AROUND NEW DOOR INSTALLATION TO LEAVE NO VISIBLE DIFFERENCE BETWEEN NEW AND EXISTING.
  - I. AIR QUALITY TO BE MONITORED AND REPORTED DAILY BY THE CONTRACTOR DURING INSTALLATION OF NEW FLOOR.
  - J. CONTRACTOR TO LOCATE A MANOMETER AT ENTRY DOOR TO PROVIDE NEGATIVE AIR MONITORING THROUGHOUT THE DURATION OF WORK.
  - K. SEAL ALL EXISTING AND NEW PENETRATIONS WITH FIRE CAULKING.
  - M. REFER TO SHEETS B601 AND B602 FOR NEW FLOOR FINISHES.

- FLOOR PLAN KEYNOTES**
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- 1 INFILL EXISTING DOOR OPENING WITH GYPSUM BOARD AND METAL STUDS (20 GA.) TO MATCH WIDTH AND RATING OF EXISTING WALL. ALIGN WALL, PATCH, LEVEL AND FINISH SO AS NOT TO SEE A VISIBLE DIFFERENCE BETWEEN EXISTING AND NEW. WALL TO RECEIVE NEW FINISHES PER SCHEDULE.
  - 2 PROVIDE 5/8" NEW MOISTURE RESISTANT GYPSUM BOARD LAYER TO UNDERSIDE OF EXISTING DECK AT EXISTING WALL PARTITION AND PROVIDE FINISHES PER FINISH SCHEDULE.
  - 3 NEW FLOOR TROUGH. SEE PLUMBING DRAWINGS FOR FURTHER INFORMATION.
  - 4 NEW FLOOR MOUNTED MOP SINK. SEE PLUMBING DRAWINGS FOR FURTHER DETAILS.
  - 5 NEW PLUMBING FIXTURE. SEE PLUMBING DRAWINGS FOR FURTHER INFORMATION.
  - 6 NEW TOILET PARTITIONS. SEE ROOM FINISH SCHEDULE FOR FURTHER INFORMATION.
  - 7 EXISTING WALL TO REMAIN. APPLY ONE LAYER OF 5/8" GYPSUM BOARD. EXTEND GYPSUM BOARD 6" ABOVE FINISH CEILING. PROVIDE FINISHES PER SCHEDULE.
  - 8 NEW WINDOW. SEE WINDOW SCHEDULE FOR MORE INFORMATION.
  - 9 NEW WALK-IN FREEZER/COOLER PANELS. SEE FOOD SERVICE EQUIPMENT DRAWINGS FOR FURTHER INFORMATION.
  - 10 NEW EXPANSION JOINT COVER- FLOOR TO FLOOR SYSTEM MODEL 6FS-2M BY BALCO INC OR VA APPROVED EQUAL.
  - 11 NEW KITCHEN HOOD. SEE MECHANICAL DRAWINGS FOR FURTHER INFORMATION.
  - 12 EXISTING COOLER FLOOR VOID AREA IN FUTURE SPACE TO BE FILLED WITH CONCRETE. PIN ALL INFILL SLABS TO ADJACENT CONCRETE WITH REBAR AT 18" ON CENTER.
  - 13 SEMI-RECESSED FIRE EXTINGUISHER CABINET.
  - 14 NEW PTS-247 4-INCH RECESSED STATION FOR THE TRANSLOGIC PNEUMATIC TUBE SYSTEM BY SWISSLOG OR VA APPROVED EQUAL. GC TO COORDINATE SYSTEM REQUIREMENTS AND INSTALLATION WITH PNEUMATIC TUBE MANUFACTURER PRIOR TO WORK.
  - 15 PROVIDE MOISTURE RESISTANT GYPSUM BOARD IN THIS AREA.
  - 16 INSTALL NEW CHAIN LINK ENCLOSURE AND ACCESS DOORS.
  - 17 NOT USED.

**1 ENLARGED FLOOR PLAN, BASEMENT FLOOR - AREA 4**  
 3/16" = 1'-0"  
 0 4' 8' 12'



**BASEMENT KEY PLAN - AREA 4**  
 NOT TO SCALE

95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS  
 700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

**STAMP**

Office of Construction and Facilities Management  
 VA U.S. Department of Veterans Affairs


Drawing Title: ARCHITECTURAL - PLAN, BASEMENT FLOOR - AREA 4  
 Approved: Project Director

Phase: 100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171


Project Title	RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number	613-19-103
Location	510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number	500
Issue Date	07/23/21	Checked	II
Drawn	DMKA	Drawing Number	A100.4



**GENERAL ROOF NOTES**

- REFER TO MECHANICAL DRAWINGS FOR COMPLETE INFORMATION ON NEW MECHANICAL WORK AND UNIT LOCATIONS.

**1 OVERALL ROOF PLAN**  
 1/16" = 1'-0"  
 0 8' 16' 32'



**BASEMENT KEY PLAN**  
 NOT TO SCALE

VA CONTRACT NO: 36C24519C0171

95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS

700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

STAMP

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs


Drawing Title: ARCHITECTURAL - OVERALL ROOF PLAN

Phase: 100% CONSTRUCTION DOCUMENTS

Approved: Project Director

FULLY SPRINKLERED

Project Title	Project Number		
RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	613-19-103		
Location	Building Number		
510 BUTLER AVENUE, MARTINSBURG, WV 25405	500		
Issue Date	Checked	Drawn	Drawing Number
07/23/21	II	DMIKA	AR100




### CEILING PLAN LEGEND

EXISTING CONSTRUCTION TO REMAIN	2'x4' LED	UNDERCABINET LIGHT
EXISTING 2-HOUR FIRE RATED CONSTRUCTION TO REMAIN. MAINTAIN RATING. SEE GEN'L NOTES AND SPECS.	3'x4' LED STRIP LIGHT	NURSE CALL DOME LIGHT
NEW PARTITION WALL	2'x2' LED	SMOKE DETECTOR
AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.	WIRELESS ACCESS POINT	OCCUPANCY SENSOR
MATCHLINE	EXIT SIGN	MECHANICAL - RETURN
2'x2' ACT SYSTEM	NEW SPRINKLER HEAD	MECHANICAL - SUPPLY
GYPSUM BOARD	RECESSED CAN	MECHANICAL - LINEAR SUPPLY
	COVE LIGHTING	MECHANICAL - EXHAUST
	SECURITY CAMERA	SECURITY CAMERA DOME

- ### GENERAL NOTES
- REFER TO G102 'CONSTRUCTION PERIOD SCHEDULING OF WORK - GENERAL NOTES' REGARDING THE VA'S DISCRETION IN SELECTING WORK TO BE DONE AFTER HOURS/OFF-HOURS.
  - REFER TO G102 'CONSTRUCTION PERIOD SCHEDULING OF WORK - ADDITIONAL NOTES FOR STERILE PROCESSING SERVICE (SPS)' REGARDING WORK IN ADJACENT TO, OR THAT MAY AFFECT SPS.
  - REFER TO GENERAL NOTES ON G101 AND G102.
  - REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING FIRE PROTECTION, PLUMBING, MECHANICAL, ELECTRICAL, AND STRUCTURAL DRAWINGS FOR FULL SCOPE OF CONSTRUCTION WORK.
  - ANY FIRE PROTECTION, PLUMBING, MECHANICAL OR ELECTRICAL ITEMS SHOWN ON THIS PLAN ARE FOR LOCAL REFERENCE ONLY. CONFLICTS BETWEEN DISCIPLINES SHALL BE BROUGHT TO THE VA/COR'S ATTENTION FOR REVIEW BY THE ARCHITECT PRIOR TO BID.
  - ALL CEILING HEIGHTS ARE 9'-0" UNLESS NOTED OTHERWISE.
  - CENTER ALL CEILING GRIDS WITHIN THE ROOM UNLESS NOTED OTHERWISE.
  - CEILING MOUNTED ITEMS SHALL BE CENTERED IN TILE UNLESS NOTED OTHERWISE.
  - REFER TO FINISH SCHEDULES FOR CEILING FINISHES.

- ### CEILING PLAN KEY NOTES
- LIGHT FIXTURE. REFER TO ELECTRICAL DRAWINGS FOR DETAILS.
  - DIFFUSER. REFER TO MECHANICAL DRAWINGS FOR MORE INFORMATION.
  - INSTALL NEW ACOUSTICAL TILE CEILING, GRID AND SUSPENSION SYSTEM THROUGHOUT.
  - OUTLINE OF WALK-IN COOLERS AREA.
  - SPRINKLER HEADS. REFER TO FIRE PROTECTION DRAWINGS FOR COMPLETE INFORMATION.



### BASEMENT KEY PLAN

NOT TO SCALE

VA CONTRACT NO: 36C24519C0171

Project Title	RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number	613-19-103
Location	510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number	500
Issue Date	07/23/21	Drawing Number	AC100
Checked	II	Drawn	YVLR

**1 OVERALL ARCHITECTURAL - REFLECTED CEILING PLAN, BASEMENT FLOOR (NEW)**

1/16" = 1'-0"

0 8' 16' 32'

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS

700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

**STAMP**

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title

ARCHITECTURAL - OVERALL REFLECTED CEILING PLAN, BASEMENT FLOOR


Approved: Project Director

Phase

100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:




### CEILING PLAN LEGEND

	EXISTING CONSTRUCTION TO REMAIN		2X4 LED		UNDERCABINET LIGHT
	EXISTING 2-HOUR FIRE RATED CONSTRUCTION TO REMAIN. MAINTAIN RATING. SEE GENL. NOTES AND SPECS.		3X4 LED STRIP LIGHT		NURSE CALL DOME LIGHT
	NEW PARTITION WALL		2X2 LED		SMOKE DETECTOR
	AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.		WIRELESS ACCESS POINT		OCCUPANCY SENSOR
	MATCHLINE		EXIT SIGN		MECHANICAL - RETURN
	2X2 ACT SYSTEM		NEW SPRINKLER HEAD		MECHANICAL - SUPPLY
	GYPSUM BOARD		RECESSED CAN		MECHANICAL - LINEAR SUPPLY
			COVE LIGHTING		MECHANICAL - EXHAUST
			SECURITY CAMERA		SECURITY CAMERA DOME

- ### GENERAL NOTES
- A. REFER TO G102 'CONSTRUCTION PERIOD SCHEDULING OF WORK - GENERAL NOTES' REGARDING THE VA'S DISCRETION IN SELECTING WORK TO BE DONE AFTER HOURS/OFF-HOURS.
  - B. REFER TO G102 'CONSTRUCTION PERIOD SCHEDULING OF WORK - ADDITIONAL NOTES FOR STERILE PROCESSING SERVICE (SPS)' REGARDING WORK IN, ADJACENT TO, OR THAT MAY AFFECT SPS.
  - C. REFER TO GENERAL NOTES ON G101 AND G102.
  - D. REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING FIRE PROTECTION, PLUMBING, MECHANICAL, ELECTRICAL, AND STRUCTURAL DRAWINGS FOR FULL SCOPE OF CONSTRUCTION WORK.
  - E. ANY FIRE PROTECTION, PLUMBING, MECHANICAL OR ELECTRICAL ITEMS SHOWN ON THIS PLAN ARE FOR LOCATIONAL REFERENCE ONLY. CONFLICTS BETWEEN DISCIPLINES SHALL BE BROUGHT TO THE VA/COR'S ATTENTION FOR REVIEW BY THE ARCHITECT PRIOR TO BID.
  - F. ALL CEILING HEIGHTS ARE 9'-0" UNLESS NOTED OTHERWISE.
  - G. CENTER ALL CEILING GRIDS WITHIN THE ROOM UNLESS NOTED OTHERWISE.
  - H. CEILING MOUNTED ITEMS SHALL BE CENTERED IN TILE UNLESS NOTED OTHERWISE.
  - I. REFER TO FINISH SCHEDULES FOR CEILING FINISHES.

- ### CEILING PLAN KEY NOTES
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- 1 LIGHT FIXTURE. REFER TO ELECTRICAL DRAWINGS FOR DETAILS.
  - 2 DIFFUSER. REFER TO MECHANICAL DRAWINGS FOR MORE INFORMATION.
  - 3 INSTALL NEW ACOUSTICAL TILE CEILING, GRID AND SUSPENSION SYSTEM THROUGHOUT.
  - 4 OUTLINE OF WALK IN COOLERS AREA.
  - 5 SPRINKLER HEADS. REFER TO FIRE PROTECTION DRAWINGS FOR COMPLETE INFORMATION.

**1 ENLARGED REFLECTED CEILING PLAN, BASEMENT FLOOR - AREA 1**  
 3/16" = 1'-0"



100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

BANCROFT ARCHITECTS + ENGINEERS  
 700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

**Office of Construction and Facilities Management**

VA U.S. Department of Veterans Affairs


Drawing Title  
**ARCHITECTURAL - ENLARGED REFLECTED CEILING PLAN, BASEMENT FLOOR - AREA 1**

Phase  
**100% CONSTRUCTION DOCUMENTS**

Approved: Project Director

VA CONTRACT NO: 36C24519C0171

Project Title <b>RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT</b>	Project Number <b>613-19-103</b>
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number <b>500</b>
Issue Date 07/23/21	Checked II
Drawn YVLR	Drawing Number <b>AC100.1</b>




### CEILING PLAN LEGEND

EXISTING CONSTRUCTION TO REMAIN	2X4 LED	UNDERCABINET LIGHT
EXISTING 2-HOUR FIRE RATED CONSTRUCTION TO REMAIN, MAINTAIN RATING. SEE GEN'L NOTES AND SPECS.	3'X4' LED STRIP LIGHT	NURSE CALL DOME LIGHT
NEW PARTITION WALL	2X2 LED	SMOKE DETECTOR
AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.	WIRELESS ACCESS POINT	OCCUPANCY SENSOR
MATCHLINE	EXIT SIGN	MECHANICAL - RETURN
2X2 ACT SYSTEM	NEW SPRINKLER HEAD	MECHANICAL - SUPPLY
GYPSUM BOARD	RECESSED CAN	MECHANICAL - LINEAR SUPPLY
	COVE LIGHTING	MECHANICAL - EXHAUST
	SECURITY CAMERA	SECURITY CAMERA DOME

- ### GENERAL NOTES
- REFER TO G102 'CONSTRUCTION PERIOD SCHEDULING OF WORK - GENERAL NOTES' REGARDING THE VA'S DISCRETION IN SELECTING WORK TO BE DONE AFTER HOURS/OFF-HOURS.
  - REFER TO G102 'CONSTRUCTION PERIOD SCHEDULING OF WORK - ADDITIONAL NOTES FOR STERILE PROCESSING SERVICE (SPS)' REGARDING WORK IN, ADJACENT TO, OR THAT MAY AFFECT SPS.
  - REFER TO GENERAL NOTES ON G101 AND G102.
  - REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING FIRE PROTECTION, PLUMBING, MECHANICAL, ELECTRICAL, AND STRUCTURAL DRAWINGS FOR FULL SCOPE OF CONSTRUCTION WORK.
  - ANY FIRE PROTECTION, PLUMBING, MECHANICAL OR ELECTRICAL ITEMS SHOWN ON THIS PLAN ARE FOR LOCAL REFERENCE ONLY. CONFLICTS BETWEEN DISCIPLINES SHALL BE BROUGHT TO THE VA/COR'S ATTENTION FOR REVIEW BY THE ARCHITECT PRIOR TO BID.
  - ALL CEILING HEIGHTS ARE 9'-0" UNLESS NOTED OTHERWISE.
  - CENTER ALL CEILING GRIDS WITHIN THE ROOM UNLESS NOTED OTHERWISE.
  - CEILING MOUNTED ITEMS SHALL BE CENTERED IN TILE UNLESS NOTED OTHERWISE.
  - REFER TO FINISH SCHEDULES FOR CEILING FINISHES.

- ### CEILING PLAN KEY NOTES
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- LIGHT FIXTURE. REFER TO ELECTRICAL DRAWINGS FOR DETAILS.
  - DIFFUSER. REFER TO MECHANICAL DRAWINGS FOR MORE INFORMATION.
  - INSTALL NEW ACOUSTICAL TILE CEILING, GRID AND SUSPENSION SYSTEM THROUGHOUT.
  - OUTLINE OF WALK IN COOLERS AREA.
  - SPRINKLER HEADS. REFER TO FIRE PROTECTION DRAWINGS FOR COMPLETE INFORMATION.

**1 ENLARGED REFLECTED CEILING PLAN, BASEMENT FLOOR - AREA 2**  
 3/16" = 1'-0"  
 0 4' 8' 12'



### BASEMENT KEY PLAN - AREA 2

NOT TO SCALE

VA CONTRACT NO: 36C24519C0171

Project Title	RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number	613-19-103
Location	510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number	500
Issue Date	07/23/21	Checked	II
Drawn	YVLR	Drawing Number	AC100.2

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

**Bancroft**

BANCROFT ARCHITECTS + ENGINEERS

700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

Office of Construction and Facilities Management


VA U.S. Department of Veterans Affairs

Drawing Title: ARCHITECTURAL - ENLARGED REFLECTED CEILING PLAN, BASEMENT FLOOR - AREA 2

Approved: Project Director

Phase: 100% CONSTRUCTION DOCUMENTS


FULLY SPRINKLERED



CEILING PLAN LEGEND		
EXISTING CONSTRUCTION TO REMAIN	2x4 LED	UNDERCABINET LIGHT
EXISTING 2-HOUR FIRE RATED CONSTRUCTION TO REMAIN. MAINTAIN RATING. SEE GEN'L NOTES AND SPECS.	3x4 LED STRIP LIGHT	NURSE CALL DOME LIGHT
NEW PARTITION WALL	2x2 LED	SMOKE DETECTOR
AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.	WIRELESS ACCESS POINT	OCCUPANCY SENSOR
MATCHLINE	EXIT SIGN	MECHANICAL - RETURN
2x2 ACT SYSTEM	NEW SPRINKLER HEAD	MECHANICAL - SUPPLY
GYPSUM BOARD	RECESSED CAN	MECHANICAL - LINEAR SUPPLY
	COVE LIGHTING	MECHANICAL - EXHAUST
	SECURITY CAMERA	SECURITY CAMERA DOME

- GENERAL NOTES**
- REFER TO G102 'CONSTRUCTION PERIOD SCHEDULING OF WORK - GENERAL NOTES' REGARDING THE VA'S DISCRETION IN SELECTING WORK TO BE DONE AFTER HOURS/OFF-HOURS.
  - REFER TO G102 'CONSTRUCTION PERIOD SCHEDULING OF WORK - ADDITIONAL NOTES FOR STERILE PROCESSING SERVICE (SPS)' REGARDING WORK IN, ADJACENT TO, OR THAT MAY AFFECT SPS.
  - REFER TO GENERAL NOTES ON G101 AND G102.
  - REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING FIRE PROTECTION, PLUMBING, MECHANICAL, ELECTRICAL, AND STRUCTURAL DRAWINGS FOR FULL SCOPE OF CONSTRUCTION WORK.
  - ANY FIRE PROTECTION, PLUMBING, MECHANICAL OR ELECTRICAL ITEMS SHOWN ON THIS PLAN ARE FOR LOCATIONAL REFERENCE ONLY. CONFLICTS BETWEEN DISCIPLINES SHALL BE BROUGHT TO THE VA/COR'S ATTENTION FOR REVIEW BY THE ARCHITECT PRIOR TO BID.
  - ALL CEILING HEIGHTS ARE 9'-0" UNLESS NOTED OTHERWISE.
  - CENTER ALL CEILING GRIDS WITHIN THE ROOM UNLESS NOTED OTHERWISE.
  - CEILING MOUNTED ITEMS SHALL BE CENTERED IN TILE UNLESS NOTED OTHERWISE.
  - REFER TO FINISH SCHEDULES FOR CEILING FINISHES.

- CEILING PLAN KEY NOTES**
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- LIGHT FIXTURE. REFER TO ELECTRICAL DRAWINGS FOR DETAILS.
  - DIFFUSER. REFER TO MECHANICAL DRAWINGS FOR MORE INFORMATION.
  - INSTALL NEW ACOUSTICAL TILE CEILING, GRID AND SUSPENSION SYSTEM THROUGHOUT.
  - OUTLINE OF WALK-IN COOLERS AREA.
  - SPRINKLER HEADS. REFER TO FIRE PROTECTION DRAWINGS FOR COMPLETE INFORMATION.



**BASEMENT KEY PLAN - AREA 3**  
NOT TO SCALE

VA CONTRACT NO: 36C24519C0171

Project Title RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number 613-19-103
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number 500
Issue Date 07/23/21	Checked II
Drawn YVLR	Drawing Number AC100.3

**ENLARGED REFLECTED CEILING PLAN, BASEMENT FLOOR - AREA 3**  
3/16" = 1'-0"

<p>100% CONSTRUCTION DOCUMENTS SUBMISSION 07/23/2021</p> <p>95% CONSTRUCTION DOCUMENTS SUBMISSION 02/12/2021</p> <p>60% DESIGN DEVELOPMENT SUBMISSION 09/11/2020</p> <p>30% SCHEMATIC DESIGN SUBMISSION 05/24/2020</p> <p>Revisions: Date:</p>	<p><b>CONSULTANT</b></p>	<p><b>ARCHITECT/ENGINEER OF RECORD</b></p> <p><i>Bancroft</i></p> <p>BANCROFT ARCHITECTS + ENGINEERS 700 Nicholas Blvd, Suite 300 Elk Grove Village, IL 60007 T: 847.952.9362 F: 847.952.9403 www.bancroft-ae.com</p>	<p><b>STAMP</b></p> <p>Office of Construction and Facilities Management VA U.S. Department of Veterans Affairs</p>	<p>Drawing Title ARCHITECTURAL - ENLARGED REFLECTED CEILING PLAN, BASEMENT FLOOR - AREA 3</p> <p>Approved: Project Director</p>	<p>Phase 100% CONSTRUCTION DOCUMENTS</p>	<p>FULLY SPRINKLERED</p>
--	--------------------------	---	--	---	--	--------------------------




### CEILING PLAN LEGEND

EXISTING CONSTRUCTION TO REMAIN	2'x4' LED	UNDERCABINET LIGHT
EXISTING 2-HOUR FIRE RATED CONSTRUCTION TO REMAIN, MAINTAIN RATING. SEE GEN'L NOTES AND SPECS.	3'x4' LED STRIP LIGHT	NURSE CALL DOME LIGHT
NEW PARTITION WALL	2'x2' LED	SMOKE DETECTOR
AREA OF NO WORK - EXCEPT WHERE OTHERWISE NOTED IN MEP AND FP DRAWINGS.	WIRELESS ACCESS POINT	OCCUPANCY SENSOR
MATCHLINE	EXIT SIGN	MECHANICAL - RETURN
2'x2' ACT SYSTEM	NEW SPRINKLER HEAD	MECHANICAL - SUPPLY
GYPSUM BOARD	RECESSED CAN	MECHANICAL - LINEAR SUPPLY
	COVE LIGHTING	MECHANICAL - EXHAUST
	SECURITY CAMERA	SECURITY CAMERA DOME

- ### GENERAL NOTES
- REFER TO G1002 'CONSTRUCTION PERIOD SCHEDULING OF WORK - GENERAL NOTES' REGARDING THE VA'S DISCRETION IN SELECTING WORK TO BE DONE AFTER HOURS/OFF-HOURS.
  - REFER TO G1002 'CONSTRUCTION PERIOD SCHEDULING OF WORK - ADDITIONAL NOTES FOR STERILE PROCESSING SERVICE (SPS)' REGARDING WORK IN, ADJACENT TO, OR THAT MAY AFFECT SPS.
  - REFER TO GENERAL NOTES ON G1001 AND G1002.
  - REVIEW THIS DRAWING IN CONJUNCTION WITH CORRESPONDING FIRE PROTECTION, PLUMBING, MECHANICAL, ELECTRICAL, AND STRUCTURAL DRAWINGS FOR FULL SCOPE OF CONSTRUCTION WORK.
  - ANY FIRE PROTECTION, PLUMBING, MECHANICAL OR ELECTRICAL ITEMS SHOWN ON THIS PLAN ARE FOR LOCATIONAL REFERENCE ONLY. CONFLICTS BETWEEN DISCIPLINES SHALL BE BROUGHT TO THE VACOR'S ATTENTION FOR REVIEW BY THE ARCHITECT PRIOR TO BID.
  - ALL CEILING HEIGHTS ARE 9'-0" UNLESS NOTED OTHERWISE.
  - CENTER ALL CEILING GRIDS WITHIN THE ROOM UNLESS NOTED OTHERWISE.
  - CEILING MOUNTED ITEMS SHALL BE CENTERED IN TILE UNLESS NOTED OTHERWISE.
  - REFER TO FINISH SCHEDULES FOR CEILING FINISHES.

- ### CEILING PLAN KEY NOTES
- NOTE: NOT ALL NOTES APPLY TO THIS SHEET
- LIGHT FIXTURE: REFER TO ELECTRICAL DRAWINGS FOR DETAILS.
  - DIFFUSER: REFER TO MECHANICAL DRAWINGS FOR MORE INFORMATION.
  - INSTALL NEW ACOUSTICAL TILE CEILING, GRID AND SUSPENSION SYSTEM THROUGHOUT.
  - OUTLINE OF WALK IN COOLERS AREA.
  - SPRINKLER HEADS: REFER TO FIRE PROTECTION DRAWINGS FOR COMPLETE INFORMATION.



**1 ENLARGED REFLECTED CEILING PLAN, BASEMENT FLOOR - AREA 4**  
 3/16" = 1'-0"  
 0 4' 8' 12'

**BASEMENT KEY PLAN - AREA 4**  
 NOT TO SCALE

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

**Bancroft**

BANCROFT ARCHITECTS + ENGINEERS

700 Nicholas Blvd, Suite 300  
 Elk Grove Village, IL 60007  
 T: 847.952.9362 F: 847.952.9403  
 www.bancroft-ae.com

STAMP

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title  
 ARCHITECTURAL - ENLARGED REFLECTED CEILING PLAN, BASEMENT FLOOR - AREA 4

Approved: Project Director

Phase  
 100% CONSTRUCTION DOCUMENTS


FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171		
Project Title RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number 613-19-103	Building Number 500
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Issue Date 07/23/21	Checked II
Drawing Number AC100.4	Drawn YVLR	


7/22/2021 11:10:14 AM  
C:\Users\mimel\Documents\18-133\_Architectural\Central\_mimel\UPLAS.rvt

INTERIOR ELEVATION LEGEND			
	ELECTRICAL OUTLETS		LIGHT SWITCHES
	DATA & PHONE		COVER PLATE
	VA SUPPLIED EQUIPMENT SEE EQUIPMENT SCHEDULE SHEET #611		EQUIPMENT TAG
			PLUMBING FIXTURE TAG


- ELEVATION GENERAL NOTES**
- 8" HIGH 16 GA. SHEET METAL BACKING PLATES BEHIND WALL MOUNTED EQUIPMENT AND PLUMBING FIXTURES.
  - REFER TO SHEET G104 FOR STANDARD FIXTURE AND ACCESSORY MOUNTING HEIGHTS AND LOCATIONS.
  - REFER TO SHEETS FS100 THRU FS100.3 FOR FOOD SERVICE EQUIPMENT PLANS.
  - REFER TO SHEETS IQ100 THRU IQ100.4 FOR FURNITURE.
  - REFER TO FINISH SCHEDULE FOR NEW WALL AND FLOOR FINISHES.




**11 EMS EQUIP. STORAGE GD-137 - SOUTH**  
1/2" = 1'-0"




**10 EMS EQUIP. STORAGE GD-137 - EAST**  
1/2" = 1'-0"




**9 EMS EQUIP. STORAGE GD-137 - NORTH**  
1/2" = 1'-0"




**8 WOMEN'S TOILET G111 - WEST**  
1/2" = 1'-0"




**12 ENLARGED FLOOR PLAN MEN'S TOILET G110 / WOMEN'S TOILET G111**  
1/2" = 1'-0"




**7 WOMEN'S TOILET G111 - SOUTH**  
1/2" = 1'-0"




**6 WOMEN'S TOILET 111 EAST**  
1/2" = 1'-0"




**5 WOMEN'S TOILET G111 - NORTH**  
1/2" = 1'-0"




**3 MEN'S TOILET G100 - WEST**  
1/2" = 1'-0"



**4 MEN'S TOILET G110 - SOUTH**  
1/2" = 1'-0"



**2 MEN'S TOILET G100 - EAST**  
1/2" = 1'-0"



**1 MEN'S TOILET G110 - NORTH**  
1/2" = 1'-0"

CONSULTANT	
100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS  
700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

STAMP

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs


Drawing Title: ARCHITECTURAL - INTERIOR ELEVATIONS

Phase: 100% CONSTRUCTION DOCUMENTS

Approved: Project Director

FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171		
Project Title	Project Number	Building Number
RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	613-19-103	500
Location	Issue Date	Checked
510 BUTLER AVENUE, MARTINSBURG, WV 25405	07/23/21	YV
Drawn	LR	Drawing Number
		A411



INTERIOR ELEVATION LEGEND			
	ELECTRICAL OUTLETS		LIGHT SWITCHES
	DATA & PHONE		COVER PLATE
	VA SUPPLIED EQUIPMENT SEE EQUIPMENT SCHEDULE SHEET I611		EQUIPMENT TAG
			PLUMBING FIXTURE TAG

- ELEVATION GENERAL NOTES**
- A. 8" HIGH 16 GA. SHEET METAL BACKING PLATES BEHIND WALL MOUNTED EQUIPMENT AND PLUMBING FIXTURES.
  - B. REFER TO SHEET G104 FOR STANDARD FIXTURE AND ACCESSORY MOUNTING HEIGHTS AND LOCATIONS.
  - C. REFER TO SHEETS FS100 THRU FS100.3 FOR FOOD SERVICE EQUIPMENT PLANS.
  - D. REFER TO SHEETS IQ100 THRU IQ100.4 FOR FURNITURE.
  - E. REFER TO FINISH SCHEDULE FOR NEW WALL AND FLOOR FINISHES.

Revisions:	Date:
100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS

700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

**STAMP**

Office of  
Construction  
and Facilities  
Management


Drawing Title  
ARCHITECTURAL - INTERIOR ELEVATIONS

Approved: Project Director

Phase  
100% CONSTRUCTION  
DOCUMENTS

FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171		
Project Title RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number 613-19-103	Building Number 500
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Issue Date 07/23/21	Checked YH
	Drawn LR	Drawing Number A412



### INTERIOR ELEVATION LEGEND

<table border="0"> <tr><td style="text-align: center;">P</td><td style="text-align: center;">P</td><td style="text-align: center;">S</td><td style="text-align: center;">S</td></tr> <tr><td colspan="2">ELECTRICAL OUTLETS</td><td colspan="2">LIGHT SWITCHES</td></tr> <tr><td style="text-align: center;">D</td><td style="text-align: center;">D</td><td style="text-align: center;">CP</td><td style="text-align: center;">CP</td></tr> <tr><td colspan="2">DATA &amp; PHONE</td><td colspan="2">COVER PLATE</td></tr> <tr><td colspan="2">VA SUPPLIED EQUIPMENT SEE EQUIPMENT SCHEDULE SHEET 1611</td><td style="text-align: center;">XXXX</td><td style="text-align: center;">XXXX</td></tr> <tr><td colspan="2"></td><td colspan="2">EQUIPMENT TAG</td></tr> <tr><td colspan="2"></td><td style="text-align: center;">1t</td><td style="text-align: center;">1t</td></tr> <tr><td colspan="2"></td><td colspan="2">PLUMBING FIXTURE TAG</td></tr> </table>	P	P	S	S	ELECTRICAL OUTLETS		LIGHT SWITCHES		D	D	CP	CP	DATA & PHONE		COVER PLATE		VA SUPPLIED EQUIPMENT SEE EQUIPMENT SCHEDULE SHEET 1611		XXXX	XXXX			EQUIPMENT TAG				1t	1t			PLUMBING FIXTURE TAG		
P	P	S	S																														
ELECTRICAL OUTLETS		LIGHT SWITCHES																															
D	D	CP	CP																														
DATA & PHONE		COVER PLATE																															
VA SUPPLIED EQUIPMENT SEE EQUIPMENT SCHEDULE SHEET 1611		XXXX	XXXX																														
		EQUIPMENT TAG																															
		1t	1t																														
		PLUMBING FIXTURE TAG																															

### ELEVATION GENERAL NOTES

A. 8" HIGH 16 GA. SHEET METAL BACKING PLATES BEHIND WALL MOUNTED EQUIPMENT AND PLUMBING FIXTURES.

B. REFER TO SHEET G1004 FOR STANDARD FIXTURE AND ACCESSORY MOUNTING HEIGHTS AND LOCATIONS.

C. REFER TO SHEETS FS100 THRU FS100.3 FOR FOOD SERVICE EQUIPMENT PLANS.

D. REFER TO SHEETS IQ100 THRU IQ100.4 FOR FURNITURE.

E. REFER TO FINISH SCHEDULE FOR NEW WALL AND FLOOR FINISHES.

7/22/2021 11:10:28 AM  
C:\Users\mlewis\Documents\18-133\_Architectural\_Central\_mlewis\18-133\18-133.dwg

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS  
700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

**STAMP**

Office of  
Construction  
and Facilities  
Management

Drawing Title  
**ARCHITECTURAL - INTERIOR ELEVATIONS**

Approved: Project Director

Phase  
**100% CONSTRUCTION DOCUMENTS**

**FULLY SPRINKLERED**

VA CONTRACT NO: 36C24519C0171

Project Title <b>RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT</b>	Project Number <b>613-19-103</b>
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Drawing Number <b>A413</b>
Issue Date 07/23/21	Checked Checker
Drawn Author	





INTERIOR ELEVATION LEGEND			
	P		S
	D		CP
	VA SUPPLIED EQUIPMENT SEE EQUIPMENT SCHEDULE SHEET 1611		


**ELEVATION GENERAL NOTES**

A. 8" HIGH 16 GA. SHEET METAL BACKING PLATES BEHIND WALL MOUNTED EQUIPMENT AND PLUMBING FIXTURES.  
 B. REFER TO SHEET G1004 FOR STANDARD FIXTURE AND ACCESSORY MOUNTING HEIGHTS AND LOCATIONS.  
 C. REFER TO SHEETS FS100 THRU FS100.3 FOR FOOD SERVICE EQUIPMENT PLANS.  
 D. REFER TO SHEETS Q100 THRU Q100.4 FOR FURNITURE.  
 E. REFER TO FINISH SCHEDULE FOR NEW WALL AND FLOOR FINISHES.


**11 KITCHEN COOKING G100A - SOUTH**  
1/2" = 1'-0"




**6 CORRIDOR G132 - EAST**  
1/2" = 1'-0"




**5 KITCHENETTE LOUNGE G125 - WEST**  
1/2" = 1'-0"




**4 ENLARGED FLOOR PLAN, KITCHENETTE LOUNGE**  
1/2" = 1'-0"




**10 PRINTER COPIER AREA G123B - WEST**  
1/2" = 1'-0"




**9 ENLARGED FLOOR PLAN PRINTER COPY AREA**  
1/2" = 1'-0"




**7 SECRETARY G123 - WEST**  
1/2" = 1'-0"



**3 INGREDIENT CONTROL ROOM G115 - EAST**  
1/2" = 1'-0"



**2 INGREDIENT CONTROL ROOM G115 - NORTH**  
1/2" = 1'-0"



**1 ENLARGED FLOOR PLAN, INGREDIENT CTRL ROOM**  
1/2" = 1'-0"

100% CONSTRUCTION DOCUMENTS SUBMISSION	
95% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
60% DESIGN DEVELOPMENT SUBMISSION	02/12/2021
30% SCHEMATIC DESIGN SUBMISSION	09/11/2020
Revisions:	05/24/2020
Date:	

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**


*Bancroft*  
BANCROFT ARCHITECTS + ENGINEERS  
700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

**STAMP**


Office of Construction and Facilities Management  
Approved: Project Director  
VA U.S. Department of Veterans Affairs

Drawing Title: ARCHITECTURAL - INTERIOR ELEVATIONS AND ENLARGED PLANS  
Phase: 100% CONSTRUCTION DOCUMENTS  
FULLY SPRINKLERED


VA CONTRACT NO: 36C24519C0171	
Project Title: RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number: 613-19-103
Location: 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number: 500
Issue Date: 07/23/21	Checked: YH
Drawn: LRDM	Drawing Number: A414



**3 LOADING DOCK - NORTH**  
1/2" = 1'-0"  
0 1' 2' 4'



**2 LOADING DOCK - WEST**  
1/2" = 1'-0"  
0 1' 2' 4'



**1 LOADING DOCK - SOUTH**  
1/2" = 1'-0"  
0 2' 4' 8'

C:\Users\mlewis\Documents\18-133\_Architectural\Central\_mlewis\UPAS.dwg 7/22/2021 11:03:36 AM

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com


STAMP

Office of Construction and Facilities Management  
VA U.S. Department of Veterans Affairs

Drawing Title  
ARCHITECTURAL - EXTERIOR ELEVATIONS  
Approved: Project Director

Phase  
100% CONSTRUCTION DOCUMENTS  
FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171		
Project Title RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number 613-19-103	Building Number 500
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Issue Date 07/23/21	Checked Checker
Drawn DM	Drawing Number A415	



**NON-RATED PARTITION**

TAG	STUD WIDTH	PARTITION WIDTH
1	3 5/8"	4 7/8"
1A	4"	5 1/4"
1B	6"	7 1/4"

**SMOKE & RATED PARTITION**

TAG	STUD WIDTH	PARTITION WIDTH	RATING	UL DESIGN NUMBER
2	3 5/8"	4 7/8"	1 HR FIRE	U419
2A	4"	5 1/8"	1 HR FIRE	U419
2B	3 5/8"	4 7/8"	1 HR FIRE	U419

**FURRING PARTITION**

TAG	STUD WIDTH	PARTITION WIDTH
3	3 5/8"	4 1/4"
3A	2 1/2"	3 1/8"
3B	1 5/8"	2 1/8"


**PLUMBING PARTITION**

TAG	STUD WIDTH	PARTITION WIDTH
4	3 5/8"	1'-2 1/8"
4A	3 5/8"	1'-6"
4B		

**PARTIAL HEIGHT PARTITION**

TAG	STUD WIDTH	PARTITION WIDTH
5	3 5/8"	4 3/4"

**1 PARTITION TYPES**  
1" = 1'-0"




**2 DETAIL**  
3" = 1'-0"




<b>CONSULTANT</b>		<b>ARCHITECT/ENGINEER OF RECORD</b>		<b>STAMP</b>	<b>Office of Construction and Facilities Management</b>	<b>Drawing Title</b> ARCHITECTURAL - PARTITION TYPES AND DETAILS	<b>Phase</b> 100% CONSTRUCTION DOCUMENTS	<b>Project Title</b> RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	<b>Project Number</b> 613-19-103
100% CONSTRUCTION DOCUMENTS SUBMISSION 07/23/2021 95% CONSTRUCTION DOCUMENTS SUBMISSION 02/12/2021 60% DESIGN DEVELOPMENT SUBMISSION 09/11/2020 30% SCHEMATIC DESIGN SUBMISSION 05/24/2020 Revisions: Date:		 700 Nicholas Blvd, Suite 300 Elk Grove Village, IL 60007 T: 847.952.9362 F: 847.952.9403 www.bancroft-ae.com			Approved: Project Director VA U.S. Department of Veterans Affairs			Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405 Issue Date 07/23/21	Building Number 500 Drawing Number A501


7/22/2021 11:03:37 AM C:\Users\mlewis\Documents\18-133\_Architectural\Cenral\_dmelewis\UPAS.rvt VA FORM 08-6231




**8 DEPRESS CURB FOR CART WASHER**  
3" = 1'-0"




**7 DEPRESS CURB FOR WALK-IN FREEZERS**  
3" = 1'-0"




**6 PLAN DETAIL AT EXISTING COLUMNS B-6**  
1 1/2" = 1'-0"




**5 PLAN DETAIL AT EXISTING COLUMNS H-6.9 AND H-7**  
1 1/2" = 1'-0"




**4 PLAN DETAIL AT EXISTING COLUMN J-8**  
1 1/2" = 1'-0"



**3 PLAN DETAIL AT EXISTING COLUMN H-8**  
1 1/2" = 1'-0"



**2 PLAN DETAIL AT EXISTING COLUMN B-7.7**  
1 1/2" = 1'-0"



**1 PLAN DETAIL AT EXISTING COLUMN B-9**  
1 1/2" = 1'-0"

7/22/2021 11:10:43 AM C:\Users\mimel\Documents\18-133\_Architectural\_Central\_mimel\Drawings\UPAS.rvt

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS

700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

STAMP

Office of Construction and Facilities Management

VA U.S. Department of Veterans Affairs

Drawing Title  
ARCHITECTURAL - PLAN DETAILS

Approved: Project Director

Phase  
100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171

Project Title  
RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT

Project Number  
613-19-103

Building Number  
500


Location  
510 BUTLER AVENUE, MARTINSBURG, WV 25405

Issue Date  
07/23/21


Checked  
YH

Drawn  
LR


Drawing Number  
A502



**3 WALL SECTION@COOLER**  
1 1/2" = 1'-0"



**2 WALL SECTION@COOKING EXHAUST WALL HOOD**  
1 1/2" = 1'-0"



**1 WALL SECTION**  
1 1/2" = 1'-0"


C:\Users\mlewis\Documents\18-133\_Architectural\_Central\_dme\dwg\UPAS.dwg

VA FORM 08-6231


100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT	ARCHITECT/ENGINEER OF RECORD	STAMP	Drawing Title ARCHITECTURAL - WALL SECTION AND DETAILS	Phase 100% CONSTRUCTION DOCUMENTS	Project Title RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number 613-19-103
	<i>Bancroft</i> BANCROFT ARCHITECTS + ENGINEERS		Approved: Project Director	FULLY SPRINKLERED	Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number 500
	700 Nicholas Blvd, Suite 300 Elk Grove Village, IL 60007 T: 847.952.9362 F: 847.952.9403 www.bancroft-ae.com		Office of Construction and Facilities Management VA U.S. Department of Veterans Affairs		Issue Date 07/23/21	Drawing Number A503
					Checked Checker	Drawn DM


VA CONTRACT NO: 36C24519C0171



**1 CEILING DETAIL- ACT @ WALL**  
1 1/2" = 1'-0"



**2 CEILING DETAIL- EXHAUST HOOD WITH ACT**  
1 1/2" = 1'-0"



**3 CEILING DETAIL- ACT @ MARLITE PANEL**  
6" = 1'-0"

C:\Users\mlewis\Documents\18-133\_Architectural\Cenral\_dmelewis\UPAS.dwg 7/22/2021 11:10:44 AM

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

STAMP

Office of Construction and Facilities Management  
VA U.S. Department of Veterans Affairs


Drawing Title  
ARCHITECTURAL- CEILING DETAILS

Approved: Project Director


Phase  
100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED


VA CONTRACT NO: 36C24519C0171		
Project Title RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number 613-19-103	Building Number 500
Location 510 BUTLER AVENUE, MARTINSBURG, WV 25405	Issue Date 07/23/21	Checked Checker
Drawn KAJDM	Drawing Number A511	




**1 WALL TILE TO RESINOUS FLOOR (RESB-1) TRANSITION DETAIL**  
6" = 1'-0"




**2 SOLID SURFACE TO RESINOUS FLOOR (RESB-1/2) TRANSITION DETAIL**  
6" = 1'-0"




**3 CORNER GUARD (WP-1)**  
6" = 1'-0"




**4 END WALL GUARD (WP-2)**  
6" = 1'-0"




**5 FINISH DETAIL TS-1**  
6" = 1'-0"




**6 FINISH DETAIL TS-2**  
6" = 1'-0"




**7 FINISH DETAIL TS-3**  
6" = 1'-0"




**8 FINISH DETAIL TS-4**  
6" = 1'-0"




**9 CRASHRAIL DETAIL (WP-4) -TYP.**  
6" = 1'-0"




**12 FIRE EXTINGUISHER CABINET TYP.**  
1 1/2" = 1'-0"



**10 EXISTING EXPANSION JOINT W/ NEW COVER DETAIL**  
12" = 1'-0"



**13 MARLITE TO SOLID SURFACE DETAIL**  
6" = 1'-0"



**11 METAL BACKING PLATE**  
1 1/2" = 1'-0"

PROVIDE 8" HIGH X 48" LONG X 16 GAUGE CONTINUOUS BACK-UP BLOCKING PLATES SECURELY ANCHORED WITH FLAT HEAD SCREWS OVER METAL STUDS BEHIND ALL TOILET ACCESSORIES, BASE CABINETS, WALL CABINETS, MILLWORK, SHELVING, VISUAL DISPLAY BOARDS, WALL HANDRAIL (NEW WALLS) AND ALL OTHER SURFACE MOUNTED ITEMS.

7/22/2021 11:10:46 AM C:\Users\dmilne\Documents\133\_Architectural\Cenral\_dme\resb\UPAS.rvt

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD

700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com


STAMP

Office of Construction and Facilities Management  
VA U.S. Department of Veterans Affairs


Drawing Title: ARCHITECTURAL- WALL PROTECTION AND FINISH DETAILS  
Approved: Project Director

Phase: 100% CONSTRUCTION DOCUMENTS  
FULLY SPRINKLERED


VA CONTRACT NO: 36C24519C0171		
Project Title	Project Number	Building Number
RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	613-19-103	500
Location	Issue Date	Checked
510 BUTLER AVENUE, MARTINSBURG, WV 25405	07/23/21	Checker
Drawn	Author	Drawing Number
		A512




**4 UPPER CABINET - TYPICAL**  
1 1/2" = 1'-0"




**3 SINK BASE - ADA COMPLIANT**  
1 1/2" = 1'-0"




**2 BASE CABINET WITH (4) DRAWERS**  
1 1/2" = 1'-0"



**1 BASE CABINET - WITH (1) DRAWER**  
1 1/2" = 1'-0"



**6 WALL MOUNTED COUNTERTOP**  
1 1/2" = 1'-0"



**5 WALL MOUNTED COUNTERTOP**  
1 1/2" = 1'-0"

C:\Users\mlewis\Documents\18-133\_Architectural\_Central\_office\18-133\18-133.dwg 7/22/2021 11:10:46 AM

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

CONSULTANT

ARCHITECT/ENGINEER OF RECORD  
**Bancroft**  
BANCROFT ARCHITECTS + ENGINEERS  
700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com


STAMP

Office of Construction and Facilities Management  
**VA** U.S. Department of Veterans Affairs


Drawing Title  
ARCHITECTURAL - MILLWORK AND ACOUSTIC PANEL DETAILS  
Approved: Project Director

Phase  
100% CONSTRUCTION DOCUMENTS  
FULLY SPRINKLERED


VA CONTRACT NO: 36C24519C0171  
Project Title  
RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT  
Project Number  
613-19-103  
Building Number  
500  
Drawing Number  
A521  
Location  
510 BUTLER AVENUE, MARTINSBURG, WV 25405  
Issue Date  
07/23/21  
Checked  
II  
Drawn  
DMKA




**3 PLAN DETAIL - ACOUSTICAL OPERABLE PARTITION**  
3" = 1'-0"



**4 HERB WALL DETAIL**  
1 1/2" = 1'-0"



**2 SECTION DETAIL - ACOUSTICAL OPERABLE WALL PARTITION**  
3" = 1'-0"



**1 ENLARGED REFLECTED CEILING PLAN - TRAINING ROOM G124/ALCOVE G125A**  
1/2" = 1'-0"

Revisions:	Date:
100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

*Bancroft*

BANCROFT ARCHITECTS + ENGINEERS  
700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

**Office of Construction and Facilities Management**

VA U.S. Department of Veterans Affairs







Drawing Title: OPERABLE PARTITION ENLARGED PLAN AND DETAILS & HERB WALL DETAILS

Approved: Project Director

Phase: 100% CONSTRUCTION DOCUMENTS

FULLY SPRINKLERED

VA CONTRACT NO: 36C24519C0171		
Project Title	Project Number	Building Number
RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	613-19-103	500
Location	Issue Date	Checked
510 BUTLER AVENUE, MARTINSBURG, WV 25405	07/23/21	YH
Drawn	LR	Drawing Number
		A522





### DOOR SCHEDULE

DOOR NO.	LEAF			DOOR MATERIAL	LEAF			FRAME		Glass	FIRE LABEL	HARD WARE SET	REMARKS	
	WIDTH	HEIGHT	THICKNESS		FINISH	ELEVATION	MATERIAL	ELEVATION	HEAD DET.					JAMB DET.
G100C	3'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601				
G100D	3'-0"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.	4		
G100E	3'-0"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.	4		
G100F	3'-0"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.	4		
G100G	3'-6"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.	5		
G100J	3'-4"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.	5		
G100K	3'-4"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.	5		
G100L	3'-4"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.	5		
G102	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601		16		
G105	3'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	3/A601	4/A601		9		
G106	3'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	3/A601	4/A601		13		
G107	6'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601	TEMP.	45min.	24	CARD READER
G109	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601		45min.	25	CARD READER
G110	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601			19	
G111	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601			19	
G112	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601			10	
G113	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601		45min.	20	
G114	6'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601	TEMP.	45min.	14	
G115	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601		45min.	11	
G116	6'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601	TEMP.	45min.	26	CARD READER
G117	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601			11	
G121-1	6'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601	TEMP.		27	CARD READER
G121-2	6'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601	TEMP.		27	CARD READER
G122	7'-6"	7'-0"	0'-2"	HM	PAINT	D	HM	F2	1/A601	2/A601		45min.	24	CARD READER
G123	4'-0"	7'-0"	0'-2"	WD	STAIN	A	HM	F4	1/A601	2/A601	TEMP.	45min.	28	CARD READER
G123A	3'-0"	7'-0"	0'-2"	WD	STAIN	B	HM	F1	1/A601	2/A601	TEMP.		4	
G124-1	3'-6"	7'-0"	0'-2"	WD	STAIN	A	HM	F1	1/A601	2/A601			7	
G124-2	3'-6"	7'-0"	0'-2"	WD	STAIN	A	HM	F1	1/A601	2/A601		45min.	29	CARD READER
G125	3'-6"	7'-0"	0'-2"	WD	STAIN	A	HM	F1	1/A601	2/A601			17	
G125A	3'-6"	7'-0"	0'-2"	WD	STAIN	A	HM	F1	1/A601	2/A601			18	
G126	3'-0"	7'-0"	0'-2"	WD	STAIN	B	HM	F1	1/A601	2/A601	TEMP.		4	
G127	3'-0"	7'-0"	0'-2"	WD	STAIN	B	HM	F1	1/A601	2/A601	TEMP.		4	
G128	3'-0"	7'-0"	0'-2"	WD	STAIN	B	HM	F1	1/A601	2/A601	TEMP.		4	
G129	3'-0"	7'-0"	0'-2"	WD	STAIN	B	HM	F1	1/A601	2/A601	TEMP.		4	
G130	3'-0"	7'-0"	0'-2"	WD	STAIN	B	HM	F1	1/A601	2/A601	TEMP.		4	
G131	3'-0"	7'-0"	0'-2"	WD	STAIN	B	HM	F1	1/A601	2/A601	TEMP.		4	
GB-100E	5'-0"	7'-0"	0'-2"	HM	PAINT	D	HM	F1	3/A601	4/A601		45min.	15	
GD-100K	6'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601	TEMP.	45min.	26	
GD-130	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601			2	
GD-133	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601		45min.	10	
GD-134	3'-6"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.		2	
GD-134A	3'-6"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.		5	
GD-134B	3'-6"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.		5	
GD-135-1	3'-6"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.		2	
GD-135-2	3'-6"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.		5	
GD-136	3'-6"	7'-0"	0'-2"	HM	PAINT	B	HM	F1	1/A601	2/A601	TEMP.		2	
GD-137	6'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601	TEMP.	45min.	15	
GD-137A	6'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601		45min.	30	
GD-138	3'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601		45min.	31	CARD READER
GD-139-1	6'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601	TEMP.	45min.	26	CARD READER
GD-139-2	3'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601			6	
GD-C-10	4'-0"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601		45min.	25	CARD READER
GE100C	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601			2	
GE100D	3'-6"	7'-0"	0'-2"	HM	PAINT	A	HM	F1	1/A601	2/A601			2	

### WINDOW SCHEDULE

WINDOW NUMBER	SIZE		QUANTITY	ELEVATION	MATERIAL	GLAZING	DETAIL		SILL HEIGHT	REMARKS
	WIDTH	HEIGHT					HEAD	JAMB		
W1	4'-4"	4'-2"	3	REFER TO INTERIOR ELEVATIONS	HM	TEMPERED	1/A601	2/A601	3'-0"	
W2	4'-0"	4'-0"	1	REFER TO INTERIOR ELEVATIONS	HM		1/A601	2/A601	3'-0"	



7/22/2021 11:10:52 AM  
C:\Users\mlewis\Documents\18-133\_Architectural\_Central\_dmelewis\UPAS.rvt

100% CONSTRUCTION DOCUMENTS SUBMISSION	07/23/2021
95% CONSTRUCTION DOCUMENTS SUBMISSION	02/12/2021
60% DESIGN DEVELOPMENT SUBMISSION	09/11/2020
30% SCHEMATIC DESIGN SUBMISSION	05/24/2020
Revisions:	Date:

**CONSULTANT**

**ARCHITECT/ENGINEER OF RECORD**

BANCROFT ARCHITECTS + ENGINEERS  
700 Nicholas Blvd, Suite 300  
Elk Grove Village, IL 60007  
T: 847.952.9362 F: 847.952.9403  
www.bancroft-ae.com

**STAMP**

**Office of Construction and Facilities Management**

VA U.S. Department of Veterans Affairs

Drawing Title: ARCHITECTURAL - DOOR AND WINDOW SCHEDULE AND DETAILS

Phase: 100% CONSTRUCTION DOCUMENTS

Approved: Project Director

**FULLY SPRINKLERED**

VA CONTRACT NO: 36C24519C0171

Project Title	RENOVATE/UPGRADE NFS KITCHEN - BUILDING 500 BASEMENT	Project Number	613-19-103
Location	510 BUTLER AVENUE, MARTINSBURG, WV 25405	Building Number	500
Issue Date	07/23/21	Drawing Number	A601
Checked	YV	Drawn	LR