

APPENDIX B
SAFETY SPECIFICATIONS
FOR
AFC/MFC TEST STAND
IN BUILDING 3907

SECTION I - GENERAL REQUIREMENTS

A. Safety Program Requirements. The contractor will implement a safety program that ensures protection of Government personnel and property. The program will consist of, as a minimum:

1. Mishap notification/reporting as defined in paragraph B. below.
2. A Safety Program that addresses, as a minimum, the subjects listed in Safety Program Elements, Section II and to be used during performance of the work described in the contract.

B. Mishap Notification.

1. The contractor shall notify the procuring Safety Office or a designated Government Representative (GR) within one (1) hour of all mishaps or incidents. A written report of the mishap/incident shall be sent within three calendar days to the GR, who will forward it to the Procuring Safety Office. For information not available at the time of initial written report, the contractor shall provide the remaining information no later than 20 calendar days after the mishap, unless extended by the Safety Office.

2. Mishap notifications shall contain, as a minimum, the following information:

- a. Contract, Contract Number, Name and Title of Person(s) Reporting
- b. Date, Time and exact location of accident/incident
- c. Brief Narrative of accident/incident (Events leading to accident/incident)
- d. Cause of accident/incident, if known
- e. Estimated cost of accident/incident (material and labor to repair/replace)
- f. Nomenclature of equipment and personnel involved in accident/incident
- g. Corrective actions (taken or proposed)
- h. Other pertinent information

3. If requested by the designated government representative, the contractor shall immediately secure the mishap scene/damaged property and impound pertinent maintenance and training records, until released by the Procuring Safety Office.

C. The safety provisions of this contract, shall apply to any subcontracts/subcontractors.

D. Safety requirements listed herein that do not concern contractor's operations or services shall be considered self-deleting as mutually agreed by the contractor and the procuring office.

SECTION II - SAFETY PROGRAM ELEMENTS

The contractor's Safety Program shall clearly define procedures, personnel qualifications, facilities and required equipment necessary to fulfill the following elements:

<u>Element/Requirement</u>	<u>Referenced Benchmark</u>
OSHA Standards for General Industry	29 CFR 1910
Housekeeping	AFI. 91-203
Material Handling Equipment (MHE)	AFI 91-203
Handling, Storage and use of Flammable/Combustible Liquid	AFI 91-203
Vehicle Operations	AFI 91-207
Hazardous Energy Control	AFI 91-203
Fire Protection	Tinker Instruction 32-2001

SECTION III - BIBLIOGRAPHY OF PUBLICATIONS/DIRECTIVES

These publications/directives and all supplements/changes thereto apply to the extent required by the provisions of Sections I, and II.

AFI 91-204	Apr 15	Safety Investigations and Reports
AFI 91-207	May 15	USAF Traffic Safety Program
AFI 91-203	Jun 12	Air Force Consolidated Occupational Safety Standard
AFI 91-203	Jun 12	Confined Space (Chapter 23)
AFI 91-203	Jun 12	Welding, Cutting, and Blazing (Chapter 27)
AFI 91-203	Jun 12	Flightline and Ground Operations (Chapter 24)
AFI 91-203	Jun 12	Housekeeping (Chapter 5)

Tinker Instruction
32-2001

Oct 09

Fire Protection Program

29 CFR 1910

OSHA Standards for General Industry